

COLLEGE CODERS

React JS Lesson 18 – Dynamic Routing (Premium Notes)

1) What are Dynamic Routes

- Dynamic routes allow one route structure to handle multiple values.
- Useful when data changes by id.

Example:

/product/1
/product/2

Explanation:

- Same route pattern handles many pages.

2) Static vs Dynamic Routes Difference

- Static route has fixed path.
- Dynamic route changes parameter.

Example:

Static → /about
Dynamic → /product/:id

Explanation:

- Dynamic route accepts variable value.

3) Understanding URL Parameters

- URL parameter is dynamic value inside route.

Example:

/product/5


Explanation:

- 5 becomes route parameter.

4) Creating Dynamic Routes using :id

- Use colon before variable name.

Example:



COLLEGE CODERS

```
<Route path='/product/:id' element={<ProductDetails />} />
```

Explanation:

- id becomes dynamic route key.

5) Navigating Dynamic Routes

- Different product ids open same component.

Example:

```
<Link to='/product/1'>Product 1</Link>  
<Link to='/product/2'>Product 2</Link>
```

Explanation:

- Same page handles both ids.

6) Using useParams() Hook

- useParams reads current route parameter.

Example:

```
const { id } = useParams();
```

Explanation:

- id value comes from URL.

7) Local Data Handling

- Use local array and match id.

Example:

```
const product = products.find(item=>item.id == id);
```


Explanation:

- Correct product is selected.

8) Building Product Details Page

- Show selected product data.

Example:



COLLEGE CODERS

`<h2>{product.name}</h2>`

Explanation:

- Matched product details displayed.

9) Real-world Product Page Example

- E-commerce product details use dynamic routes.

Example:

`/products/101`

Explanation:

- Single details page for all products.

10) Real-world Use Cases

- Product pages
- User profile pages
- Blog details pages

Example:

`/user/22`

`/blog/5`

Explanation:

- Common production usage.

Mini Project – Product Details Page

Products List → Click Product → Product Details Page

- Create local products array.
- Use dynamic route with id.
- Show product details using `useParams`.