

COLLEGE CODERS

React JS Lesson 20 – Programmatic Navigation (Premium Notes)

1) What is Programmatic Navigation

- Programmatic navigation means changing route using JavaScript logic instead of clicking a link.
- Used when navigation depends on events.

Example:

```
navigate('/home');
```

Explanation:

- Route changes through code.

2) Why useNavigate() is needed

- useNavigate hook gives navigation function.
- Useful after login, submit, delete.

Example:

```
const navigate = useNavigate();
```

Explanation:

- navigate function becomes available.

3) Difference between Link vs useNavigate

- Link is manual click navigation.
- useNavigate is logic-based navigation.

Example:


Link → user clicks

useNavigate → code triggers

Explanation:

- Both change route but purpose differs.

4) Navigation using a Button Click



COLLEGE CODERS

- Button click can trigger navigate.

Example:

```
<button onClick={()=>navigate('/about')}>  
  Go About  
</button>
```

Explanation:

- Button opens about page.

5) Redirect after Login / Action

- After login success navigate to dashboard.

Example:

```
if(success){  
  navigate('/dashboard');  
}
```

Explanation:

- Common production pattern.

6) Navigate Back & Forward (-1, 1)

- Negative moves back.
- Positive moves forward.

Example:


```
navigate(-1);  
navigate(1);
```

Explanation:

- Works like browser history.

7) Real-world use cases in React apps

- Login redirect
- Checkout success
- Delete confirmation
- Logout redirect



COLLEGE CODERS

Example:

Login → Dashboard

Logout → Login

Explanation:

- Used heavily in real projects.

Mini Project – Login Redirect

Login button → success → dashboard

- Create login button.
- Use `useNavigate` after success.
- Add back button using `navigate(-1)`.