

COLLEGE CODERS

React JS Lesson 22 – LocalStorage Basics (Premium Notes)

1) LocalStorage basics

- localStorage stores data inside browser permanently until removed.
- Data stays even after refresh.

Example:

```
localStorage
```

Explanation:

- Browser keeps data locally.

2) setItem → store name & age

- setItem stores key-value pair.

Example:

```
localStorage.setItem("name","Rohith");  
localStorage.setItem("age","22");
```

Explanation:

- Both values stored as strings.

3) getItem → read values (console output)

- getItem reads stored value.

Example:

```
console.log(localStorage.getItem("name"));
```

Explanation:


- Console prints stored name.

4) removeItem → delete a key

- removeItem deletes selected key.

Example:

```
localStorage.removeItem("age");
```



COLLEGE CODERS

Explanation:

- age key removed.

5) Why `JSON.stringify()` is needed

- Objects cannot store directly as object format.
- Must convert object into string.

Example:

```
JSON.stringify(user)
```

Explanation:

- Browser stores string only.

6) How to store an object

- Convert object before storing.

Example:

```
const user = {name:"Rohith", age:22};  
  
localStorage.setItem("user", JSON.stringify(user));
```

Explanation:

- Object becomes JSON string.

7) How to convert back using `JSON.parse()`

- `JSON.parse` converts string back into object.

Example:


```
const data = JSON.parse(localStorage.getItem("user"));  
  
console.log(data.name);
```

Explanation:

- Object becomes usable again.

Mini Project – Store Student Data

Store name, age, and read after refresh



COLLEGE CODERS

- Store student object.
- Read object using `JSON.parse`.
- Remove one key.