

# Security Audit Report

## Windows Audit:

Firewall Status:

Enabled

---

Windows Defender:

Enabled

---

UAC Status:

Enabled

---

Guest Account Status:

Disabled

---

BitLocker Status:

---

Shared Folders:

['ADMIN\$', 'C\$', 'D\$', 'IPC\$']

---

Weak Passwords:

[""]

---

Windows Update Service Status:

Running

---

Firewall Service Status:

Running

---

Pending Updates:

[""]

---

Antivirus Definitions Status:

29 March 2025 05:45:01

---

Admin Users:

['Alias name administrators', 'Comment Administrators have complete and unrestricted access to the computer/domain', '', 'Members', '', '-----', 'Administrator', 'MOHAMED YASIN', 'The command completed successfully.']

---

## Linux Audit:

OS Version:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

Kernel Version:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

Firewall Status:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

#### Running Services:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Listening Ports:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Users:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Groups:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Installed Packages:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Scheduled Cron Jobs:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Disk Usage:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Memory Usage:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### CPU Usage:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

#### Log Files:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---

### **Router Audit:**

#### SSH Configuration:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

#### SSH Version:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

#### Default/Weak Passwords:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Unused Ports:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Access Control Lists (ACLs):

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Firmware Version:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Logging Status:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Router Info:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Weak Ciphers:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

HTTPS Status:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

VPN Status:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

Two Factor Authentication:

[Errno None] Unable to connect to port 22 on 192.168.1.1

---

**Web Server Audit:**

#### Web Server Status:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

#### Active Connections:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

#### SSL Configuration:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

#### Open Ports:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

#### Server Load:

[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond

---

#### Web Server Logs:

['[WinError 10060] A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond']

---