

Test Automation Report

Self-healing locator analysis

Sep 28, 2026, 2:56 PM 1 min 32 s Mode: AUTO Threshold: 0.6 Claude: off

TESTS 12 1 min 32 s total	PASSED CLEAN 0 no healing needed	PASSED WITH WARN 12 needs review	FAILED 0 nothing unhealed	HEALS 17 local 17 - cache 0 - Claude 0	CLAUDE COST \$0.0000 0 calls - 0 tokens
--	---	---	--	---	--

Needs review 17

These locators were healed during the run. The tests passed, but the page objects should be updated; the suggested fix is on each row.

ELEMENT	OLD → NEW SELECTOR - SUGGESTED FIX	SOURCE	CONFIDENCE	COST
LoginPage.username in 12 test(s)	#login-username → [data-testid="username-input"] src/test/java/com/shoplab/tests/pages/LoginPage.java:16 Ready healer.locator("LoginPage.username", "[data-testid='username-input']")	Local	0.82	\$0.0000
LoginPage.password in 12 test(s)	input[name='password'] → [data-testid="login-password-input"] src/test/java/com/shoplab/tests/pages/LoginPage.java:17 Ready healer.locator("LoginPage.password", "[data-testid='login-password-input']")	Local	0.82	\$0.0000
LoginPage.loginButton in 12 test(s)	[data-testid='login-submit-button'] → [data-testid="signin-button"] src/test/java/com/shoplab/tests/pages/LoginPage.java:18 Ready healer.locator("LoginPage.loginButton", "[data-testid='signin-button']")	Local	0.69	\$0.0000
ProductsPage.addToCart[1] in 2 test(s)	#add-to-cart-1 → [data-testid="product-add-btn-1"] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual healer.locator("ProductsPage.addToCart[1]", "[data-testid='product-add-btn-1']")	Local	0.75	\$0.0000
ProductsPage.addToCart[5] in 2 test(s)	#add-to-cart-5 → [data-testid="product-add-btn-5"] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual healer.locator("ProductsPage.addToCart[5]", "[data-testid='product-add-btn-5']")	Local	0.75	\$0.0000
CartPage.couponInput in 1 test(s)	#coupon-code → [data-testid="promo-input"] src/test/java/com/shoplab/tests/pages/CartPage.java:25 Ready healer.locator("CartPage.couponInput", "[data-testid='promo-input']")	Local	0.84	\$0.0000

ELEMENT	OLD → NEW SELECTOR - SUGGESTED FIX	SOURCE	CONFIDENCE	COST
CartPage.placeOrder in 1 test(s)	#place-order → [data-testid="complete-order-button"] src/test/java/com/shoplab/tests/pages/CartPage.java:35 Ready <pre>healer.locator("CartPage.placeOrder", "[data-testid='complete-order-button']")</pre>	Local	0.79	\$0.0000
Header.logoutButton in 1 test(s)	button[data-testid='logout-button'] → [data-testid="logout-button"] src/test/java/com/shoplab/tests/pages/Header.java:17 Ready <pre>healer.locator("Header.logoutButton", "[data-testid='logout-button']")</pre>	Local	0.90	\$0.0000
ContactPage.email in 1 test(s)	#contact-email → [data-testid="email-field"] src/test/java/com/shoplab/tests/pages/ContactPage.java:19 Ready <pre>healer.locator("ContactPage.email", "[data-testid='email-field']")</pre>	Local	0.82	\$0.0000
ContactPage.submit in 2 test(s)	button[data-qa='send-message'] → [data-testid="contact-submit-button"] src/test/java/com/shoplab/tests/pages/ContactPage.java:23 Ready <pre>healer.locator("ContactPage.submit", "[data-testid='contact-submit-button']")</pre>	Local	0.79	\$0.0000
ProductDetailPage.sizeSelect in 1 test(s)	[data-testid='size-select'] → [data-testid="variant-size-dropdown"] src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:18 Ready <pre>healer.locator("ProductDetailPage.sizeSelect", "[data-testid='variant-size-dropdown']")</pre>	Local	0.79	\$0.0000
ProductDetailPage.addToCart in 2 test(s)	button:has-text('Add to Cart') → [data-testid="product-detail-add-to-cart"] src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:21 Ready <pre>healer.locator("ProductDetailPage.addToCart", "[data-testid='product-detail-add-to-cart']")</pre>	Local	0.97	\$0.0000
Header.cartBadge in 2 test(s)	#cart-count → [data-testid="basket-badge"] src/test/java/com/shoplab/tests/pages/Header.java:14 Ready <pre>healer.locator("Header.cartBadge", "[data-testid='basket-badge']")</pre>	Local	0.84	\$0.0000
ProductsPage.search in 1 test(s)	#product-search → [data-testid="search-box"] src/test/java/com/shoplab/tests/pages/ProductsPage.java:16 Ready <pre>healer.locator("ProductsPage.search", "[data-testid='search-box']")</pre>	Local	0.69	\$0.0000

ELEMENT	OLD → NEW SELECTOR - SUGGESTED FIX	SOURCE	CONFIDENCE	COST
ProductsPage.categoryFilter in 1 test(s)	<pre>[data-testid='category-filter-select'] → [data-testid="filter-category"] src/test/java/com/shoplab/tests/pages/ProductsPage.java:17 Ready healer.locator("ProductsPage.categoryFilter", "[data-testid="filter-category"]")</pre>	Local	0.82	\$0.0000
ProductsPage.addToCart[8] in 1 test(s)	<pre>#add-to-cart-8 → [data-testid="product-add-btn-8"] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual healer.locator("ProductsPage.addToCart[8]", "[data-testid="product-add-btn-8"]")</pre>	Local	0.75	\$0.0000
ProductsPage.addToCart[2] in 1 test(s)	<pre>#add-to-cart-2 → [data-testid="product-add-btn-2"] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual healer.locator("ProductsPage.addToCart[2]", "[data-testid="product-add-btn-2"]")</pre>	Local	0.75	\$0.0000

Code fixes 17

Where each healed selector is written in the sources. 13 fix(es) are ready in the patch below: review it, then apply it (or run once with -Dhealer.fix=apply). Manual ones are never guessed.

```
git apply target/healer-report/locator-fixes.patch
```

STATUS	ELEMENT / LOCATION	CHANGE	
Ready	LoginPage.username src/test/java/com/shoplab/tests/pages/LoginPage.java:16	<pre>#login-username → [data-testid="username-input"]</pre>	in 12 test(s)
Ready	LoginPage.password src/test/java/com/shoplab/tests/pages/LoginPage.java:17	<pre>input[name='password'] → [data-testid="login-password-input"]</pre>	in 12 test(s)
Ready	LoginPage.loginButton src/test/java/com/shoplab/tests/pages/LoginPage.java:18	<pre>[data-testid='login-submit-button'] → [data-testid="signin-button"]</pre>	in 12 test(s)
Manual	ProductsPage.addToCart[1] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39	<pre>#add-to-cart-1 → [data-testid="product-add-btn-1"] Selector not found in the sources - it may be built at runtime.</pre>	in 2 test(s)
Manual	ProductsPage.addToCart[5] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39	<pre>#add-to-cart-5 → [data-testid="product-add-btn-5"] Selector not found in the sources - it may be built at runtime.</pre>	in 2 test(s)
Ready	CartPage.couponInput src/test/java/com/shoplab/tests/pages/CartPage.java:25	<pre>#coupon-code → [data-testid="promo-input"]</pre>	in 1 test(s)
Ready	CartPage.placeOrder src/test/java/com/shoplab/tests/pages/CartPage.java:35	<pre>#place-order → [data-testid="complete-order-button"]</pre>	in 1 test(s)
Ready	Header.logoutButton src/test/java/com/shoplab/tests/pages/Header.java:17	<pre>button[data-testid='logout-button'] → [data-testid="logout-button"]</pre>	in 1 test(s)
Ready	ContactPage.email src/test/java/com/shoplab/tests/pages/ContactPage.java:19	<pre>#contact-email → [data-testid="email-field"]</pre>	in 1 test(s)
Ready	ContactPage.submit src/test/java/com/shoplab/tests/pages/ContactPage.java:23	<pre>button[data-qa='send-message'] → [data-testid="contact-submit-button"]</pre>	in 2 test(s)

STATUS	ELEMENT / LOCATION	CHANGE	
Ready	ProductDetailPage.sizeSelect src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:18	[data-testid='size-select'] → [data-testid="variant-size-dropdown"]	in 1 test(s)
Ready	ProductDetailPage.addToCart src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:21	button:has-text('Add to Cart') → [data-testid="product-detail-add-to-cart"]	in 2 test(s)
Ready	Header.cartBadge src/test/java/com/shoplab/tests/pages/Header.java:14	#cart-count → [data-testid="basket-badge"]	in 2 test(s)
Ready	ProductsPage.search src/test/java/com/shoplab/tests/pages/ProductsPage.java:16	#product-search → [data-testid="search-box"]	in 1 test(s)
Ready	ProductsPage.categoryFilter src/test/java/com/shoplab/tests/pages/ProductsPage.java:17	[data-testid='category-filter-select'] → [data-testid="filter-category"]	in 1 test(s)
Manual	ProductsPage.addToCart[8] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39	#add-to-cart-8 → [data-testid="product-add-btn-8"] Selector not found in the sources - it may be built at runtime.	in 1 test(s)
Manual	ProductsPage.addToCart[2] src/test/java/com/shoplab/tests/pages/ProductsPage.java:39	#add-to-cart-2 → [data-testid="product-add-btn-2"] Selector not found in the sources - it may be built at runtime.	in 1 test(s)

Locator quality 1 / 44

Every locator used in this run, rated by how likely it is to break. Where the element was found, a more stable selector is suggested; the patch below applies the suggestions (review it first - nothing is changed automatically).

RISK	ELEMENT / LOCATION	SELECTOR → SUGGESTION	
Low	ProductDetailPage.addToCart src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:21 broke in this run	button:has-text('Add to Cart') visible text - changes with copy edits and translations	in 2 test(s)

Tests 12

⚠ PASSED - WARN

CheckoutTest > couponReducesTotal

22.6 s · \$0.0000

1

Page http://localhost:8080/login

✓

2

LoginPage.username 'standard_user'

⚠ healed

⚠ LoginPage.username healed


Local

\$0.0000 · Local

confidence 0.82

wait 3.0 s - heal 0.2 s

```
—— LoginPage.username ——
[X] Selector not found: #login-username (waited 3024 ms)
1) Cache: no entry
2) Local heuristic: compared 26 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.82 input#user-name[data-testid=username-input]
    signals: tag 1.00 | name 1.00 | aria-label 1.00 | title 1.00 |
type 1.00 | class 1.00 | label 1.00 | ancestors 1.00 | position 0.98 |
placeholder 0.68 | data-testid 0.67 | id 0.45 | data-qa 0.00
  #2 0.34 input#login-password[data-testid=login-password-input]
  #3 0.31 label "Username"
  → Accepted: 0.82 ≥ 0.60 and 0.48 ahead of the runner-up
4) Validation: [data-testid="username-input"] matches 1 element(s) on
the page → OK
[!] HEALED (HEURISTIC, 0.82): [data-testid="username-input"] - cost
$0.0000 (local) → test continues, reported as WARN
  changed: id 'login-username' → 'user-name', data-testid 'login-
username-input' → 'username-input', data-qa 'username-field' → '',
placeholder 'Enter your username' → 'Email or username'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	login-username	user-name
data-testid	login-username-input	username-input
data-qa	username-field	-
placeholder	Enter your username	Email or username

LOCAL HEURISTIC CANDIDATES

- #1 0.82 input#user-name[data-testid=username-input]
- #2 0.34 input#login-password[data-testid=login-password-input]
- #3 0.31 label "Username"

Page object fix

src/test/java/com/shoplab/tests/pages/LoginPage.java:16 [Ready](#)


```
healer.locator("LoginPage.username", "[data-testid='username-input']")
```

3 LoginPage.password '.....'

healed

LoginPage.password healed Local \$0.0000 · local confidence 0.82 wait 3.0 s - heal 0.2 s

```
—— LoginPage.password ——
[X] Selector not found: input[name='password'] (waited 3018 ms)
1) Cache: no entry
2) Local heuristic: compared 26 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.82 input#login-password[data-testid=login-password-input]
    signals: tag 1.00 | id 1.00 | data-testid 1.00 | aria-label
1.00 | placeholder 1.00 | title 1.00 | type 1.00 | label 1.00 |
ancestors 1.00 | position 0.97 | name 0.45 | data-qa 0.19 | class 0.00
  #2 0.35 a#forgot-password-link[data-testid=login-forgot-password-
link] "Forgot password?"
  #3 0.31 label "Password"
  → Accepted: 0.82 ≥ 0.60 and 0.47 ahead of the runner-up
4) Validation: [data-testid="login-password-input"] matches 1
element(s) on the page → OK
[!] HEALED (HEURISTIC, 0.82): [data-testid="login-password-input"] -
cost $0.0000 (local) → test continues, reported as WARN
  changed: data-qa 'password-field' → 'pwd', name 'password' →
'pass', class 'form-input input-password' → 'form-control pwd-field'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
data-qa	password-field	pwd
name	password	pass
class	form-input input- password	form-control pwd- field

LOCAL HEURISTIC CANDIDATES

- #1 0.82 input#login-password[data-testid=login-password-input]
- #2 0.35 a#forgot-password-link[data-testid=login-forgot-password-link] "Forgot password?"
- #3 0.31 label "Password"

Page object fix

src/test/java/com/shoplab/tests/pages/LoginPage.java:17 Ready


```
healer.locator("LoginPage.password", "[data-testid='login-password-input']")
```

4 LoginPage.loginButton

healed

LoginPage.loginButton healed Local \$0.0000 · local confidence 0.69 wait 3.0 s - heal 0.1 s

```
—— LoginPage.loginButton ——
[X] Selector not found: [data-testid='login-submit-button'] (waited
3005 ms)
1) Cache: no entry
2) Local heuristic: compared 26 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.69 button#btn-signin[data-testid=signin-button] "Log In"
      signals: tag 1.00 | data-qa 1.00 | name 1.00 | type 1.00 |
class 1.00 | position 0.98 | ancestors 0.75 | aria-label 0.57 | title
0.57 | text 0.57 | data-testid 0.47 | id 0.23
  #2 0.33 form#login-form[data-testid=login-form] "Username
Password Remember me Forgot pas..."
  #3 0.28 div#login-error[data-testid=login-error-message]
→ Accepted: 0.69 ≥ 0.60 and 0.36 ahead of the runner-up
4) Validation: [data-testid="signin-button"] matches 1 element(s) on
the page → OK
[!] HEALED (HEURISTIC, 0.69): [data-testid="signin-button"] - cost
$0.0000 (local) → test continues, reported as WARN
  changed: id 'login-button' → 'btn-signin', data-testid 'login-
submit-button' → 'signin-button', aria-label 'Sign in' → 'Log in',
title 'Sign in' → 'Log in', text 'Sign In' → 'Log In'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	login-button	btn-signin
data-testid	login-submit-button	signin-button
aria-label	Sign in	Log in
title	Sign in	Log in
text	Sign In	Log In

LOCAL HEURISTIC CANDIDATES

- #1 0.69 button#btn-signin[data-testid=signin-button] "Log In"
- #2 0.33 form#login-form[data-testid=login-form] "Username Password Remember me Forgot pas..."
- #3 0.28 div#login-error[data-testid=login-error-message]

Page object fix

src/test/java/com/shoplab/tests/pages/LoginPage.java:18 Ready


```
healer.locator("LoginPage.loginButton", "[data-testid='signin-button']")
```

5 ProductsPage.addToCart[1]

healed

ProductsPage.addToCart[1] healed Local \$0.0000 · local confidence 0.75 wait 3.0 s - heal 0.2 s

```
ProductsPage.addToCart[1]
[X] Selector not found: #add-to-cart-1 (waited 3010 ms)
1) Cache: no entry
2) Local heuristic: compared 99 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
#1 0.75 button#btn-add-1[data-testid=product-add-btn-1] "Add to
Bag"
signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00
| type 1.00 | ancestors 1.00 | position 0.99 | title 0.73 | text 0.73
| class 0.50 | id 0.40 | data-testid 0.33
#2 0.35 a#view-product-1[data-testid=view-product-1] "Details"
#3 0.32 button#btn-add-2[data-testid=product-add-btn-2] "Add to
Bag"
→ Accepted: 0.75 ≥ 0.60 and 0.40 ahead of the runner-up
4) Validation: [data-testid="product-add-btn-1"] matches 1 element(s)
on the page → OK
[!] HEALED (HEURISTIC, 0.75): [data-testid="product-add-btn-1"] -
cost $0.0000 (local) → test continues, reported as WARN
changed: id 'add-to-cart-1' → 'btn-add-1', data-testid 'add-to-
cart-1' → 'product-add-btn-1', title 'Add to Cart' → 'Add to Bag',
class 'btn btn-primary btn-add-cart' → 'btn btn-primary js-cart-add',
text 'Add to Cart' → 'Add to Bag'
```



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	add-to-cart-1	btn-add-1
data-testid	add-to-cart-1	product-add-btn-1
title	Add to Cart	Add to Bag
class	btn btn-primary btn-add-cart	btn btn-primary js- cart-add
text	Add to Cart	Add to Bag

LOCAL HEURISTIC CANDIDATES

- #1 0.75 button#btn-add-1[data-testid=product-add-btn-1]
"Add to Bag"
- #2 0.35 a#view-product-1[data-testid=view-product-1]
"Details"
- #3 0.32 button#btn-add-2[data-testid=product-add-btn-2]
"Add to Bag"

Page object fix

src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual


```
healer.locator("ProductsPage.addToCart[1]", "[data-testid='product-add-btn-1']")
```

6 ProductsPage.addToCart[5]

healed

ProductsPage.addToCart[5] healed Local \$0.0000 · local confidence 0.75 wait 3.0 s - heal 0.2 s

```
ProductsPage.addToCart[5]
[X] Selector not found: #add-to-cart-5 (waited 3009 ms)
1) Cache: no entry
2) Local heuristic: compared 99 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
#1 0.75 button#btn-add-5[data-testid=product-add-btn-5] "Add to
Bag"
signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00
| type 1.00 | ancestors 1.00 | position 0.99 | title 0.73 | text 0.73
| class 0.50 | id 0.40 | data-testid 0.33
#2 0.34 a#view-product-5[data-testid=view-product-5] "Details"
#3 0.31 button#btn-add-4[data-testid=product-add-btn-4] "Add to
Bag"
→ Accepted: 0.75 ≥ 0.60 and 0.41 ahead of the runner-up
4) Validation: [data-testid="product-add-btn-5"] matches 1 element(s)
on the page → OK
[!] HEALED (HEURISTIC, 0.75): [data-testid="product-add-btn-5"] -
cost $0.0000 (local) → test continues, reported as WARN
changed: id 'add-to-cart-5' → 'btn-add-5', data-testid 'add-to-
cart-5' → 'product-add-btn-5', title 'Add to Cart' → 'Add to Bag',
class 'btn btn-primary btn-add-cart' → 'btn btn-primary js-cart-add',
text 'Add to Cart' → 'Add to Bag'
```



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	add-to-cart-5	btn-add-5
data-testid	add-to-cart-5	product-add-btn-5
title	Add to Cart	Add to Bag
class	btn btn-primary btn-add-cart	btn btn-primary js- cart-add
text	Add to Cart	Add to Bag

LOCAL HEURISTIC CANDIDATES

- #1 0.75 button#btn-add-5[data-testid=product-add-btn-5]
"Add to Bag"
- #2 0.34 a#view-product-5[data-testid=view-product-5]
"Details"
- #3 0.31 button#btn-add-4[data-testid=product-add-btn-4]
"Add to Bag"

Page object fix

 src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual

```
healer.locator("ProductsPage.addToCart[5]", "[data-testid='product-add-btn-5']")
```

7 Header.cartLink



8 CartPage.total text



9 CartPage.couponInput 'SAVE10'

healed

CartPage.couponInput healed

Local


\$0.0000 · local

confidence 0.84

wait 3.0 s - heal 0.2 s

CartPage.couponInput

```
[X] Selector not found: #coupon-code (waited 3011 ms)
1) Cache: no entry
2) Local heuristic: compared 101 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
#1 0.84 input#promo-code[data-testid=promo-input]
  signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00
| placeholder 1.00 | title 1.00 | type 1.00 | class 1.00 | ancestors
1.00 | position 0.99 | id 0.49 | data-testid 0.42
#2 0.45 input#postal-code[data-testid=checkout-postal-code-input]
#3 0.33 div#coupon-message[data-testid=coupon-message]
→ Accepted: 0.84 ≥ 0.60 and 0.40 ahead of the runner-up
4) Validation: [data-testid="promo-input"] matches 1 element(s) on the
page → OK
[!] HEALED (HEURISTIC, 0.84): [data-testid="promo-input"] - cost
$0.0000 (local) → test continues, reported as WARN
  changed: id 'coupon-code' → 'promo-code', data-testid 'coupon-
code-input' → 'promo-input'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	coupon-code	promo-code
data-testid	coupon-code-input	promo-input

LOCAL HEURISTIC CANDIDATES

- #1 0.84 input#promo-code[data-testid=promo-input]
- #2 0.45 input#postal-code[data-testid=checkout-postal-code-input]
- #3 0.33 div#coupon-message[data-testid=coupon-message]

Page object fix

 src/test/java/com/shoplab/tests/pages/CartPage.java:25 Ready

```
healer.locator("CartPage.couponInput", "[data-testid='promo-input']")
```

10 CartPage.applyCoupon



11 CartPage.couponMessage text



12 CartPage.total text



1 Page http://localhost:8080/login



2 LoginPage.username 'standard_user'

⚠ healed

🔄 LoginPage.username was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000

3 LoginPage.password '*****'

⚠ healed

🔄 LoginPage.password was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

4 LoginPage.loginButton

⚠ healed

🔄 LoginPage.loginButton was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000

5 ProductsPage.addToCart[1]

⚠ healed

🔄 ProductsPage.addToCart[1] was healed earlier in this run (Local) and reused: [data-testid="product-add-btn-1"] · \$0.0000

6 ProductsPage.addToCart[5]

⚠ healed

🔄 ProductsPage.addToCart[5] was healed earlier in this run (Local) and reused: [data-testid="product-add-btn-5"] · \$0.0000

7 Header.cartLink




8 CartPage.placeOrder

⚠ healed

⚠ CartPage.placeOrder healed Local \$0.0000 · local confidence 0.79 wait 3.0 s - heal 0.2 s

— CartPage.placeOrder —

```
[X] Selector not found: #place-order (waited 3010 ms)
1) Cache: no entry
2) Local heuristic: compared 101 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.79 button#submit-order[data-testid=complete-order-button]
  "Checkout"
    signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00
    | title 1.00 | type 1.00 | class 1.00 | ancestors 1.00 | position 0.99
    | data-testid 0.69 | id 0.45 | text 0.18
  #2 0.32 button#remove-confirm[data-testid=remove-confirm-button]
  "Remove"
  #3 0.27 button#remove-cancel[data-testid=remove-cancel-button]
  "Cancel"
  → Accepted: 0.79 ≥ 0.60 and 0.47 ahead of the runner-up
4) Validation: [data-testid="complete-order-button"] matches 1
element(s) on the page → OK
[!] HEALED (HEURISTIC, 0.79): [data-testid="complete-order-button"] -
cost $0.0000 (local) → test continues, reported as WARN
  changed: id 'place-order' → 'submit-order', data-testid 'place-
order-button' → 'complete-order-button', text 'Place Order' →
'Checkout'
```



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	place-order	submit-order
data-testid	place-order-button	complete-order-button
text	Place Order	Checkout

LOCAL HEURISTIC CANDIDATES

- #1

0.79 button#submit-order[data-testid=complete-order-button] "Checkout"
- #2

0.32 button#remove-confirm[data-testid=remove-confirm-button] "Remove"
- #3

0.27 button#remove-cancel[data-testid=remove-cancel-button] "Cancel"

src/test/java/com/shoplab/tests/pages/CartPage.java:35 Ready

```
healer.locator("CartPage.placeOrder", "[data-testid='complete-order-button']")
```

9	CartPage.checkoutError text	✓
10	CartPage.firstName 'Ada'	✓
11	CartPage.lastName 'Lovelace'	✓
12	CartPage.address 'Test sokak 1'	✓
13	CartPage.city 'istanbul'	✓
14	CartPage.postalCode '34000'	✓
15	CartPage.acceptTerms	✓
16	CartPage.placeOrder	⚠ healed
17	CartPage.orderSuccess until visible	✓
18	CartPage.orderSuccess is visible	✓

⚠ PASSED - WARN ContactTest › logout

5.3 s · \$0.0000

1	Page http://localhost:8080/login	✓
2	LoginPage.username 'standard_user'	⚠ healed
↳ LoginPage.username was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000		
3	LoginPage.password '*****'	⚠ healed
↳ LoginPage.password was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000		
4	LoginPage.loginButton	⚠ healed
↳ LoginPage.loginButton was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000		
5	Header.contactLink	✓
6	Header.logoutButton	⚠ healed

⚠ Header.logoutButton healed Local \$0.0000 · local confidence 0.90 wait 3.0 s - heal 0.1 s

Header.LoginButton

[X] Selector not found: button[data-testid='logout-button'] (waited 3008 ms)

1) Cache: no entry

2) Local heuristic: compared 73 candidates with the fingerprint (threshold 0.60, margin 0.08) [free]

#1 0.90 a#logout-button[data-testid=logout-button] "Sign Out"

signals: id 1.00 | data-testid 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00 | title 1.00 | class 1.00 | ancestors 1.00 | position 0.98 | tag 0.70 | text 0.50 | type 0.00

#2 0.31 button#faq-button[data-testid=faq-open-button]

"Frequently Asked Questions"

#3 0.28 button#faq-close[data-testid=faq-close-button] "Close"

→ Accepted: 0.90 ≥ 0.60 and 0.59 ahead of the runner-up

4) Validation: [data-testid="logout-button"] matches 1 element(s) on the page → OK

[!] HEALED (HEURISTIC, 0.90): [data-testid="logout-button"] - cost \$0.0000 (local) → test continues, reported as WARN

changed: tag 'button' → 'a', type 'button' → '', role '' → 'button', href '' → '#', text 'Logout' → 'Sign Out'

EnglishStandard Userjane.doe@shoplab.testSign Out

Contact Information

Levent, Istanbul

0850 000 00 00

support@shoplab.test

Weekdays 09:00 - 18:00

The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES		
ATTRIBUTE	OLD	NEW
tag	button	a
type	button	-
role	-	button
href	-	#
text	Logout	Sign Out

LOCAL HEURISTIC CANDIDATES

#10.90 a#logout-button[data-testid=logout-button] "Sign Out"

#20.31 button#faq-button[data-testid=faq-open-button] "Frequently Asked Questions"

#30.28 button#faq-close[data-testid=faq-close-button] "Close"

Page object fix

src/test/java/com/shoplab/tests/pages/Header.java:17

Ready

healer.locator("Header.LoginButton", "[data-testid='logout-button']")

△ PASSED - WARN

ContactTest › sendMessage

8.6 s · \$0.0000

1Page http://localhost:8080/login

2LoginPage.username 'standard_user'

3LoginPage.password '.....'

4LoginPage.loginButton

5Header.contactLink

6ContactPage.fullName 'Ada Lovelace'

7ContactPage.email 'ada@test.com'

△ healed

△ healed

△ healed

△ healed

✓

✓

△ healed

△ LoginPage.username was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000

△ LoginPage.password was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

△ LoginPage.loginButton was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000

△ ContactPage.email healed

Local

\$0.0000 · local

confidence 0.82

wait 3.0 s - heal 0.1 s

— ContactPage.email —

[X] Selector not found: #contact-email (waited 3013 ms)

1) Cache: no entry

2) Local heuristic: compared 73 candidates with the fingerprint (threshold 0.60, margin 0.08) [free]

#1 0.82 input#email-address[data-testid=email-field]

signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00 | placeholder 1.00 | title 1.00 | type 1.00 | class 1.00 | label 1.00 | ancestors 1.00 | position 0.99 | id 0.33 | data-testid 0.28

#2 0.45 input#pref-email[data-testid=contact-pref-email]


#3 0.41 input#contact-name[data-testid=contact-name-input]

→ Accepted: 0.82 ≥ 0.60 and 0.37 ahead of the runner-up

4) Validation: [data-testid="email-field"] matches 1 element(s) on the page → OK

[!] HEALED (HEURISTIC, 0.82): [data-testid="email-field"] - cost \$0.0000 (local) → test continues, reported as WARN

changed: id 'contact-email' → 'email-address', data-testid 'contact-email-input' → 'email-field'



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	contact-email	email-address
data-testid	contact-email-input	email-field

LOCAL HEURISTIC CANDIDATES

- #1 0.82 input#email-address[data-testid=email-field]
- #2 0.45 input#pref-email[data-testid=contact-pref-email]
- #3 0.41 input#contact-name[data-testid=contact-name-input]

Page object fix

src/test/java/com/shoplab/tests/pages/ContactPage.java:19 Ready

healer.locator("ContactPage.email", "[data-testid='email-field']")

- 8 ContactPage.subject 'order' ✓
- 9 ContactPage.phonePreference ✓
- 10 ContactPage.message 'I would like to know the status of my order.' ✓
- 11 ContactPage.submit ⚠ healed

⚠ ContactPage.submit healed Local \$0.0000 · local confidence 0.79 wait 3.0 s - heal 0.1 s

— ContactPage.submit —

[X] Selector not found: button[data-qa='send-message'] (waited 3015 ms)

1) Cache: no entry

2) Local heuristic: compared 73 candidates with the fingerprint (threshold 0.60, margin 0.08) [free]

#1 0.79 a#contact-submit[data-testid=contact-submit-button] "Send Message"

signals: id 1.00 | data-testid 1.00 | name 1.00 | aria-label 1.00 | class 1.00 | ancestors 1.00 | position 0.99 | tag 0.70 | title 0.50 | text 0.50 | data-qa 0.15 | type 0.00

#2 0.40 button#contact-clear[data-testid=contact-clear-button] "Clear"


#3 0.32 textarea#contact-message[data-testid=contact-message-input]

→ Accepted: 0.79 ≥ 0.60 and 0.39 ahead of the runner-up

4) Validation: [data-testid="contact-submit-button"] matches 1 element(s) on the page → OK

[!] HEALED (HEURISTIC, 0.79): [data-testid="contact-submit-button"] - cost \$0.0000 (local) → test continues, reported as WARN

changed: tag 'button' → 'a', data-qa 'send-message' → 'submit', title 'Send' → 'Send Message', type 'submit' → '', role '' → 'button', href '' → '#', text 'Send' → 'Send Message'



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
tag	button	a
data-qa	send-message	submit
title	Send	Send Message
type	submit	-
role	-	button
href	-	#
text	Send	Send Message

LOCAL HEURISTIC CANDIDATES

- #1  0.79 a#contact-submit[data-testid=contact-submit-button] "Send Message"
- #2  0.40 button#contact-clear[data-testid=contact-clear-button] "Clear"
- #3  0.32 textarea#contact-message[data-testid=contact-message-input]

Page object fix

 src/test/java/com/shoplab/tests/pages/ContactPage.java:23 Ready

```
healer.locator("ContactPage.submit", "[data-testid='contact-submit-button']")
```

12 **ContactPage.successMessage** text⚠ PASSED - WARN ContactTest > emptyFormShowsErrors

1.2 s · \$0.0000

1 **Page** http://localhost:8080/login2 **LoginPage.username** 'standard_user'⚠ healed **LoginPage.username** was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.00003 **LoginPage.password** '.....'⚠ healed **LoginPage.password** was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.00004 **LoginPage.loginButton**⚠ healed **LoginPage.loginButton** was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.00005 **Header.contactLink**6 **ContactPage.submit**⚠ healed **ContactPage.submit** was healed earlier in this run (Local) and reused: [data-testid="contact-submit-button"] · \$0.00007 **ContactPage.errorMessage** text⚠ PASSED - WARN LoginTest > invalidPasswordShowsError

1.9 s · \$0.0000

1 **Page** http://localhost:8080/login2 **LoginPage.username** 'standard_user'⚠ healed **LoginPage.username** was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.00003 **LoginPage.password** '.....'⚠ healed **LoginPage.password** was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

4

LoginPage.loginButton

healed

↳ LoginPage.loginButton

was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000

5

LoginPage.errorMessage text

✓

PASSED - WARN

LoginTest › validLoginOpensProducts

1.6 s · \$0.0000

1

Page http://localhost:8080/login

✓

2

LoginPage.username 'standard_user'

healed

↳ LoginPage.username

was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000

3

LoginPage.password '*****'

healed

↳ LoginPage.password

was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

4

LoginPage.loginButton

healed

↳ LoginPage.loginButton

was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000

PASSED - WARN

ProductDetailTest › addWithVariantAndQuantity

12.0 s · \$0.0000

1

Page http://localhost:8080/login

✓

2

LoginPage.username 'standard_user'

healed

↳ LoginPage.username

was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000

3

LoginPage.password '*****'

healed

↳ LoginPage.password

was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

4

LoginPage.loginButton

healed

↳ LoginPage.loginButton

was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000

5

ProductsPage.viewProduct[4]

✓

6

ProductDetailPage.color[blue]

✓

7

ProductDetailPage.sizeSelect 'M'

healed

△ ProductDetailPage.sizeSelect healed

Local


\$0.0000 · local

confidence 0.79

wait 3.0 s - heal 0.1 s

— ProductDetailPage.sizeSelect —

```
[X] Selector not found: [data-testid='size-select'] (waited 3017 ms)
1) Cache: no entry
2) Local heuristic: compared 55 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.79 select#variant-size[data-testid=variant-size-dropdown]
    signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00
    | title 1.00 | class 1.00 | label 1.00 | ancestors 1.00 | position
    0.99 | id 0.33 | data-testid 0.25
  #2 0.33 label "Size"
  #3 0.30 div#size-error[data-testid=size-error-message] "Please
select a size."
  → Accepted: 0.79 ≥ 0.60 and 0.46 ahead of the runner-up
4) Validation: [data-testid="variant-size-dropdown"] matches 1
element(s) on the page → OK
[!] HEALED (HEURISTIC, 0.79): [data-testid="variant-size-dropdown"] -
cost $0.0000 (local) → test continues, reported as WARN
  changed: id 'size-select' → 'variant-size', data-testid 'size-
select' → 'variant-size-dropdown'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	size-select	variant-size
data-testid	size-select	variant-size-dropdown

LOCAL HEURISTIC CANDIDATES

- #1 0.79 select#variant-size[data-testid=variant-size-dropdown]
- #2 0.33 label "Size"
- #3 0.30 div#size-error[data-testid=size-error-message] "Please select a size."

Page object fix

src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:18 **Ready**

```
healer.locator("ProductDetailPage.sizeSelect", "[data-testid='variant-size-dropdown']")
```

8 ProductDetailPage.quantityIncrease


9 ProductDetailPage.addToCart

healed

ProductDetailPage.addToCart healed Local \$0.0000 · local confidence 0.97 wait 3.0 s - heal 0.1 s

— ProductDetailPage.addToCart —

```
[X] Selector not found: button:has-text('Add to Cart') (waited 3012 ms)
1) Cache: no entry
2) Local heuristic: compared 55 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.97 button#detail-add-to-cart[data-testid=product-detail-add-to-cart] "Add to Bag"
    signals: tag 1.00 | id 1.00 | data-testid 1.00 | data-qa 1.00
    | name 1.00 | aria-label 1.00 | title 1.00 | type 1.00 | class 1.00 |
    ancestors 1.00 | position 0.99 | text 0.73
  #2 0.32 span#detail-category[data-testid=product-detail-category] "SPORTS"
  #3 0.29 h1#detail-name[data-testid=product-detail-name] "Running Shoes"
  → Accepted: 0.97 ≥ 0.60 and 0.65 ahead of the runner-up
4) Validation: [data-testid="product-detail-add-to-cart"] matches 1
element(s) on the page → OK
[!] HEALED (HEURISTIC, 0.97): [data-testid="product-detail-add-to-cart"] -
cost $0.0000 (local) → test continues, reported as WARN
  changed: text 'Add to Cart' → 'Add to Bag'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
text	Add to Cart	Add to Bag

LOCAL HEURISTIC CANDIDATES

- #1 0.97 button#detail-add-to-cart[data-testid=product-detail-add-to-cart] "Add to Bag"
- #2 0.32 span#detail-category[data-testid=product-detail-category] "SPORTS"
- #3 0.29 h1#detail-name[data-testid=product-detail-name] "Running Shoes"

Page object fix

 src/test/java/com/shoplab/tests/pages/ProductDetailPage.java:21 Ready

```
healer.locator("ProductDetailPage.addToCart", "[data-testid='product-detail-add-to-cart']")
```


10 Header.cartBadge text

healedHeader.cartBadge healed Local \$0.0000 · local confidence 0.84 wait 3.0 s - heal 0.1 s

```
Header.cartBadge
[X] Selector not found: #cart-count (waited 3016 ms)
1) Cache: no entry
2) Local heuristic: compared 55 candidates with the fingerprint (threshold 0.60, margin 0.08) [free]
   #1 0.84 span#basket-count[data-testid=basket-badge] "2"
      signals: tag 1.00 | data-qa 1.00 | aria-label 1.00 | class 1.00 | text 1.00 | ancestors 1.00 | position 1.00 | id 0.60 | data-testid 0.45
   #2 0.35 a#nav-cart[data-testid=nav-cart-link] "Cart 2"
   #3 0.24 nav#main-nav[data-testid=main-nav] "Products Cart 2 Contact"
      → Accepted: 0.84 ≥ 0.60 and 0.48 ahead of the runner-up
4) Validation: [data-testid="basket-badge"] matches 1 element(s) on the page → OK
[!] HEALED (HEURISTIC, 0.84): [data-testid="basket-badge"] - cost $0.0000 (local) → test continues, reported as WARN
    changed: id 'cart-count' → 'basket-count', data-testid 'cart-count-badge' → 'basket-badge'
```

ShopLab Products Cart HEALED (local 0.84) Contact

Products / Running Shoes



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	cart-count	basket-count
data-testid	cart-count-badge	basket-badge

LOCAL HEURISTIC CANDIDATES

- #1 0.84 span#basket-count[data-testid=basket-badge] "2"
- #2 0.35 a#nav-cart[data-testid=nav-cart-link] "Cart 2"
- #3 0.24 nav#main-nav[data-testid=main-nav] "Products Cart 2 Contact"

Page object fix

 src/test/java/com/shoplab/tests/pages/Header.java:14 Ready

```
healer.locator("Header.cartBadge", "[data-testid='basket-badge']")
```

PASSED - WARN ProductDetailTest > sizesRequired

1.4 s · \$0.0000

1 Page http://localhost:8080/login ✓2 LoginPage.username 'standard_user' healedLoginPage.username was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.00003 LoginPage.password '*****' healedLoginPage.password was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

- 4

LoginPage.loginButton

healed
- 5

ProductsPage.viewProduct[4]
- 6

ProductDetailPage.name text
- 7

ProductDetailPage.addToCart

healed
- 8

ProductDetailPage.sizeError class

PASSED - WARN

ProductsTest > searchAndFilter

8.7 s · \$0.0000

- 1

Page http://localhost:8080/login
- 2

LoginPage.username 'standard_user'

healed
- 3

LoginPage.password '*****'

healed
- 4

LoginPage.loginButton

healed
- 5

ProductsPage.search 'watch'

healed

ProductsPage.search healed


Local

\$0.0000 · local

confidence 0.69

wait 3.0 s - heal 0.2 s

```
ProductsPage.search
[X] Selector not found: #product-search (waited 3006 ms)
1) Cache: no entry
2) Local heuristic: compared 99 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.69 input#search-input[data-testid=search-box]
      signals: tag 1.00 | name 1.00 | aria-label 1.00 | title 1.00 |
type 1.00 | class 1.00 | ancestors 1.00 | position 0.99 | id 0.33 |
data-qa 0.33 | data-testid 0.32 | placeholder 0.16
  #2 0.34 select#sort-select[data-testid=product-sort-select]
  #3 0.29 article#product-card-1[data-testid=product-card-1] "ELECTRONICS Wireless Headphones $1,29..."
      → Accepted: 0.69 ≥ 0.60 and 0.36 ahead of the runner-up
4) Validation: [data-testid="search-box"] matches 1 element(s) on the
page → OK
[!] HEALED (HEURISTIC, 0.69): [data-testid="search-box"] - cost
$0.0000 (local) → test continues, reported as WARN
  changed: id 'product-search' → 'search-input', data-testid
'product-search-input' → 'search-box', data-qa 'search-field' →
'global-search', placeholder 'Search products ...' → 'What are you
looking for?'
```



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	product-search	search-input
data-testid	product-search-input	search-box
data-qa	search-field	global-search
placeholder	Search products ...	What are you looking for?

LOCAL HEURISTIC CANDIDATES

- #1  0.69 input#search-input[data-testid=search-box]
- #2  0.34 select#sort-select[data-testid=product-sort-select]
- #3  0.29 article#product-card-1[data-testid=product-card-1]
"🎧 ELECTRONICS Wireless Headphones \$1,29..."

Page object fix

 src/test/java/com/shoplab/tests/pages/ProductsPage.java:16 Ready

```
healer.locator("ProductsPage.search", "[data-testid=search-box]")
```

6 ProductsPage.resultCount text ✓7 ProductsPage.search " ⚠ healed8 ProductsPage.categoryFilter 'sports' ⚠ healed

⚠ ProductsPage.categoryFilter healed

Local

\$0.0000 · local

confidence 0.82

wait 3.0 s - heal 0.1 s

ProductsPage.categoryFilter

[X] Selector not found: [data-testid='category-filter-select'] (waited 3005 ms)

1) Cache: no entry

2) Local heuristic: compared 99 candidates with the fingerprint (threshold 0.60, margin 0.08) [free]

#1 0.82 select#category-filter[data-testid=filter-category]
signals: tag 1.00 | id 1.00 | data-qa 1.00 | aria-label 1.00 |
title 1.00 | ancestors 1.00 | position 0.99 | data-testid 0.67 | name
0.34 | class 0.33

#2 0.39 select#sort-select[data-testid=product-sort-select]


#3 0.31 select#language-select[data-testid=language-select]

→ Accepted: 0.82 ≥ 0.60 and 0.43 ahead of the runner-up

4) Validation: [data-testid="filter-category"] matches 1 element(s) on the page → OK

[!] HEALED (HEURISTIC, 0.82): [data-testid="filter-category"] - cost \$0.0000 (local) → test continues, reported as WARN

changed: data-testid 'category-filter-select' → 'filter-category', name 'category' → 'cat', class 'form-select select-category' → 'form-select filter-cat'



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
data-testid	category-filter-select	filter-category
name	category	cat
class	form-select select-category	form-select filter-cat

LOCAL HEURISTIC CANDIDATES

- #1  0.82 select#category-filter[data-testid=filter-category]
- #2  0.39 select#sort-select[data-testid=product-sort-select]
- #3  0.31 select#language-select[data-testid=language-select]

Page object fix

 src/test/java/com/shoplab/tests/pages/ProductsPage.java:17 Ready

```
healer.locator("ProductsPage.categoryFilter", "[data-testid=filter-category]")
```

9 ProductsPage.resultCount text ✓⚠ PASSED - WARN ProductsTest > addToCartUpdatesBadge

8.2 s · \$0.0000

1 Page http://localhost:8080/login



2 LoginPage.username 'standard_user'

healed

LoginPage.username was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000

3 LoginPage.password '*****'

healed

LoginPage.password was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

4 LoginPage.loginButton

healed

LoginPage.loginButton was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000


5 ProductsPage.addToCart[8]

healed

ProductsPage.addToCart[8] healed Local \$0.0000 · local confidence 0.75 wait 3.0 s - heal 0.1 s

ProductsPage.addToCart[8]

```
[X] Selector not found: #add-to-cart-8 (waited 3017 ms)
1) Cache: no entry
2) Local heuristic: compared 99 candidates with the fingerprint
(threshold 0.60, margin 0.08) [free]
  #1 0.75 button#btn-add-8[data-testid=product-add-btn-8] "Add to
Bag"
      signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00
| type 1.00 | ancestors 1.00 | position 0.99 | title 0.73 | text 0.73
| class 0.50 | id 0.40 | data-testid 0.33
  #2 0.34 a#view-product-8[data-testid=view-product-8] "Details"
  #3 0.31 button#btn-add-5[data-testid=product-add-btn-5] "Add to
Bag"
      → Accepted: 0.75 ≥ 0.60 and 0.41 ahead of the runner-up
4) Validation: [data-testid="product-add-btn-8"] matches 1 element(s)
on the page → OK
[!] HEALED (HEURISTIC, 0.75): [data-testid="product-add-btn-8"] -
cost $0.0000 (local) → test continues, reported as WARN
      changed: id 'add-to-cart-8' → 'btn-add-8', data-testid 'add-to-
cart-8' → 'product-add-btn-8', title 'Add to Cart' → 'Add to Bag',
class 'btn btn-primary btn-add-cart' → 'btn btn-primary js-
cart-add', text 'Add to Cart' → 'Add to Bag'
```



The healed element is framed in green - click to enlarge

CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	add-to-cart-8	btn-add-8
data- testid	add-to-cart-8	product-add-btn-8
title	Add to Cart	Add to Bag
class	btn btn-primary btn-add-cart	btn btn-primary js- cart-add
text	Add to Cart	Add to Bag

LOCAL HEURISTIC CANDIDATES

- #1 0.75 button#btn-add-8[data-testid=product-add-btn-8] "Add to Bag"
- #2 0.34 a#view-product-8[data-testid=view-product-8] "Details"
- #3 0.31 button#btn-add-5[data-testid=product-add-btn-5] "Add to Bag"

Page object fix

src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual

```
healer.locator("ProductsPage.addToCart[8]", "[data-testid='product-add-btn-8']")
```

6 ProductsPage.addToCart[2]

healed

ProductsPage.addToCart[2] healed Local \$0.0000 · local confidence 0.75 wait 3.0 s - heal 0.1 s

— ProductsPage.addToCart[2] —

[X] Selector not found: #add-to-cart-2 (waited 3015 ms)

1) Cache: no entry

2) Local heuristic: compared 99 candidates with the fingerprint (threshold 0.60, margin 0.08) [free]

#1 0.75 button#btn-add-2[data-testid=product-add-btn-2] "Add to Bag"

signals: tag 1.00 | data-qa 1.00 | name 1.00 | aria-label 1.00 | type 1.00 | ancestors 1.00 | position 0.99 | title 0.73 | text 0.73 | class 0.50 | id 0.40 | data-testid 0.33

#2 0.34 a#view-product-2[data-testid=view-product-2] "Details"


#3 0.32 button#btn-add-1[data-testid=product-add-btn-1] "Add to Bag"

→ Accepted: 0.75 ≥ 0.60 and 0.41 ahead of the runner-up

4) Validation: [data-testid="product-add-btn-2"] matches 1 element(s) on the page → OK

[!] HEALED (HEURISTIC, 0.75): [data-testid="product-add-btn-2"] - cost \$0.0000 (local) → test continues, reported as WARN

changed: id 'add-to-cart-2' → 'btn-add-2', data-testid 'add-to-cart-2' → 'product-add-btn-2', title 'Add to Cart' → 'Add to Bag', class 'btn btn-primary btn-add-cart' → 'btn btn-primary js-cart-add', text 'Add to Cart' → 'Add to Bag'



CHANGED ATTRIBUTES

ATTRIBUTE	OLD	NEW
id	add-to-cart-2	btn-add-2
data-testid	add-to-cart-2	product-add-btn-2
title	Add to Cart	Add to Bag
class	btn btn-primary btn-add-cart	btn btn-primary js-cart-add
text	Add to Cart	Add to Bag

LOCAL HEURISTIC CANDIDATES

- #1 0.75 button#btn-add-2[data-testid=product-add-btn-2] "Add to Bag"
- #2 0.34 a#view-product-2[data-testid=view-product-2] "Details"
- #3 0.32 button#btn-add-1[data-testid=product-add-btn-1] "Add to Bag"

Page object fix

src/test/java/com/shoplab/tests/pages/ProductsPage.java:39 Manual

healer.locator("ProductsPage.addToCart[2]", "[data-testid='product-add-btn-2']")

7 Header.cartBadge text

healed

Header.cartBadge was healed earlier in this run (Local) and reused: [data-testid="basket-badge"] · \$0.0000

PASSED - WARN ProductsTest > sortByPrice

1.9 s · \$0.0000

1 Page http://localhost:8080/login

✓

2 LoginPage.username 'standard_user'

healed

LoginPage.username was healed earlier in this run (Local) and reused: [data-testid="username-input"] · \$0.0000

3 LoginPage.password '*****'

healed

LoginPage.password was healed earlier in this run (Local) and reused: [data-testid="login-password-input"] · \$0.0000

4 LoginPage.loginButton

healed

LoginPage.loginButton was healed earlier in this run (Local) and reused: [data-testid="signin-button"] · \$0.0000

Test Automation Report - Sep 28, 2026, 2:57 PM - local and cached heals are free; cost covers Claude calls only