Quiz Questions

Q1: CRYPTOGRAPHY (1)
What is the main purpose of public key cryptography?
A. Encryption
B. Authentication
C. Key exchange
D. All of the above
Correct Answer: D. All of the above

Q2: CRYPTOGRAPHY (10)
Which algorithm is commonly used for creating and verifying digital signatures?
A. RSA
B. AES
C. DES
D. SHA
Correct Answer: A. RSA

Q3: CRYPTOGRAPHY (11)
What is authentication in cryptography?
A. The process of encrypting a message
B. The process of verifying the identity of a user
C. The process of generating a digital signature
D. The process of decrypting a message
Correct Answer: B. The process of verifying the identity of a user

Q4: CRYPTOGRAPHY (12)
Which of the following is an example of something you know for authentication?
A. Password
B. Fingerprint
C. Smart card
D. All of the above
Correct Answer: A. Password

Q5: CRYPTOGRAPHY (13)
Which type of authentication uses multiple factors
A. Single-factor authentication
B. Two-factor authentication
C. Three-factor authentication
D. Multi-factor authentication
Correct Answer: D. Multi-factor authentication

Q6: CRYPTOGRAPHY (14)
Which type of authentication uses a password and a security token?
A. Single-factor authentication
B. Two-factor authentication
C. Three-factor authentication
D. Multi-factor authentication
Correct Answer: B. Two-factor authentication

Q7: CRYPTOGRAPHY (15)
Which type of authentication uses biometric data?
A. Single-factor authentication
B. Two- factor authentication
C. Three-factor authentication
D. Multi-factor authentication
Correct Answer: A. Single-factor authentication

Q8: CRYPTOGRAPHY (16)
Which type of authentication uses a smart card and a PIN?
A. Single-factor authentication
B. Two-factor authentication
C. Three-factor authentication
D. Multi-factor authentication
Correct Answer: B. Two-factor authentication

Q9: CRYPTOGRAPHY (17)
Which type of attack involves guessing passwords until the correct one is found?
A. Brute force attack
B. Dictionary attack
C. Social engineering attack
D. Man-in-the-middle attack
Correct Answer: A. Brute force attack

Q10: CRYPTOGRAPHY (18)
Which type of attack involves using pre-computed hashes to guess passwords?
A. Brute force attack
B. Dictionary attack
C. Rainbow table attack
D. Man-in-the-middle attack
Correct Answer: C. Rainbow table attack

Q11: CRYPTOGRAPHY (19)
Which type of attack involves tricking someone into revealing their password?
A. Brute force attack
B. Dictionary attack
C. Social engineering attack
D. Man-in-the-middle attack
Correct Answer: C. Social engineering attack

Q12: CRYPTOGRAPHY (2)
Which key is used for encryption in a public key cryptosystem?
A. Public key
B. Private key
C. Symmetric key
D. None of the above
Correct Answer: A. Public key

Q13: CRYPTOGRAPHY (20)
Which type of attack involves intercepting and modifying communication between two parties?
A. Brute force attack
B. Dictionary attack
C. Social engineering attack
D. Man-in-the- middle attack
Correct Answer: D. Man-in-the- middle attack

Q14: CRYPTOGRAPHY (21)
Which type of encryption algorithm uses the same key for encryption and decryption?
A. Hash-based encryption algorithm
B. Stream cipher encryption algorithm
C. Symmetric key encryption algorithm
D. Asymmetric key encryption algorithm
Correct Answer: C. Symmetric key encryption algorithm

Q15: CRYPTOGRAPHY (22)
Which type of encryption algorithm uses different keys for encryption and decryption?
A. Hash-based encryption algorithm
B. Stream cipher encryption algorithm
C. Symmetric key encryption algorithm
D. Asymmetric key encryption algorithm
Correct Answer: D. Asymmetric key encryption algorithm

Q16: CRYPTOGRAPHY (23)
Which type of encryption algorithm is faster?
A. Hash-based encryption algorithm
B. Stream cipher encryption algorithm
C. Symmetric key encryption algorithm
D. Asymmetric key encryption algorithm
Correct Answer: C. Symmetric key encryption algorithm

Q17: CRYPTOGRAPHY (24)
Which type of encryption algorithm is more secure?
A. Hash-based encryption algorithm
B. Stream cipher encryption algorithm
C. Symmetric key encryption algorithm
D. Asymmetric key encryption algorithm
Correct Answer: A. Public key encryption algorithm

Q18: CRYPTOGRAPHY (25)
Which protocol is used for secure communication over the internet?
A. FTP
B. HTTPS
C. HTTP
D. TCP/IP
Correct Answer: B. HTTPS

Q19: CRYPTOGRAPHY (26)
Which protocol is used for secure remote login and other secure network services over an insecure network?
A. TLS/SSL
B. HTTPS
C. SSH
D. TCP/IP
Correct Answer: C. SSH

Q20: CRYPTOGRAPHY (27)
Anarkali digitally signs a message and sends it to Salim. Verification of the signature by Salim requires
A. Anarkali's Public Key
B. Salim's Public Key
C. Salim's Private Key
D. Anarkali's Private Key

Correct Answer: A. Anarkali's Public Key

Q21: CRYPTOGRAPHY (28)
A sender S sends a message m to receiver R, which is digitally signed by S with its private key. In this scenario, one or more of the following security violations can take place.
(I) S can launch a birthday attack to replace m with a fraudulent message.
(II) A third party attacker can launch a birthday attack to replace m with a fraudulent message.
(III) R can launch a birthday attack to replace m with a fraudulent message.
Which of the following are possible security violations.
A. (I) and (II) only
B. (I) only
C. (II) only
D. (II) and (III) only
Correct Answer: B. (I) only

Q22: CRYPTOGRAPHY (29)
AES uses a _____ bit block size and a key size of _____ bits
A. 128; 128 or 256
B. 64; 128 or 192
C. 256; 128, 192, or 256
D. 128; 128, 192, or 256
Correct Answer: D. 128; 128, 192, or 256

Q23: CRYPTOGRAPHY (3)
Which key is kept secret in a public key cryptosystem?
A. Public key
B. Private key
C. Symmetric key
D. None of the above
Correct Answer: B. Private key

Q24: CRYPTOGRAPHY (30)
How many rounds does the AES-256 perform?
A. 10
B. 12
C. 14
D. 16
Correct Answer: C. 14

Q25: CRYPTOGRAPHY (31)
From the following options, what is the key size in the S-AES algorithm?
A. 16 bits
B. 32 bits
C. 24 bits
D. None of the above
Correct Answer: A. 16 bits

Q26: CRYPTOGRAPHY (32)
Among the fourth-generation firewalls, Dynamic packet filters firewall that work at_____.
A. Application Layer
B. TCP
C. UDP
D. TCP, UDP
Correct Answer: D. TCP, UDP

Q27: CRYPTOGRAPHY (33)
Authentication and Access control for resources are provided by Network security
A. True
B. False
Correct Answer: A. True

Q28: CRYPTOGRAPHY (34)
. _____ is the process of verifying the identity of a user.
A. Authentication
B. Identification
C. Validation
D. Verification
Correct Answer: A. Authentication

Q29: CRYPTOGRAPHY (35)
A digital signature needs a
A. Private-key system
B. Shared-key system
C. Public-key system
D. All of them
Correct Answer: C. Public-key system

Q30: CRYPTOGRAPHY (36)
Encryption and decryption provide secrecy, or confidentiality, but not.....

A. Authentication
B. Integrity
C. Privacy
D. All of the above
Correct Answer: B. Integrity

Q31: CRYPTOGRAPHY (37)
Decrypt the following ciphertext by using Ceaser Cipher
HQFUBSWHG WHAW
A. ABANDONED LOCK
B. ENCRYPTED TEXT
C. ABANDONED TEXT
D. ENCRYPTED LOCK
Correct Answer: B. ENCRYPTED TEXT

Q32: CRYPTOGRAPHY (38)
A _____ signature is included in the document; a _____
signature is a separate entity
A. conventional; digital
B. digital; digital
C. either (a) or (b)
D. neither (a) nor (b)
Correct Answer: A. conventional; digital

Q33: CRYPTOGRAPHY (39)
Digital signature provides
A. authentication
B. nonrepudiation
C. both (a) and (b)
D. neither (a) nor (b)
Correct Answer: C. both (a) and (b)

Q34: CRYPTOGRAPHY (4)
Which algorithm is commonly used for generating public and private keys?
A. RSA
B. AES
C. DES
D. SHA
Correct Answer: A. RSA

Q35: CRYPTOGRAPHY (40)

Digital signature cannot provide _____ for the message
A. integrity
B. confidentiality
C. nonrepudiation
D. . authentication
Correct Answer: B. confidentiality

Q36: CRYPTOGRAPHY (41)
If _____ is needed, a cryptosystem must be applied over the scheme.
A. integrity
B. confidentiality
C. nonrepudiation
D. authentication
Correct Answer: B. confidentiality

Q37: CRYPTOGRAPHY (42)
The secret key betweenmembers needs to be created as a _____key when two members contact KDC.
A. public
B. session
C. complimentary
D. none of the above
Correct Answer: B. session

Q38: CRYPTOGRAPHY (43)
. _____ is a popularsession key creator protocol thatrequires an authentication server and a ticket-granting server.
A. KDC
B. Kerberos
C. CA
D. none of the above
Correct Answer: B. Kerberos

Q39: CRYPTOGRAPHY (44)
CHAP stands for
A. Challenge Handshake authentication protocol
B. Challenge Hardware authentication protocol
C. Circuit Hardware authentication protocol
D. Circuit Handshake authentication protocol
Correct Answer: A. Challenge Handshake authentication protocol

Q40: CRYPTOGRAPHY (45)
SSL provides _____.
A. message integrity
B. confidentiality
C. Both A and B
D. None of the above.
Correct Answer: C. Both A and B

Q41: CRYPTOGRAPHY (46)
Which one of the following is not a public key distribution means?
A. Public-Key Certificates
B. Hashing Certificates
C. Publicly available directories
D. Public-Key authority
Correct Answer: B. Hashing Certificates

Q42: CRYPTOGRAPHY (47)
Which of the following public key distribution systems is most secure?
A. Public-Key Certificates
B. Public announcements
C. Publicly available directories
D. Public-Key authority
Correct Answer: A. Public-Key Certificates

Q43: CRYPTOGRAPHY (48)
Which system uses a trusted third party to verify and distribute users' public keys?
A. Public-Key Certificates
B. Public announcements
C. Publicly available directories
D. Public-Key authority
Correct Answer: D. Public-Key authority

Q44: CRYPTOGRAPHY (49)
The subject unique identifier of the X.509 certificates was added in which version?
A. 1
B. 2
C. 3
D. 4
Correct Answer: B. 2

Q45: CRYPTOGRAPHY (5)

What is the primary advantage of using public key cryptography?
A. Faster encryption speed
B. Simpler key management
C. Stronger security
D. Lower computational overhead
Correct Answer: B. Simpler key management

Q46: CRYPTOGRAPHY (50)
A total of seven messages are required in the Public-Key distribution scenario. However, the initial five messages need to be used only infrequently because both A and B can save the other's public key for future – a technique known as ____
A. time stamping
B. polling
C. caching
D. squeezing
Correct Answer: C. caching

Q47: CRYPTOGRAPHY (51)
In computing, _____ is a network security system that monitors and controls incoming and outgoing network traffic based on predetermined security rules
A. Cookie
B. Spyware
C. Firewall
D. Spam
Correct Answer: C. Firewall

Q48: CRYPTOGRAPHY (52)
A digital signature is required for _____
A. non-repudiation of communication by a sender
B. all e-mail sending
C. all DHCP server
D. FTP transactions
Correct Answer: A. non-repudiation of communication by a sender

Q49: CRYPTOGRAPHY (53)
To authenticate thedata origin, one needs a
A. MDC
B. MAC
C. either (a) or (b)
D. neither (a) nor (b)
Correct Answer: B. MAC

Q50: CRYPTOGRAPHY (54)
A layer-4 firewall (a device that can look at all protocol headers up to the transport layer) cannot block _____
A. entire HTTP traffic during 9.00PM and 5.00 AM.
B. all ICMP traffic.
C. incoming traffic from a specific IP address but allow outgoing traffic to the same IP address
D. TCP traffic from a specific user on a multi-user system during 9.00 PM and 5.00 AM.
Correct Answer: D. TCP traffic from a specific user on a multi-user system during 9.00 PM and 5.00 AM.

Q51: CRYPTOGRAPHY (55)
A session symmetric key between two parties is used
A. Only once
B. Twice
C. Multiple times
D. Conditions dependant
Correct Answer: A. Only once

Q52: CRYPTOGRAPHY (56)
. One security protocol for the e-mail system is _____.
A. IPSec
B. SSL
C. PGP
D. none of the above.
Correct Answer: C. PGP

Q53: CRYPTOGRAPHY (57)
. _____ operates in the transport mode or the tunnel mode.
A. IPSec
B. SSL
C. PGP
D. none of the above
Correct Answer: A. IPSec

Q54: CRYPTOGRAPHY (58)
_____ provides authentication at the IP level
A. AH
B. ESP
C. PGP

D. SSL
Correct Answer: A. AH

Q55: CRYPTOGRAPHY (6)
What is a digital signature?
A. A message that is encrypted with a private key
B. A message that is encrypted with a public key
C. A message that is hashed with a private key
D. A message that is hashed with a public key
Correct Answer: A. A message that is encrypted with a private key

Q56: CRYPTOGRAPHY (7)
What is the main purpose of a digital signature?
A. Encryption
B. Authentication
C. Key exchange
D. All of the above
Correct Answer: B. Authentication

Q57: CRYPTOGRAPHY (8)
Which key is used for creating a digital signature?
A. Public key
B. Private key
C. Symmetric key
D. None of the above
Correct Answer: B. Private key

Q58: CRYPTOGRAPHY (9)
Which key is used for verifying a digital signature?
A. Public key
B. Private key
C. Symmetric key
D. None of the above
Correct Answer: A. Public key

Q59: Network and Communication (1)
_____ error means that two or more bits in the data unit have changed
A. Burst
B. Double Bit
C. Single Bit
D. None

Correct Answer: A. Burst

Q60: Network and Communication (10)
Which Topology is used in Ethernet?
A. Bus
B. Star
C. Mesh
D. Ring
Correct Answer: A. Bus

Q61: Network and Communication (11)
A signal ranges from 1 KHz to 40 MHz? Find out the bandwidth.
A. 39.999 MHz
B. 3990 Hz
C. 3 KHz
D. 39 MHz
Correct Answer: A. 39.999 MHz

Q62: Network and Communication (12)
A computer is connected directly to the internet, so what type of address it must have?
A. Public Address
B. Multicast Address
C. Private Address
D. None of the options
Correct Answer: A. Public Address

Q63: Network and Communication (13)
What is the primary difference between a switch and a hub?
A. A hub broadcasts data to all connected devices, whereas a switch forwards data only to the intended device.
B. A hub operates at the data-link layer, whereas a switch operates at the physical layer.
C. A switch operates at Layer 2 (Data Link Layer), whereas a hub operates at Layer 1 (Physical Layer).
D. A hub is an intelligent device, whereas a switch is a non-intelligent device.
Correct Answer: C. A switch operates at Layer 2 (Data Link Layer), whereas a hub operates at Layer 1 (Physical Layer).

Q64: Network and Communication (14)
Assume 10 devices are arranged in a mesh topology. How many cables are needed? How many ports are needed for each device?

A. 90,9
B. 110,9
C. 45,9
D. 55,9
Correct Answer: C. 45,9

Q65: Network and Communication (15)
Which of the following are not the functions of router?
i. Data conversion for format to another
ii. Forward the packets
iii. Constructs the routing table
iv. Detects error in the packet
v. Queue the incoming packets
vi. Forward the packet to all outgoing link
A. i, iv, vi
B. i, v, vi
C. i, ii, v, vi
D. iv, v, vi
Correct Answer: A. i, iv, vi

Q66: Network and Communication (16)
What happens during the failure of a router in the virtual switching circuit?
A. All the crashed packets get lost
B. All the virtual circuits that passes through the router get terminated
C. Congestion control becomes extremely difficult
D. Sequence of packets arrival gets disrupted
Correct Answer: B. All the virtual circuits that passes through the router get terminated

Q67: Network and Communication (17)
How many cross points are needed in a single stage switch with 30 inputs and 30 outputs.
A. 20
B. 30
C. 900
D. 600
Correct Answer: C. 900

Q68: Network and Communication (18)
Which of the following function is not used by TCP server
A. Connect()
B. Socket()
C. Bind()
D. Listen()

Correct Answer: A. Connect()

Q69: Network and Communication (19)
Flow control is mainly a function of the layer
A. Application
B. Presentation
C. Session
D. Data Link
Correct Answer: D. Data Link

Q70: Network and Communication (2)
What is the hamming distance between 10101010 and 01010101
A. 8
B. 0
C. 4
D. none
Correct Answer: A. 8

Q71: Network and Communication (20)
What is network address for 12.12.12.12/20
A. 12.12.1.1
B. 12.12.0.2
C. 12.12.12.0
D. 12.12.0.0
Correct Answer: D. 12.12.0.0

Q72: Network and Communication (21)
Which routing protocol allows throughput to be used as a cost variable for taking routing decision.
A. RIP
B. Distance Vector routinhg
C. OSPF
D. Interadomain
Correct Answer: C. OSPF

Q73: Network and Communication (22)
In the IPv6 header, the traffic class field is similar to which field in the IPv4 header?
A. Fragmentation Field
B. Fast - Switching
C. ToS Field
D. Option Field

Correct Answer: C. ToS Field

Q74: Network and Communication (23)
Identify the class of the following IPv4 binary address: 11011110 10101001 10101010 10011001.
A. Class A
B. Class B
C. Class C
D. Class D
Correct Answer: C. Class C

Q75: Network and Communication (24)
_____Layer do the task of aggregating the data from different processes and pass that data to _____Layer
A. Application, Session
B. Presentation, Session
C. Transport, Network
D. Network, Data Link
Correct Answer: C. Transport, Network

Q76: Network and Communication (25)
_____ are the Application Layer Protocol
A. HTTP, SMTP, SNMP
B. FTP, ICMP, IGMP
C. DHCP, ARP, ICMP
D. None of the options
Correct Answer: A. HTTP, SMTP, SNMP

Q77: Network and Communication (26)
In the sliding window method of flow control, if 100 good data frames are sent and received, how many ACK frames have been sent by the receiver?
A. 99
B. 100
C. 101
D. Some number less than or equal to 100
Correct Answer: D. Some number less than or equal to 100

Q78: Network and Communication (27)
Checksum uses _____ arithmetic
A. 1's Complement
B. 2's Complement

C. None of the options
D. None
Correct Answer: A. 1's Complement

Q79: Network and Communication (28)
A socket uses an address to establish the connection with some other socket. This socket address is a combination of _____and _____.
A. IP address and Port number
B. MAC address Port number
C. Port Number and Application ID
D. Email address and IP address
Correct Answer: A. IP address and Port number

Q80: Network and Communication (29)
While using a TCP connection for communication at an instance receiver window size is 5KB and the congestion window size is 2KB. What should be the size of the sending window?
A. 3KB
B. 2KB
C. 4KB
D. 5KB
Correct Answer: B. 2KB

Q81: Network and Communication (3)
A receiver receives the code 11001100111. When it uses the Hamming encoding algorithm, the result is 0101. Which bit is in error?
A. 1
B. 3
C. 5
D. No Error
Correct Answer: C. 5

Q82: Network and Communication (30)
Network layer add its own header and forward the packet to next layer. In a typical scenario optional information of 20 bytes is added in the header. What is the size of header?
A. 10
B. 20
C. 30
D. 40
Correct Answer: D. 40

Q83: Network and Communication (31)
Adding 1 and 1 in modulo-2 arithmetic results in _____
A. 0
B. 1
C. 2
D. 11
Correct Answer: A. 0

Q84: Network and Communication (32)
The Completion of one full pattern of a signal is called a
A. Period
B. Cycle
C. Frame
D. Segment
Correct Answer: B. Cycle

Q85: Network and Communication (33)
FTP follows a _____approach to transfer data between a client and a server.
A. Client and Server
B. Peer to Peer
C. Cloud based
D. Parallel
Correct Answer: A. Client and Server

Q86: Network and Communication (34)
Consider two nodes A and B are communicating using FTP. Ten files need to be transferred from A to B. How many connections are required for this purpose?
A. 10
B. 11
C. 12
D. 13
Correct Answer: B. 11

Q87: Network and Communication (35)
Which of the protocol can be used by the receiver to extract the email from its server?
A. SMTP
B. IMAP
C. FTP
D. TCP
Correct Answer: B. IMAP

Q88: Network and Communication (36)
The term that refers to infinite number of values in the range is
A. Peak
B. Analog Signal
C. Digital Signal
D. None of the options
Correct Answer: B. Analog Signal

Q89: Network and Communication (37)
Both Analog and Digital signals can be
A. Periodic
B. Non-Periodic
C. Periodic or Non-Periodic
D. None of the options
Correct Answer: C. Periodic or Non-Periodic

Q90: Network and Communication (38)
Which of the following is an important activity of configuration management for efficiently managing hardware and software components?
A. Monitoring the user behavior and his/her usage pattern
B. Replacement of the network components
C. Maintaining documentation of hardware and software changes and updates
D. Managing the access of the user's to the network.
Correct Answer: C. Maintaining documentation of hardware and software changes and updates

Q91: Network and Communication (39)
Pick the Odd one of the following as the function of Network Layer?
A. Routing
B. Inter-Networking
C. Error Control
D. None of the options
Correct Answer: C. Error Control

Q92: Network and Communication (4)
In a _____ network, two types of addressing are involved: global and local
A. Virtual Circuit
B. Datagram
C. Circuit-Switched

D. All the options
Correct Answer: A. Virtual Circuit

Q93: Network and Communication (40)
In which switching store and forward is used?
A. Packet Switching
B. Circuit Switching
C. Cell Switching
D. None
Correct Answer: A. Packet Switching

Q94: Network and Communication (41)
Circuit switching is employed in
A. Physical layer
B. Datalink layer
C. Network layer
D. None
Correct Answer: A. Physical layer

Q95: Network and Communication (42)
Packet switching is employed in
A. Physical layer
B. Datalink layer
C. Network layer
D. None
Correct Answer: C. Network layer

Q96: Network and Communication (43)
Which one of the techniques belongs to connection oriented?
A. Packet Switching
B. Circuit Switching
C. Router
D. None
Correct Answer: B. Circuit Switching

Q97: Network and Communication (44)
Which one of the techniques belongs to connectionless?
A. Packet Switching
B. Circuit Switching
C. Router
D. None

Correct Answer: A. Packet Switching

Q98: Network and Communication (45)
Which switching does need to establish connection and provides dedicated connection between hosts?
A. Packet switching
B. Circuit switching
C. Cell switching
D. None
Correct Answer: B. Circuit switching

Q99: Network and Communication (46)
Mesh topology leads to
A. Redundant connections
B. Single point of failure
C. Hard to add new devices
D. None
Correct Answer: A. Redundant connections

Q100: Network and Communication (47)
Star topology is described as
A. Every device in the network is connected to all other devices
B. Every device in the network is connected to two other nodes
C. Every device in the network is individually connected to a central node
D. None
Correct Answer: C. Every device in the network is individually connected to a central node

Q101: Network and Communication (48)
Which one does support error or flow control?
A. Frame Relay
B. TCP
C. UDP
D. None
Correct Answer: B. TCP

Q102: Network and Communication (49)
Which one is a connection oriented data service?
A. AAL 2
B. AAL 3
C. AAL 4

D. None
Correct Answer: B. AAL 3

Q103: Network and Communication (5)
In an organization with its own private network, most of the applications transmit at constant rates for long duration all the time. Which type of switching is preferred?
A. Packet
B. Circuit
C. Datagram
D. All the options
Correct Answer: B. Circuit

Q104: Network and Communication (50)
Which one is not present in TCP/IP model?
A. Network Layer
B. Transport Layer
C. Session Layer
D. None
Correct Answer: C. Session Layer

Q105: Network and Communication (51)
Which layer that determines the speed of the data transmission in the network?
A. Logical Layer
B. Physical Layer
C. Datalink Layer
D. None
Correct Answer: B. Physical Layer

Q106: Network and Communication (52)
Encryption and Decryption is done by
A. Session layer
B. Application layer
C. Presentation layer
D. None
Correct Answer: C. Presentation layer

Q107: Network and Communication (53)
Which one is an appropriate example of Half Duplex?
A. Cardless phone
B. Telephone
C. Walkie Talkie

D. None
Correct Answer: C. Walkie Talkie

Q108: Network and Communication (54)
Coverage area of the LAN technology is
A. few kilometers
B. 100 – 1000 kilometers
C. 5 to 50 kilometers
D. None
Correct Answer: A. few kilometers

Q109: Network and Communication (55)
Data transmission speed of LAN technology is
A. upto 100 Mbps
B. upto 20 Mbps
C. upto 1000 Mbps
D. None
Correct Answer: C. upto 1000 Mbps

Q110: Network and Communication (56)
The functionality of the ARP is
A. to map a logical address with a physical address
B. to map a physical address with a logical address
C. to map virtual address to logical address
D. None
Correct Answer: A. to map a logical address with a physical address

Q111: Network and Communication (57)
Which one is the MAC address?
A. 192.168.10.2
B. 07:01:02:01 :2C:4B
C. 192:220:02:01 :2C
D. None
Correct Answer: B. 07:01:02:01 :2C:4B

Q112: Network and Communication (58)
What is the size of IPV4?
A. 64 bits
B. 128 bits
C. 32 bits
D. none

Correct Answer: C. 32 bits

Q113: Network and Communication (59)
Which networking device is primarily used to enable communication between different networks?
A. Switch
B. Router
C. Repeater
D. None
Correct Answer: B. Router

Q114: Network and Communication (6)
In the _____ approach of packet switching, all packets of a message follow the same route from sender to receiver.
A. Datagram
B. Virtual circuit
C. Virtual channel
D. None of the options
Correct Answer: B. Virtual circuit

Q115: Network and Communication (60)
Which networking device connects two networks that use different communication protocols?
A. Switch
B. Router
C. Gateway
D. None
Correct Answer: C. Gateway

Q116: Network and Communication (61)
The data unit 10100101 is changed as 10100100 referred as
A. Single bit error
B. Burst error
C. Common error
D. None
Correct Answer: A. Single bit error

Q117: Network and Communication (62)
What is the hamming distance between the pair of words (10101,11110)?
A. 2
B. 3
C. 4

D. None
Correct Answer: B. 3

Q118: Network and Communication (63)
Simple parity check can detect
A. An odd number of errors
B. An even number of errors
C. Both odd and even number of errors
D. None of the options
Correct Answer: A. An odd number of errors

Q119: Network and Communication (64)
Which of the following statements correctly describes a static routing table?
A. It contains routing information that is manually configured by a network administrator.
B. It is automatically updated using dynamic routing protocols.
C. It changes automatically whenever the network topology changes.
D. It is created and maintained only by the destination host.
Correct Answer: A. It contains routing information that is manually configured by a network administrator.

Q120: Network and Communication (65)
Which one is intra domain routing protocols?
A. Distance vector
B. Path vector
C. Border gateway routing protocol
D. None
Correct Answer: A. Distance vector

Q121: Network and Communication (66)
Which one is inter domain routing protocols?
A. Distance vector
B. Path vector
C. Link state routing protocol
D. None of the options
Correct Answer: B. Path vector

Q122: Network and Communication (67)
Routing Information Protocol is an
A. Intradomain routing protocol based on distance vector routing
B. Intradomain routing protocol based on link state routing

C. interdomain routing protocol based on distance vector routing
D. None
Correct Answer: A. Intradomain routing protocol based on distance vector routing

Q123: Network and Communication (68)
Path vector routing protocol can be used
A. only inside an autonomous system
B. between autonomous systems
C. in intradomain
D. None
Correct Answer: B. between autonomous systems

Q124: Network and Communication (69)
Broadcast has the relationship between the source and the destination is
A. one-to-all
B. one-to-many
C. one-to-one
D. None
Correct Answer: A. one-to-all

Q125: Network and Communication (7)
A Switched network consists of a series of interlinked nodes, called
A. Endpoints
B. Packets
C. Switches
D. Lines
Correct Answer: C. Switches

Q126: Network and Communication (70)
Bursty data is
A. the rate of the data flow changes in time, with the changes smooth instead of sudden and sharp
B. the data rate that does not change
C. the data rate changes suddenly in a very short time
D. None
Correct Answer: C. the data rate changes suddenly in a very short time

Q127: Network and Communication (71)
Discarding policy that
A. routers may prevent congestion and at the same time may not harm the integrity of the transmission

B. can also prevent congestion in virtual-circuit networks
C. If the sender feels that a sent packet is lost or corrupted, the packet needs to be retransmitted
D. None
Correct Answer: A. routers may prevent congestion and at the same time may not harm the integrity of the transmission

Q128: Network and Communication (72)
Node to node congestion control is called as
A. Choke packet
B. Back Pressure
C. Front Pressure
D. None
Correct Answer: B. Back Pressure

Q129: Network and Communication (73)
The data must arrive at the receiver exactly as they were sent is referred as
A. Message confidentiality
B. Message Integrity
C. Message Authentication
D. None
Correct Answer: B. Message Integrity

Q130: Network and Communication (74)
Which one is the type of relationship between signature and documents in Digital Signature?
A. One to many
B. Many to one
C. One to one
D. None
Correct Answer: C. One to one

Q131: Network and Communication (8)
The Topology with highest reliability is
A. Star
B. Bus
C. Mesh
D. Ring
Correct Answer: C. Mesh

Q132: Network and Communication (9)

Internet is a type of
A. Wide area Network
B. Local area Network
C. Personal area network
D. Metropolitan area network
Correct Answer: A. Wide area Network