4. Look at the following lines of code:

```
interface MyInterface (
 1
 2
         public void method1();
 3
         public void method2();
4
 5
 6
     class MyClass implements MyInterface {
 7
         public void method1() {
 8
             System.out.println( "method 1" );
9
10
11
     public class Test {
12
         public static void main( String args[] ) {
13
             MyClass c1 = new MyClass();
14
15
             c1.method1();
             c1.method2();
16
17
18
```

What would be the output of running the code above?

method 1

Of or because there is no method2 defined in MyClass. Because this class implements MyInterface, it must define all methods that are in the interface.

O method 1

method 1

There will be no output since these are just classes definitions.

What would be the output of running the code above?	
0	Hello
	Goo goo
	hi
	hi
0	Error, because the Boy class does not have the method talk.
9	Hello
	Goo goo
	Hello
	hi
0	There will be no output since these are just class definitions.

3.Look at the following code:

```
class Person {
         public void talk() {
 2
 3
             System.out.println( "Hello" );
4
 5
 6
 7
     class Baby extends Person {
         public void talk() {
 8
9
             System.out.println( "Goo goo" );
10
11
12
13
     class Boy extends Person (
         public void hi() {
14
             System.out.println( "hi" );
15
16
17
18
19
     public class Test{
         public static void main( String args[] ) {
20
21
             Person p1 = new Person();
22
             p1.talk();
23
             Baby b1 = new Baby();
24
25
             b1.talk();
26
             Boy b2 = new Boy();
27
28
             b2.talk();
29
             b2.hi();
30
31
```

2. How many times will "Hello" be printed out?:

```
int i = 1;
while (i <= 3) {
    System.out.println( "Hello" );
    if ( i < 2 ) {
        System.out.println( "Hello" );
    }
    i++;
}
</pre>
```



- \bigcirc 2
- 0 5
- O_{1}

1.What would be the output of this code?:

```
int age;
age = age + 7;
System.out.println( "My age is: " + age );
```

- My age is: 7
- My age is : null
- This will not compile because you cannot add a string and integer value together.
- is will not compile because age is not initialized with a value.