

Chrome browser window showing phpMyAdmin interface.

Address bar: localhost/phpmyadmin/index.php?route=/table/sql&db=task3&table=products

phpMyAdmin interface:

- Server: 127.0.0.1 » Database: task3 » Table: products
- Navigation tabs: Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, More
- Left sidebar: Recent, Favorites, tree view (New, information_schema, mysql, performance_schema, phpmyadmin, task3, New, products, test)
- SQL execution area:
 - Show query box
 - 0 rows affected. (Query took 0.0003 seconds.)
`UPDATE products SET Price = Price + 50 WHERE productID = 5;`
[Edit inline] [Edit] [Create PHP code]
 - 0 rows deleted. (Query took 0.0003 seconds.)
`DELETE FROM products WHERE Price < 10;`
[Edit inline] [Edit] [Create PHP code]
- Console: Console

Chrome: يتوقع تحديث جديد لمتصفح

localhost/phpmyadmin/index.php?route=/table/sql&db=task3&table=orders

Server: 127.0.0.1 » Database: task3 » Table: orders

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking More

Showing rows 0 - 1 (2 total, Query took 0.0006 seconds.)

```
SELECT CustomerName FROM orders GROUP BY CustomerName HAVING SUM(OrderAmount) > 500;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

CustomerName

Aliaa

Yasmine

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Console

Chrome يتوفر تحديث جديد لم تصفحه

localhost/phpmyadmin/index.php?route=/table/sql&db=task3&table=grades

Server: 127.0.0.1 » Database: task3 » Table: grades

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking More

Show query box

✓ 3 rows inserted. (Query took 0.0024 seconds.)

```
INSERT INTO students (ID, Name) VALUES (1, 'Yasmine'), (2, 'Kareem'), (3, 'Asmaa');
```

[Edit inline] [Edit] [Create PHP code]

✓ 2 rows inserted. (Query took 0.0018 seconds.)

```
INSERT INTO grades (StudentID, Subject, Score) VALUES (1, 'AI', 95), (2, 'CS', 88);
```

[Edit inline] [Edit] [Create PHP code]

Console

01:38 م
٢٠٢٣/٠٨/٠٣

Chrome

يتوفر تحديث جديد لمصفّح

localhost/phpmyadmin/index.php?route=/table/sql&db=task3&table=grades

phpMyAdmin

Recent Favorites

New

information_schema

mysql

performance_schema

phpmyadmin

task3

New

grades

orders

products

students

test

Server: 127.0.0.1 » Database: task3 » Table: grades

Browse

Structure

SQL

Search

Insert

Export

Import

Privileges

Operations

Tracking

More

Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 1 (2 total, Query took 0.0003 seconds.)

SELECT students.Name, grades.Subject, grades.Score FROM students JOIN grades ON students.ID = grades.StudentID;

Profiling

Edit inline

Edit

Explain SQL

Create PHP code

Refresh

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Extra options

Name	Subject	Score
Yasmine	AI	95
Kareem	CS	88

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Query results operations

Print

Copy to clipboard

Export

Display chart

Create view

Bookmark this SQL query

Console

Chrome browser window showing phpMyAdmin interface.

Address bar: localhost/phpmyadmin/index.php?route=/table/sql&db=task3&table=grades

phpMyAdmin interface details:

- Server: 127.0.0.1 » Database: task3 » Table: grades
- Navigation tabs: Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, More
- Left sidebar (Database structure):
 - New
 - information_schema
 - mysql
 - performance_schema
 - phpmyadmin
 - task3
 - New
 - grades (selected)
 - orders
 - products
 - students
 - test

Main content area (Table: grades):

Show query box

Query results:

- ✓ 3 rows inserted. (Query took 0.0024 seconds.)
`INSERT INTO students (ID, Name) VALUES (1, 'Yasmine'), (2, 'Kareem'), (3, 'Asmaa');`
[Edit inline] [Edit] [Create PHP code]
- ✓ 2 rows inserted. (Query took 0.0018 seconds.)
`INSERT INTO grades (StudentID, Subject, Score) VALUES (1, 'AI', 95), (2, 'CS', 88);`
[Edit inline] [Edit] [Create PHP code]

Console: Console

Chrome يتوفر تحديث جديد لمتصفح

localhost/phpmyadmin/index.php?route=/table/sql&db=task3&table=grades

Server: 127.0.0.1 » Database: task3 » Table: grades

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking More

Run SQL query/queries on table task3.grades:

```
1 SELECT students.Name, grades.Subject, grades.Score
2 FROM students
3 JOIN grades ON students.ID = grades.StudentID;
```

StudentID
Subject
Score

Recent Favorites

- New
- information_schema
- mysql
- performance_schema
- phpmyadmin
- task3
 - New
 - grades
 - orders
 - products
 - students
- test