



TEST	A faire	A tester	Leaks ?	Exit status	Fonctionne	COMPOTEMENT ATTENDU	Notes
echo -n -nn -nnn -nnnn						-n-nnn -nnnn \$>	
echo -n -nnn hola -nnnn						hola -nnnn\$>	
echo -n -nnn- nnnn						-nnn- nnnn\$>	
echo -----n						-----n \$>	
echo -nn -----n						-----n\$>	
echo -nn -----nn- -nnnn						-----nn-- -nnnn\$>	
echo -nn ----- nnnn						----- nnnn\$>	
echo \$						\$ \$>	
echo \$?						0 \$>	
echo \$? \$						n\$ \$>	
echo \$?   echo \$?   echo \$?						0 \$>	
echo \$:\$=   cat -e						\$:\$=\$ \$>	
echo " \$"   cat -e						" \$" \$>	
echo '\$ '   cat -e						' '\$ \$>	
echo \$HOME						/home/vietdu91 \$>	
echo \ \$HOME						\ \$HOME \$>	
echo my shit terminal is [\$TERM]						my shit terminal is [xterm-256color] \$>	
echo my shit terminal is [\$TERM4]						my shit terminal is [ \$>	
echo my shit terminal is [\$TERM4]						my shit terminal is [] \$>	
echo \$UID						1000 \$>	
echo \$HOMED						< \$>	
echo \$SHOME						HOMED \$>	
echo \$HOMEX						/home/vietdu91% \$>	
echo \$UID\$HOME						1000/home/vietdu91% \$>	
echo Le path de mon HOME est \$HOME						Le path de mon HOMED est /home/vietdu91 \$>	
echo \$USERSvar\ \$USER \$USERtest \$USER						vietdu91 \$USERvietdu91 \$USERtestvietdu91 \$>	
echo \$hoLa*						* \$>	
echo -nnnn \$hoLa						< \$>	
echo > <						bash: syntax error near unexpected token '<' \$>	
echo						bash: syntax error near unexpected token ' ' \$>	
EchoE						bash: EchoE: command not found \$>	
.echo.						bash: .echo.: command not found \$>	
>echo>						bash: syntax error near unexpected token 'newline' \$>	
<echo<						bash: syntax error near unexpected token 'newline' \$>	
>>echo>>						bash: syntax error near unexpected token 'newline' \$>	
[echo]						bash: syntax error near unexpected token '[' \$>	
{echo -n hola						bash: syntax error near unexpected token '{' \$>	
echo "\$"						" " \$>	
echo "\${}"						\${} \$>	
echo `\${}`						` ` \$>	
echo `\$HOME`						\$HOME \$>	
echo `\${}HOME`						\$HOME \$>	
echo `\${}\${}HOME`						\$HOME \$>	
echo "`SHO`ME`						ME \$>	
echo `{SHO`}ME`						{SHOME \$>	
echo "{SHO"}"ME"						ME \$>	
echo `{SHO`} `ME`						{SHOME \$>	
echo ``"\${SHO`} ME``						` ME` \$>	
echo ``"\$HOME`						/home/vietdu91 \$>	
echo ``"`"\$HOME`						/home/vietdu91 \$>	
echo ```\${}\$HOME`						/home/vietdu91 \$>	
echo ```\${}\$HOME`						/home/vietdu91 \$>	
echo `\${}\$HO""ME"						\$HOME \$>	
echo `\${}\$'HO'}ME'						\$HOME \$>	
echo `\${}\$HOME`						\$HOME \$>	
echo "\${}\$HOME`						\$HOME \$>	
echo \${}\$HOME`						\$HOME \$>	
echo `\${}\$HOLA"						HOLA \$>	
echo `\${}\$HOLA`						HOLA \$>	
echo `\${DONTEXIST} HoLa`						HoLa \$>	
echo `"HoLa"						HoLa \$>	

[illegible]

TEST	A faire	A tester	Leaks?	Exit status	Fonctionne	COMPORTEMENT ATTENDU	Notes
export HoLa9hey export	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... export HOME="/home/vietdu91" export HoLa8hey export PATH=..." \$>	
export \$DONTEXIST	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... export HOME="/home/vietdu91" export PATH=..." \$>	
export   grep "HOME"	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	export HOME="/home/vietdu91" \$>	
export ""	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: ': not a valid identifier \$>	
export =	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '=': not a valid identifier \$>	
export %	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '%': not a valid identifier \$>	
export \$?	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '?': not a valid identifier \$>	
export ?=2	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '?=2': not a valid identifier \$>	
export 9HOLA=	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '9HOLA=: not a valid identifier \$>	
export HOLA9=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA9=bonjour \$>	
export _HOLA=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... _HOLA=bonjour \$>	
export __HOLA=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... __HOLA=bonjour \$>	
export _HO_LA=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... _HO_LA=bonjour \$>	
export HOL@=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HOL@=bonjour': not a valid identifier \$>	
export -HOLA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: -H: invalid option \$>	
export --HOLA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: -: invalid option \$>	
export HOLA-=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HOLA-=bonjour': not a valid identifier \$>	
export HO-LA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HO-LA=bonjour': not a valid identifier \$>	
export HOL.A=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HOL.A=bonjour': not a valid identifier \$>	
export HOL}A=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HOL}A=bonjour': not a valid identifier \$>	
export HOL{A=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HOL{A=bonjour': not a valid identifier \$>	
export HO*L A=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HO*L A=bonjour': not a valid identifier \$>	
export HQBLA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HQBLA=bonjour': not a valid identifier \$>	
export HQBLA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HQBLA=bonjour': not a valid identifier \$>	
export HO!LA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: !LA=bonjour: event not found \$>	
export HQ\$?LA=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HQ\$?LA=bonjour \$>	
export +HOLA=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '+HOLA=bonjour': not a valid identifier \$>	
export HOL+A=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: 'HOL+A=bonjour': not a valid identifier \$>	
export HOLA -=bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '-bonjour': not a valid identifier \$>	
export HOLA = bonjour	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash: export: '=': not a valid identifier \$>	
export HOLA=bon jour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA=bon \$>	
export HOLA= bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA= \$>	
export HOLA=bonsoir export HOLA=bonretour export HOLA=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA=bonjour \$>	
export HOLA=\$HOME env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA=/home/vietdu91 \$>	
export HOLA=bonjour\$HOME env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA=bonjour/home/vietdu91 \$>	
export HOLA=\$HOMEbonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA= \$>	
export HOLA=bon\$jour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA=bon \$>	
export HOLA=bon@jour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	env ... HOLA=bon@jour \$>	
export HOLA=bon jour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash:  jour: command not found env ... HOLA=bon \$>	
export HOLA=bon jour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bash:  jour: event not found \$>	
export HOLA=bon"jour" env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLA=bonjour PATH=... \$>	
export HOLA\$USER=bonjour env	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	... HOLAvietdu91=bonjour PATH=... \$>	
export HOLA=bonjour=casse-toi echo \$HOLA	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	HOLA=bonjour=casse-toi \$>	
export "HOLA=bonjour"=casse-toi echo \$HOLA	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	HOLA=bonjour=casse-toi \$>	
export HOLA=bonjour export BYE=casse-toi echo \$HOLA et \$BYE	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bonjour et casse-toi \$>	
export HOLA=bonjour BYE=casse-toi echo \$HOLA et \$BYE	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	bonjour et casse-toi \$>	
export A=a B=b C=c echo \$A \$B \$C	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>		

TEST	Afaire	Atester	Leaks ?	Exit status	Fonctionne	COMPORTEMENT ATTENDU	Notes
export \$HOLA=bonjour env						... bonjour=bonjour PATH=... \$>	
export HOLA="bonjour" echo \$HOLA   cat -e						bonjour\$ \$>	
export HOLA="" -n bonjour " echo \$HOLA						bonjour\$>	
export HOLA="bonjour" "/" echo \$HOLA						bonjour / \$>	
export HOLA="" "" echo "\$HOLA "   cat -e						" \$ \$>	
export HOLA=at c\$HOLA Makefile						[cela affiche le Makefile] \$>	
export "" HOLA=bonjour env						bash: export: ": not a valid identifier env ... HOLA=bonjour \$>	
export HOLA="cat Makefile   grep NAME" echo \$HOLA						cat Makefile   grep NAME \$>	
export HOLA=hey echo \$HOLA\$HOLA\$HOLA=hey\$HOLA						heyheyhey=heyhey \$>	
export HOLA="" bonjour hey " echo \$HOLA   cat -e						bonjour hey\$ \$>	
export HOLA="" bonjour hey " echo """"\$HOLA""""   cat -e						bonjour hey \$ \$>	
export HOLA="" bonjour hey " echo wesh"\$HOLA"   cat -e						wesh bonjour hey \$ \$>	
export HOLA="" bonjour hey " echo wesh"\$HOLA"   cat -e						wesh bonjour hey . \$>	
export HOLA="" bonjour hey " echo wesh\$"\$HOLA"						weshHOLA. \$>	
export HOLA="" bonjour hey " echo wesh\$"\$HOLA \$HOLA"						weshHOLA HOLA. \$>	
export HOLA=bonjour export HOLA=" hola et \$HOLA" echo \$HOLA						hola et bonjour \$>	
export HOLA=bonjour export HOLA=" hola et \$HOLA" echo \$HOLA						hola et \$HOLA \$>	
export HOLA=bonjour export HOLA=" hola et \$HOLA"\$HOLA echo \$HOLA						hola et bonjourbonjour \$>	
export HOLA="ls -l -a" echo \$HOLA						ls -l -a \$>	
export HOLA="s -la" ls\$HOLA						total 16 drwxr-xr-x 2 vietdu91 [...] . drwxr-xr-x 51 root [...] .. -rwxr-xr-x 8 vietdu91 [...] crashtest.c [...]	
export HOLA="s -la" l"\$HOLA"						bash: ls -la: command not found \$>	
export HOLA="s -la" l'\$HOLA'						bash: l\$HOLA: command not found \$>	
export HOLA="l" \$HOLAs						\$>	
export HOLA="l" "\$HOLA"s						crashtest.c Docs Bookers Drawings Makefile minishell philosophers srcs test.c \$>	
export HOLA=A=bonjour env						... HOLA=A=bonjour \$>	
export HOLA="l" "\$HOLA"s						bash: \$HOLAs: command not found \$>	
export HOLA=A="" env						... HOLA=A= \$>	
export TE=S+T env						bash: export: `TE+S=T`: not a valid identifier \$>	
export ""=""						bash: export: "=": not a valid identifier \$>	
export "'=''						bash: export: '=': not a valid identifier \$>	
export '"='"'						bash: export: '==': not a valid identifier \$>	
export '= = ='						bash: export: '===': not a valid identifier \$>	
export HOLA=p export BYE=w \$HOLA"BYE"d						bash: pBYEd: command not found \$>	
export HOLA=p export BYE=w "\$HOLA"\$SBYE d						bash: p\$BYEd: command not found \$>	
export HOLA=p export BYE=w "\$HOLA"\$SBYE d						/home/vietdu91/42_works/minishell	
export HOLA=p export BYE=w "\$HOLA"\$SBYE d						bash: HOLABYEd: command not found \$>	
export HOLA=p export BYE=w "\$HOLA"\$SBYE d						bash: HOLABYEd: command not found \$>	
export HOLA=n echo \$HOLA" hey						bash: echo -n: command not found \$>	
export A=1 B=2 C=3 D=4 E=5 F=6 G=7 H=8 echo "\$A"\$B"\$C"\$D"\$E"\$F"\$G"\$H"						1'25C"\$D5"\$F' 7'8 \$>	
export HOLA=bonjour env unset HOLA env						... PATH=... \$>	
export HOLA=bonjour env unset HOLA env unset PATH echo \$PATH						... PATH=... \$>	
unset PATH ls						\$>	
unset PATH ls						bash: ls: No such file or directory \$>	
unset ""						bash: unset: ``: not a valid identifier \$>	
unset IMEXISTANT						\$>	
unset PWD env   grep PWD pwd						\$> \$> /home/vietdu91/42_works/minishell \$>	

TEST	A faire	A tester	Leaks ?	Exit status	Fonctionne	COMPOTEMENT ATTENDU	Notes																					
pwd						/home/vletdu91/42_works/minishell																						
unset PWD						\$>																						
env   grep PWD						\$>																						
cd \$PWD						\$>																						
pwd						/home/vletdu91																						
unset OLDPWD						\$>																						
env   grep OLDPWD						\$>																						
unset %HOLA						bash: unset: '%HOLA': not a valid identifier																						
						\$>																						
unset HOLA9						\$>																						
unset HOL?A						bash: unset: 'HOL?A': not a valid identifier																						
						\$>																						
unset HOLA HOL?A						bash: unset: 'HOL?A': not a valid identifier																						
						\$>																						
unset HOL?A HOLA						bash: unset: 'HOL?A': not a valid identifier																						
						\$>																						
unset HOL?A HOL.A						bash: unset: 'HOL?A': not a valid identifier																						
						bash: unset: 'HOL.A': not a valid identifier																						
						\$>																						
unset HOLA=						bash: unset: 'HOLA=': not a valid identifier																						
						\$>																						
unset HOL.A						bash: unset: 'HOL.A': not a valid identifier																						
unset HOL+A						bash: unset: 'HOL+A': not a valid identifier																						
unset HOL=A						bash: unset: 'HOL=A': not a valid identifier																						
unset HOL(A						bash: unset: 'HOL(A': not a valid identifier																						
unset HOL)A						bash: unset: 'HOL)A': not a valid identifier																						
unset HOL.A						bash: unset: 'HOL.A': not a valid identifier																						
unset -HOLA						bash: unset: -H: invalid option																						
unset _HOLA						\$>																						
unset HOL_A						\$>																						
unset HOL.A						\$>																						
unset HOL*A						bash: unset: 'HOL*A': not a valid identifier																						
unset HOL#A						bash: unset: 'HOL#A': not a valid identifier																						
unset \$HOLA						\$>																						
unset %PWD						bash: unset: '/home/vletdu91/42_works/minishell': not a valid identifier																						
unset HOL@						bash: unset: 'HOL@': not a valid identifier																						
unset HOL!A						bash: !A: event not found																						
unset HOL"A						bash: unset: 'HOL"A': not a valid identifier																						
unset HOL\$?A						\$>																						
unset HOL\A						bash: unset: 'HOL\A': not a valid identifier																						
unset "" HOLA						bash: unset: '': not a valid identifier																						
env   grep HOLA						\$>																						
						\$>																						
unset PATH						\$>																						
echo \$PATH						\$>																						
unset PATH						bash: cat: No such file or directory																						
cat Makefile						\$>																						
unset =						bash: unset: '=': not a valid identifier																						
unset =====						bash: unset: '=====': not a valid identifier																						
unset ++++++						bash: unset: '++++++': not a valid identifier																						
						\$>																						
unset _____						\$>																						
unset export						\$>																						
unset echo						\$>																						
unset pwd						\$>																						
unset cd						\$>																						
unset unset						\$>																						
unset sudo						\$>																						
export hola   unset hola   echo \$?						0																						
						\$>																						
/bin/echo						\$>																						
/bin/echo Hola Que Tal						Hola Que Tal																						
						\$>																						
/bin/env						+++ PATH=...																						
						\$>																						
/bin/cd Desktop						bash: /bin/cd: No such file or directory																						
[touche du haut]						clear																						
pwd						/home/vletdu91/42_works/minishell																						
						\$>																						
pwd hola						/home/vletdu91/42_works/minishell																						
						\$>																						
pwd ./hola						/home/vletdu91/42_works/minishell																						
						\$>																						
pwd hola que tal						/home/vletdu91/42_works/minishell																						
						\$>																						
pwd -p						bash: pwd: -p: invalid option																						
						\$>																						
pwd --p						bash: pwd: -: invalid option																						
						\$>																						
pwd ---p						bash: pwd: -: invalid option																						
						\$>																						
pwd pwd pwd						/home/vletdu91/42_works/minishell																						
						\$>																						
pwd ls						/home/vletdu91/42_works/minishell																						
						\$>																						
pwd ls env						/home/vletdu91/42_works/minishell																						
						\$>																						
cd						\$>																						
cd .						\$>																						
cd ./						\$>																						
cd ./././.						\$>																						
cd ././././						\$>																						
cd ..						\$>																						
cd ../						\$>																						
cd ../..						\$>																						
cd .././						\$>																						
cd .././././						\$>					</																	



TEST	A faire	A tester	Leaks?	Exit status	Fonctionne	COMPORTEMENT ATTENDU	Notes
exit hola que tal						exit bash: exit: hola: numeric argument required ~/minishell \$>	
exit 42						exit ~/minishell \$>	
exit 009042						exit ~/minishell \$>	
exit 666						exit ~/minishell \$>	
exit 666 666						exit bash: exit: too many arguments \$>	
exit -666 666						exit bash: exit: too many arguments \$>	
exit hola 666						exit bash: exit: hola: numeric argument required ~/minishell \$>	
exit 666 666 666 666						exit bash: exit: too many arguments \$>	
exit 666 hola 666						exit bash: exit: too many arguments	
exit hola 666 666						exit bash: exit: hola: numeric argument required ~/minishell \$>	
exit 259						exit ~/minishell \$>	
exit -4						exit ~/minishell \$>	
exit -42						exit ~/minishell \$>	
exit -0080942						exit ~/minishell \$>	
exit -259						exit ~/minishell \$>	
exit -666						exit ~/minishell \$>	
exit +666						exit ~/minishell \$>	
exit 0						exit ~/minishell \$>	
exit +0						exit ~/minishell \$>	
exit -0						exit ~/minishell \$>	
exit 42						exit ~/minishell \$>	
exit -69 -96						exit bash: exit: too many arguments \$>	
exit --666						exit bash: exit: --666: numeric argument required ~/minishell \$>	
exit ++++666						exit bash: exit: ++++666: numeric argument required ~/minishell \$>	
exit ++++++0						exit bash: exit: ++++++0: numeric argument required ~/minishell \$>	
exit -----0						exit bash: exit: -----0: numeric argument required ~/minishell \$>	
exit "666"						exit ~/minishell \$>	
exit `666`						exit ~/minishell \$>	
exit '`666`'						exit ~/minishell \$>	
exit '+666'						exit ~/minishell \$>	
exit '---666'						exit bash: exit: ---666: numeric argument required ~/minishell \$>	
exit ''+++666''						exit bash: exit: +++666: numeric argument required ~/minishell \$>	
exit '6'66						exit ~/minishell \$>	
exit '2'66'32'						exit ~/minishell \$>	
exit ``666``						exit bash: exit: '666': numeric argument required ~/minishell \$>	
exit ``666``						exit bash: exit: "666": numeric argument required ~/minishell \$>	
exit `666`"666`666						exit ~/minishell \$>	
exit +'666'"666`666						exit ~/minishell \$>	
exit -.666""666`666						exit ~/minishell \$>	
exit 9223372036854775807						exit ~/minishell \$>	
exit 9223372036854775808						exit bash: exit: 9223372036854775808: numeric argument required ~/minishell \$>	
exit -9223372036854775808						exit ~/minishell \$>	
exit -9223372036854775809						exit bash: exit: -9223372036854775809: numeric argument required ~/minishell \$>	
cat   cat   cat   ls						crashtest.c Docs Dockers Drawings Makefile minishell philosophers srcs test.c  \$>  ls   exit ls   exit 42 exit   ls	
echo hola > bonjour exit   cat -e bonjour echo hola > bonjour cat -e bonjour   exit						hola\$ \$> \$>	





TEST	A faire	A tester	Leaks ?	Exit status	Fonctionne	COMPORTEMENT ATTENDU	Notes
echo hola > bonjour echo que tal >> bonjour cat < bonjour						\$> \$-> hola que tal \$>	
echo hola > bonjour rm bonjour echo que tal >> bonjour cat < bonjour						que tal \$>	
echo hola que tal > bonjour cat bonjour						hola que tal \$>	
echo hola que tal > /tmp/bonjour cat -e /tmp/bonjour						hola que tal\$ \$>	
export HOLA=hey echo bonjour > \$HOLA echo \$HOLA						\$> hola \$>	
whereis grep > Docs/bonjour cat Docs/bonjour						grep: /usr/bin/grep /usr/share/nan1/grep-ipsix.gz /usr/share/nan1/grep-ipsix.gz /usr/share/info/grep.info.gz \$>	
ls -la > Docs/bonjour cat Docs/bonjour						total 16 drwx----- 2 vietdu91 [...] . dpruxwent S1 root    [...] .. rwxr-xr-x   8 vietdu91 [...] crashtest.c [...]	
pwd>bonjour cat bonjour						/home/vietdu91/42_works/minishell \$>	
pwd >                bonjour cat bonjour						/home/vietdu91/42_works/minishell \$>	
echo hola > > bonjour						bash: syntax error near unexpected token '>' \$>	
echo hola < < bonjour						bash: syntax error near unexpected token '<' \$>	
echo hola >>> bonjour						bash: syntax error near unexpected token '>' \$>	
> bonjour echo hola cat bonjour						hola \$>	
> bonjour   echo hola cat bonjour						hola \$> \$>	
prout hola > bonjour ts						bash: prout: command not found \$> bonjour [...] \$>	
echo hola > hello >> hello >> hello ls cat hello						hello \$> hola \$>	
echo hola > hello >> hello >> hello echo hola >> hello cat < hello						hola \$>	
echo hola > hello >> hello >> hello echo hola >> hello echo hola > hello >> hello >> hello cat < hello						hola \$>	
echo hola >>> hello >> hello > hello echo hola >> hello cat < hello						hola hola \$>	
echo hola > hello echo hey > bonjour echo <bonjour <hello						\$>	
echo hola > hello echo hey > bonjour echo <hello <bonjour						\$>	
echo hola > bonjour echo hey > hello rm bonjour hello echo hola > bonjour > hello > bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello echo hola > bonjour > hello > bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello rm bonjour hello echo hola > bonjour >> hello > bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello echo hola > bonjour > hello > bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello rm bonjour hello echo hola > bonjour > hello >> bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello echo hola > bonjour > hello >> bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello rm bonjour hello echo hola >> bonjour > hello > bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello rm bonjour hello echo hola >> bonjour > hello > bonjour cat bonjour cat hello						hola \$> \$>	
echo hola > bonjour echo hey > hello rm bonjour hello echo hola >> bonjour >> hello >> bonjour cat bonjour cat hello						hola \$> \$>	

[illegible]



[illegible]