

SKYLINE
elevators



2023 | INTERIOR STYLES & EXTERIOR Solutions



Reduce environmental impact - ECO Friendly
Compatible with easy print format

INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D901



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D902



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D903



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D904



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D905



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D906



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D907



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D908



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D909



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D910



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D911



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D912



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D913



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25

DESIGN

D914



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D915



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D916



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D917



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D918



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D919



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D920



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions


► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D921



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D922



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D923



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D924



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D925



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D926



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D927



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D928



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D929



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D930



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D931



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D932



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D933



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D934



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Comercial & Resdentional
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D935



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial
& Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D936



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D937



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators



INTERIOR STYLES EXTERIOR Solutions

► Technical Specifications

USE:

- Commercial & Residential
- Medium-rise buildings
- Private housing

SPECIFICATIONS:

Load : 1250kg - 450kg
Capacity : 3-15 people
Max height : 100 meter
NO. of floors : up to 25



DESIGN

D938



Reduce environmental impact - ECO Friendly
Compatible with easy print format

SKYLINE
elevators





SKYLINE elevators

Head office
Riyadh
011 477 6010

Mekka
012 558 7469

Dammam
013 830 4940

Hafuf
013 587 2032

Al-Baha
017 725 2945

Abha
017 23 111 04



www.skyline-e.com
9200 28880



Reduce environmental impact - ECO Friendly
Compatible with easy print format