



FIRST IN SMART CARE, ALWAYS THERE TO CONNECT

🌐 healthmit.services

✉ support@healthmit.services

📞 786-743-7936 🖨 786-955-2211

👤 801 Brickell Avenue, Suite 800 Miami, Florida 33131



Website



CLINICAL CHEMISTRY ANALYZER

Complex Diagnostics, Simple Operation.



FEATURE

- Full-Spectrum & Micro-Fluidic Innovation: Patented technology provides unparalleled flexibility in medical diagnostics.
- Comprehensive Testing: Supports both dry and wet chemistry, analyzing up to 16 markers in a single test.
- Seamless Operation: All-in-One disc technology and Lab-on-Chip design ensure user-friendly functionality.
- Minimal Sample Requirement: Requires only 140 μL (rotor) or 60 μL (disc) of sample for precise results.
- Rapid Results: Generates a complete test report within 15 minutes with just 30 seconds of hands-on time.



DESCRIPTION

Transform your laboratory capabilities with the world's first and only full-spectrum, spectrum-based point-of-care (POC) Clinical Chemistry Analyzer. Combining advanced UV-Vis spectrum technology with an innovative microfluidic lab-on-a-chip design, this portable system delivers professional-grade, quantitative diagnostic results with unmatched precision and efficiency. Supporting up to 16 simultaneous assays while requiring minimal sample volume ($< 90\mu\text{L}$), it ensures real-time, on-site monitoring for clinical diagnostics and specialized testing. With high correlation to industry-standard analyzers, it guarantees reliable performance across diverse medical environments, offering seamless operation, speed, and accuracy in one powerful solution.



Accuracy

Quantitative results




Portable

Only 7.5 kg



Easy

All-in-One disc



Expand

UV-Vis spectrum



Customize

Segment design



Fast

< 20 min

APPLICATION

- Hospitals & Clinics: Rapid and accurate biochemical testing for patient diagnosis.
- Community Healthcare: Immediate care for elderly centers, rural clinics, and mobile health units.
- Enterprise Healthcare: Workplace health monitoring and preventive screening.
- Home-Care Testing: Personalized and accessible diagnostic solutions.

SPECIFICATION

Optical system	Micro-digital-CCD-integrated spectrometer
Spectral range	340 ~ 750 nm
Light source	Halogen lamp
Optical resolution	5 nm
Signal resolution	0.01 Absorbance
Sample volume	50 ~ 200mL
Calibration	No need, it is shown in 2D barcode on disc
Power	30 sets of memory/built-in lithium battery
Weight	7.5 kg
Interface	USB, Blue tooth
Printer	Built-in thermal printer