

Started on	Saturday, 30 May 2026, 1:50 PM
State	Finished
Completed on	Saturday, 30 May 2026, 2:47 PM
Time taken	56 mins 31 secs
Grade	100.00 out of 100.00

Question 1

Correct

Mark 25.00 out of 25.00

Create a **base class** `BankAccount` with methods `deposit()` and `withdraw()`.

- Create two **subclasses**:
 - `SavingsAccount`: allows withdrawal but **limits it to ₹10,000 per transaction**.
 - `CheckingAccount`: allows withdrawal **with a ₹10 fee per transaction**.
- Input account type, deposit amount, and withdrawal amount from the user.
- If checking account has insufficient balance print - "Insufficient balance in CheckingAccount (including ₹10 fee)."

For example:

Input	Result
savings 20000 8000	Deposited: ₹20000.0 Withdrawn from SavingsAccount: ₹8000.0 Final Balance: ₹12000.00
checking 100 95	Deposited: ₹100.0 Insufficient balance in CheckingAccount (including ₹10 fee). Final Balance: ₹100.00

Answer: (penalty regime: 0 %)

```

1 import java.util.*;
2
3 class BankAccount{
4     protected double amt = 0;
5     void deposit(double cash)
6     {
7         amt += cash;
8         System.out.printf("Deposited: ₹%.1f",cash);
9         System.out.println();
10    }
11
12    void withdraw(double cash)
13    {
14
15    }
16 }
17
18 class Savings extends BankAccount{
19
20     @Override
21     void withdraw(double cash)
22     {
23         if(cash > 10000)
24         {
25             System.out.println("Withdrawal limit for SavingsAccount is ₹10,000 per transaction");
26         }
27         else
28         {
29             amt -= cash;
30             System.out.printf("Withdrawn from SavingsAccount: ₹%.1f",cash);
31             System.out.println();
32         }
33     }
34 }
35
36 class Checking extends BankAccount{
37
38     @Override
39     void withdraw(double cash)
40     {
41         double total = cash + 10.0;
42         if(total > amt)
43         {
44             System.out.println("Insufficient balance in CheckingAccount (including ₹10 fee).");
45         }
46         else
47         {
48             amt -= total;

```

```

48         amt = total;
49         System.out.printf("Withdrawn from CheckingAccount: ₹%.1f (₹10 fee applied)".
50                             System.out.println();
51
52

```

	Input	Expected	Got	
✓	savings 20000 8000	Deposited: ₹20000.0 Withdrawn from SavingsAccount: ₹8000.0 Final Balance: ₹12000.00	Deposited: ₹20000.0 Withdrawn from SavingsAccount: ₹8000.0 Final Balance: ₹12000.00	✓
✓	savings 15000 12000	Deposited: ₹15000.0 Withdrawal limit for SavingsAccount is ₹10,000 per transaction. Final Balance: ₹15000.00	Deposited: ₹15000.0 Withdrawal limit for SavingsAccount is ₹10,000 per transaction. Final Balance: ₹15000.00	✓
✓	checking 10000 5000	Deposited: ₹10000.0 Withdrawn from CheckingAccount: ₹5000.0 (₹10 fee applied) Final Balance: ₹4990.00	Deposited: ₹10000.0 Withdrawn from CheckingAccount: ₹5000.0 (₹10 fee applied) Final Balance: ₹4990.00	✓

Passed all tests! ✓

Correct

Marks for this submission: 25.00/25.00.

Question 2

Correct

Mark 25.00 out of 25.00

Write a Java program using method overriding. Create a superclass `Bank` with a method `getInterestRate()` returning 0. Create subclasses `SBI`, `ICICI`, and `HDFC` that override the method.

For example:

Input	Result
SBI	SBI Rate: 6.5%
icici	ICICI Rate: 7.0%
HDFC	HDFC Rate: 7.5%
AXIS	Invalid bank name.

Answer: (penalty regime: 0 %)

```
1 import java.util.*;
2
3 class Bank{
4     double getinterest()
5     {
6         return 0.0;
7     }
8 }
9
10 class SBI extends Bank{
11     double getinterest()
12     {
13         return 6.5;
14     }
15 }
16
17 class HDFC extends Bank{
18     double getinterest()
19     {
20         return 7.5;
21     }
22 }
23
24 class ICICI extends Bank{
25     double getinterest()
26     {
27         return 7.0;
28     }
29 }
30
31 public class Main{
32     public static void main(String args[])
33     {
34         Scanner input = new Scanner(System.in);
35         String type = input.nextLine().toLowerCase();
36         Bank obj;
37         if(type.equals("sbi"))
38         {
39             obj = new SBI();
40             System.out.print("SBI Rate: " + obj.getinterest() + "%");
41         }
42         else if(type.equals("icici"))
43         {
44             obj = new ICICI();
45             System.out.print("ICICI Rate: " + obj.getinterest() + "%");
46         }
47         else if(type.equals("hdfc"))
48         {
49             obj = new HDFC();
50             System.out.print("HDFC Rate: " + obj.getinterest() + "%");
51         }
52         else
```

	Input	Expected	Got	
✓	SBI	SBI Rate: 6.5%	SBI Rate: 6.5%	✓
✓	icici	ICICI Rate: 7.0%	ICICI Rate: 7.0%	✓
✓	HDFC	HDFC Rate: 7.5%	HDFC Rate: 7.5%	✓
✓	AXIS	Invalid bank name.	Invalid bank name.	✓

Passed all tests! ✓

Correct

Marks for this submission: 25.00/25.00.

Question 3

Correct

Mark 25.00 out of 25.00

Write a Java program using method overloading to print student details. Create a class `Student` with:

- `print(String name)`
- `print(String name, int age)`
- `print(String name, int age, String dept)`

For example:

Input	Result
yoga	Name: yoga
yoga	Name: yoga, Age: 23
23	Name: yoga , Age: 23, Dept: AIDS
yoga	
23	
AIDS	

Answer: (penalty regime: 0 %)

```
1 import java.util.*;
2
3 class Student{
4     void print(String name)
5     {
6         System.out.println("Name: " + name);
7     }
8
9     void print(String name,int age)
10    {
11        System.out.println("Name: " + name + ", Age: " + age);
12    }
13
14    void print(String name,int age,String dept)
15    {
16        System.out.println("Name: " + name + ", Age: " + age + ", Dept: " + dept);
17    }
18 }
19
20 public class Main{
21     public static void main(String args[])
22     {
23         Scanner input = new Scanner(System.in);
24         String n1 = input.nextLine();
25         String n2 = input.nextLine();
26         int age = input.nextInt();
27         input.nextLine();
28         String n3 = input.nextLine();
29         int age2 = input.nextInt();
30         input.nextLine();
31         String dept = input.nextLine();
32
33         Student obj = new Student();
34         obj.print(n1);
35         obj.print(n2,age);
36         obj.print(n3,age2,dept);
37     }
38 }
```

	Input	Expected	Got	
✓	yoga yoga 23 yoga 23 AIDS	Name: yoga Name: yoga, Age: 23 Name: yoga , Age: 23, Dept: AIDS	Name: yoga Name: yoga, Age: 23 Name: yoga , Age: 23, Dept: AIDS	✓
✓	jeev jeev 32 jeev 32 AIDS	Name: jeev Name: jeev, Age: 32 Name: jeev , Age: 32, Dept: AIDS	Name: jeev Name: jeev, Age: 32 Name: jeev , Age: 32, Dept: AIDS	✓
✓	Sugan Sugan 20 Sugan 20 ECE	Name: Sugan Name: Sugan, Age: 20 Name: Sugan, Age: 20, Dept: ECE	Name: Sugan Name: Sugan, Age: 20 Name: Sugan, Age: 20, Dept: ECE	✓

Passed all tests! ✓

Correct

Marks for this submission: 25.00/25.00.

Question 4

Correct

Mark 25.00 out of 25.00

Write a Java program to:

1. Create a **base class** `Shape` with methods `draw()` and `calculateArea()`.
2. Create two **subclasses**:
 - `Circle`: overrides `draw()` and `calculateArea()` to handle a circle.
 - `Cylinder`: overrides `draw()` and overrides `calculateArea()` to calculate the **total surface area** of the cylinder
3. Take input from the user to choose between **circle** and **cylinder**, and input relevant dimensions.

For example:

Input	Result
circle 5	Drawing a circle... Area: 78.54

Answer: (penalty regime: 0 %)

```
1 import java.util.*;
2
3 class Shape{
4     void draw()
5     {
6
7     }
8
9     void calculateArea()
10    {
11
12    }
13 }
14
15 class Circle extends Shape{
16     double radius;
17
18     Circle(double radius)
19     {
20         this.radius = radius;
21     }
22
23     void draw()
24     {
25         System.out.println("Drawing a circle...");
26     }
27
28     void calculateArea()
29     {
30         System.out.printf("Area: %.2f",Math.PI*radius*radius);
31     }
32 }
33
34 class Cylinder extends Shape{
35     double radius;
36     int height;
37
38     Cylinder(double radius,int height)
39     {
40         this.radius = radius;
41         this.height = height;
42     }
43
44     void draw()
45     {
46         System.out.println("Drawing a cylinder...");
47     }
48
49     void calculateArea()
50     {
51         System.out.printf("Area: %.2f",2*Math.PI*radius*(radius+height));
52     }
53 }
```



	Input	Expected	Got	
✓	circle 5	Drawing a circle... Area: 78.54	Drawing a circle... Area: 78.54	✓
✓	square	Invalid shape type.	Invalid shape type.	✓
✓	cylinder 3 7	Drawing a cylinder... Area: 188.50	Drawing a cylinder... Area: 188.50	✓

Passed all tests! ✓

Correct

Marks for this submission: 25.00/25.00.

