

Contestant Number: _____

Time: _____

Rank: _____



ICD-10-CM MEDICAL DIAGNOSTIC CODING (600) **STATE 2021**

CONCEPT KNOWLEDGE:

Multiple Choice (10 @ 5 each) _____ 50 points

APPLICATION KNOWLEDGE:

Diagnostic Coding (10 @ 5 each) _____ 50 points

TOTAL POINTS _____ 100 points

Test Time: 60 minutes

Part I—Multiple Choice:

Directions: Choose the best answer for the following questions.

1. A patient suffering from RDS would be referred to a:
 - a. cardiologist
 - b. rheumatologist
 - c. pulmonologist
 - d. gastroenterologist
2. How many code numbers are needed to fully code amyotrophic lateral sclerosis?
 - a. 1
 - b. 2
 - c. 3
 - d. more information is needed
3. In which setting would you *not* use an ICD-10-CM code?
 - a. acute care
 - b. long-term care
 - c. home health care
 - d. dental office
4. The *most* important rule in coding accuracy is:
 - a. always code verbatim
 - b. use the current year's coding books
 - c. verify every code number with the physician
 - d. list the code that will give you the highest reimbursement first
5. Scenario: Patient drives himself to the hospital experiencing shortness of breath. He slips in the parking lot and fractures his hip and obtains an abrasion on his wrist. What is the principal diagnosis?
 - a. shortness of breath
 - b. fractured hip
 - c. abrasion on wrist
 - d. slip on ice
6. Procedure code numbers can be used as diagnostic code numbers:
 - a. when the physician instructs you to do so
 - b. never
 - c. in acute-care facilities
 - d. in outpatient settings
7. A patient diagnosed with PAT would *most* likely be referred to a(n):
 - a. endocrinologist
 - b. oncologist
 - c. ENT specialist
 - d. cardiologist

8. The *best* definition of a manifestation is:
 - a. the primary reason for admission
 - b. the primary procedure
 - c. presentation or manifestation of an underlying condition
 - d. where an accident occurred
9. Which of the following would *not* be assigned to an adult between the ages of 15 and 124?
 - a. tuberculosis of the prostate
 - b. low APGAR score
 - c. vascular dementia with behavioral disturbance
 - d. Alzheimer disease
10. You will find an ICD-10-CM code number for each of the following *except*:
 - a. DM
 - b. BPH
 - c. ECHO
 - d. MVP

Part II—Diagnostic Coding—5 Points Each = 50 Points Total

Record the correct diagnostic code number for each of the following diagnoses. Use as many codes as necessary. Make sure all code numbers are legible.

1. agranulocytosis due to HIV infection _____
2. acute exacerbation of chronic asthmatic bronchitis _____
3. endometriosis of uterus; admitted for sterilization _____
4. mitral valve stenosis with CHF _____
5. metastatic CA of bronchus _____
6. acute pulmonary edema with left ventricular failure _____
7. acute respiratory failure d/t intracerebral hemorrhage _____
8. metabolic encephalopathy _____
9. duodenal ulcer with perforation and hemorrhage _____
10. postpartum uterine atony without hemorrhage occurring two weeks after delivery _____