

Member ID: \_\_\_\_\_

Time: \_\_\_\_\_

Rank: \_\_\_\_\_



# MEDICAL CODING (600) NATIONAL 2025

## Multiple Choice and Practical Application:

Multiple Choice (10 @ 5 points each) \_\_\_\_\_ (75 points)

Practical Application (10 @ 5 points each) \_\_\_\_\_ (50 points)

*Total Points* \_\_\_\_\_ (125 points)

**Test Time: 60 minutes**

**GENERAL GUIDELINES:**

*Failure to adhere to any of the following rules will result in disqualification:*

1. Member must hand in this test booklet and all printouts if any. Failure to do so will result in disqualification.
2. No equipment, supplies, or materials other than those specified for this event are allowed in the testing area. No previous BPA tests and/or sample tests (handwritten, photocopied, or keyed) are allowed in the testing area.
3. Electronic devices will be monitored according to ACT standards.

**PART ONE Instructions: Concept Knowledge**

1. Open Google Chrome and navigate to [compete.bpa.org](https://compete.bpa.org).
2. Click on the Secondary Division Competitions button.
3. Enter your BPA Member ID (8-digits) and Password to access your test questions.
4. Answer all questions and submit your test.
5. Move on to Part Two.

**PART TWO Instructions: Application Knowledge**

Complete the questions in the rest of this test booklet by filling in the PDF.

## PRACTICAL APPLICATION

**Directions:** Use current ICD-10-CM, ICD-10-PCS, CPT and HCPCS coding manuals to code the following scenarios. Do not include modifiers or external cause codes. All answers must be legible. Scenarios may require multiple codes. Scenarios may require a code from more than one coding manual.

1. A female patient with a malignant neoplasm of the left breast presents to the clinic for a bilateral mammogram. \_\_\_\_\_
2. A patient is admitted to the hospital with a primary diagnosis of congestive heart failure exacerbation with acute respiratory distress. \_\_\_\_\_
3. A patient is seen for an initial evaluation of hypertension. The physician orders an electrocardiogram to assess cardiac function. \_\_\_\_\_
4. A healthy, 45-year-old established patient is seen at the clinic for a routine physical exam. During the exam, the physician recommends and later administers a flu vaccine. Vaccine was influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.25 mL dosage, for intramuscular use. \_\_\_\_\_
5. A patient is seen for uncontrolled type 2 diabetes mellitus with peripheral neuropathy. \_\_\_\_\_
6. A patient is admitted to the hospital and undergoes a laparoscopic hysterectomy with bilateral salpingo-oophorectomy. \_\_\_\_\_
7. A patient is admitted with pneumonia due to COVID-19. \_\_\_\_\_
8. A new patient is seen for a comprehensive eye examination, including refraction. \_\_\_\_\_
9. A patient is admitted to the hospital with a primary diagnosis of ischemic stroke due to embolism from atrial fibrillation. \_\_\_\_\_
10. A patient is admitted to the hospital and undergoes a total hip replacement surgery using a cemented, ceramic prosthesis, open approach, on the left hip. \_\_\_\_\_