

ENERGI[⚡]ING THE FUTURE

WITH **ENERSYS**

Powered by **SMARTCOMM**



Enersys : Energizing the Future

Lauritz Knudsen brings excellence of credibility and experience in innovation. A premium electrical solutions provider recognised with the Deming Prize and holds a proven record based on the values of innovation, delivering cutting-edge sustainable technology, and enduring commitment towards our customers.

Embracing the Lauritz Knudsen benchmarks, Enersys opens up a new future with a premium range of electrical panel solutions to power you today & adapt to tomorrow's challenges.

Enersys panels combine aesthetic appeal with robust performance, offering reliable electrical solutions for diverse applications across a wide array of industries.






SMARTCOMM Digital Architecture

From design to operation, SmartComm delivers connected products, precise edge control for all your needs, and ensure error-free configurations tailored to customer specifications



Predict and Protect with Enersys Thermal Management

Enersys range of premium electrical solutions is intelligently integrated with complete thermal management. Our new-age technology helps monitor system health, electricity consumption, and live temperature trackability.



Compact Power, Limitless Possibilities

ENERSYS panels are made with versatility in mind. They are easily customisable, saving you space while delivering performance.

Our years of R&D expertise and continuous input from Engineers, Contractors, and End - Users have helped us deliver superior performance to our customers.



Low on footprint, high on performance

- ACB feeder widths as low as 500mm
- 80kA 1 sec short-circuit performance
- 70kA, 0.5-sec Internal arc rating



Designed for productivity – Reduces lead time for delivery

- Flexibility of customisation to increase panel width
- Flexibility in cable alley location, dropper arrangement, HBB location
- Aesthetically appealing product designed with an option of glass door with IK10 Certification



Designed for tough condition

- Highest phase-to-phase clearance of 25mm
- Zone 5 Seismic compliance as per ICC ES AC-156