

## Concrete Compressive Strength Prediction

---

### Wireframe Documentation

**-By Yatrik Shah**

## User Interface of the Project

User Interface or the Frontend of the project is created with the help of HTML and CSS.

The Flask Framework is used to integrate frontend with the backend.

The Project is deployed on the Heroku server(Paas) .

### Home Page



The screenshot shows a web application titled "Concrete Compressive Strength Prediction". It features a form with eight input fields arranged in two columns. The left column contains fields for "Cement :", "Fly Ash :", "superplasticizer :", and "fine aggregate :", each with a placeholder "kg in a m3 mixture". The right column contains fields for "blast furnace slag :", "Water :", "coarse aggregate :", and "Age :", with a placeholder "Day (1~365)". Below the input fields are two large blue buttons labeled "Submit" and "ReTrain". At the bottom, there is a footer that reads "- Project By Yatrik Shah" followed by LinkedIn and GitHub icons.


This is the Homepage of the Project.

To predict the Compressive Strength, you must enter all the field values.

[ \*Here all the field are required]

**Below the form, contact information is given.**


## Prediction Page



This is the prediction page of the project.

Here Jinja2 template is used, So that At the time of actual prediction instead of “{{result}}” the actual predicted value will be there.


## Error Page



This is the error page in case of any kind of error occurred.

This shown page is in case of any invalid input entered by the user.

## Message Page



This is basically a message page.

This is only used in case of the server failed to Retain the model

[ This kind of situation only occurs when there is some server problem,

Because (1) Heroku server provides less amount of RAM

(2) If the model is not retained within the 30 seconds then Heroku

Server throws "Request Timeout Error"

]