Проект 100Carrots

Евгения Бояренко

1. Introduction

100carrots is an application that allows you to earn money by answering questions and buying jewelry with the money you earned.

The audience is private sector, people who want to improve their knowledge and earn money to buy jewelry.

This document describes all the information.

2. Scope of work

2.1 Components and functions to be tested

#	Application/ component name	Function name	Reference/Comment
1	100Carrots	Home Page	
2		Tab icon and title	
3		Sign up	
4		Sign in	
5		Earn	
6		Store	
7		Overview	

2.2 Components and functions not to be tested

#	Application/ component name	Function name	Reference/Comment
1	-	-	-

2.3 Third-party components

#	Component name	Component role	Reference/Comment
1	Telegram	Place for communicate with the team	
2	Jira	Place to record bugs	

Документация Тест-план

3. Quality and acceptance criteria

- · 3 defects with low priority (visual) are allowed
- . Acceptance criteria: more than 95% of the bugs found during the previous iteration have been fixed.

4. Critical success factors

Availability of access:

- · to the Internet
- Jira

Successful communication with the customer.

5. Risk management

Risk	Probability	Impact	Actions
Personel (illness, dismissal)	М	Delays in project implementation	Recruitment of new people to the team
Time	Н	Late fulfillment of the terms of the contract with the Customer	It is recommended to perform step-by-step tasks before the established deadlines
Lack of Internet	VH	Project suspension	Set up a VPN for team access

Legend:

VH - Very High

H - High

M - Medium

L - Low



6. Resources

6.1 Key project resources

#	Project Role	Name, e-mail, location	
1	Manager	Maria, Maria.sobol20@gmail.com, Belarus, Minsk	

6.2 Test team

#	Project Role	Name	Location	Responsibilities
ò	QA-Engineer	Tatsiana Dzerabina	Poland, Warsaw	Creating Test Plan, Test cases, testing, writing Test Report
	QA-Engineer	Evgenia Boyarenko	Minsk, Belarus	Creating Test Plan, Test cases, testing, writing Test Report

6.3 Test hardware

#	Role	Resource	Hardware configuration	Software configuration
1	Laptop	MacBook Air (13-inch, Mid 2013)	4 GB 1600 MHz DDR3	Mac OS Catalina 10.15.7 (19H15)
2	Laptop	HDQ6M9SL Intel(R) Core(TM) i5- 8265U CPU	1.60GHz 1.80 GHz	Windows 10, 21H1,19043.1645
3	Desktop	LUCRIA, ntel(R) Core(TM) i5- 9600K CPU	3.70GHz 3.70 GHz	Windows 11 Pro, 21H2. 22000.613

6.4 Test tools

#	Tool	Comment
1	QuickTime Player	For screen-video recording
2	Microsoft Word	For creating documentation
3	Microsoft Excel	For creating documentation

Тест-план

7. Test documentation

#	Title	Responsible person(s)	Frequency (delivery time)	Method of delivery
1	Test Plan	QA-Engineer	Before testing	Email
2	Test Cases	QA-Engineer	Before testing	Email
3	Bug reports	QA-Engineer	After testing	Jira
4	Test Report	QA-Engineer	After testing	Docs.google

Тест-план

8. Test strategy

The applications will be tested using a "grey box" approach without knowledge of the internal structure or program source code.

8.1 Entry criteria

Availability of a test environment Access to the test environment

8.2 Test methods

Gray box

8.3 Test types

Manual testing - test-cases are done manually without automatization instruments.

Alpha testing - testing inside the developer organization.

GUI Testing - testing through graphical user interface.

Compatibility Testing – testing of working efficiency of the product in different environments (cross-browser or cross-platforms).

Localization testing – testing of adaptation of product to language and cultural features on exact region, which is opposite to region, where product is created.

8.4 Test levels

Smoke testing – testing of default functionalities on positive scenarios.

Extended (AT) – testing of all functionality on both positive and negative checks.

Critical path testing (MAT) – testing of all functionality on positive checks.

8.5 Bug and documentation tracking

Will be provided by Jira.

8.5.1 Bug severity definition

Indicates the severity of the defect in terms of functionality:

Highest blocks all or key functionality;

High crashes normal work of 1 or several functionalities of site and do not interfere further testing;

Medium is when defect partly affects on main functions, but making scenario while testing is possible within minimal changes;

Low is insignificant functional bug or graphical defect of interface;

Lowest is small defect not requiring mandatory correction.

9. Testing schedule

#	Activity	Begin Date	End Date	Assignment	Location	Work content
1	Test-Plan	25.05.2022	29.05.2022	QA-Engineer	Word	
2	Test-cases	25.05.2022	29.05.2022	QA-Engineer	Excel	a set of input data, execution conditions, and expected results designed to test a particular property or behavior of a software tool.
4	Testing	26.05.2022	29.05.2022	QA-Engineer	Site, Jira	Make tests, recording into Jira
5	Defect report	29.05.2022	29.05.2022	QA-Engineer	Word	description and prioritization of detected defects

Тест-план


Modules	Functionality
	tab opening
Site opening	site availability
	url
	menu
Home page	content
page	Sign up
	Sign in
	Validation Name Field
	Validation of Email field
Sign up	Validation of Password field
	Validation of Repeat Password field
	Sign up
	GÜI
	Validation of Email field
Sign in	Validation of Password field
	Sign in
	GUI
	menu
	content
	Overview
Users Home page	Earn
	Store Sign out
	Sign out Account
	Earn
Earn	GUI
	Overview
Overview	GUI
	Balance
Store	Filters
Store	Items
	GUI
Sign out	Sign out
2.3 000	GUI

Документация Тест-кейсы

- ✓ ID
- ✓ Modules
- ✓ Functionality
- ✔ Preconditions
- ✓ Steps
- ✓ Expected result
- Priority
- ✓ Coverage

Jira Bugs

- 21 задача:
- Highest 4
- Hight 4
- Medium 3
- Low 4
- Lowest -1





[Earn]: Application crushes with balance -100 or less









Описание

Preconditions:user is in [Earn]

Steps:

1. incorrectly answer questions to reduce the balance exactly -100

Actual result

incorrect behavior, the site loses its main functionality, when you try to login again, the site does

not work

Expected result

balance -100 is displayed on the

page

Reproducibility

always

Severity

Critical

Приоритет



Highest















^



Сведения



Components

front-end

Исполнитель



Без назначения

Метки

Нет

Sprint

Sprint

Story point estimate

Нет


Автор



Евгения Бояренко

Automation







[Earn]: Balance limit exceeded when answering questions











Preconditions: user is in [Earn]

Steps: 1.by answering the questions correctly, increase

the balance to 105

the page shows a balance Actual result

greater than 100

error is displayed: maximum **Expected result**

balance 100

Reproducibility always

Severity Critical

Приоритет Highest

Вложения (1)


















Сведения





front-end

Исполнитель



Евгения Бояренко

Метки

Нет

Sprint

Sprint

Story point estimate

Нет

Автор



Евгения Бояренко

Automation



Bugs Highest

Добавить Эпик / □ DB100-7

[Earn]: Correct answers generates only when fourth marker is chosen.









Описание

Preconditions: user is in [Earn]

steps:

1.answer 10 questions in a row, select the answer under the [first] marker in the list of answers

2..answer the next 10 questions in a row, select the answer the [second] marker in the list of answers

3.answer the next 10 questions in a row, select the answer [third] marker in the list of answers

4.answer the next 10 questions in a row, select the answer [fourth] marker in the list of answers

Actual result

only under the marker [fourth] of the list of markers

Expected result

correct answers are randomly generated under different positions of the list of markers


















Сведения

Components

front-end

Исполнитель



Евгения Бояренко

Метки

Нет

Sprint

Sprint

Story point estimate

Нет

Автор



Евгения Бояренко

Automation





[Store]: User can not buy items with affordable prices and balance is not decreased.











Описание

Preconditions: Safari version 14.0 (15610.1.28.1.9, 15610)

User is on [Store] page

Steps:

- 1. Answer correctly the questions to earn 12 \$
- 2. Click [Store] button.
- 3. Click on button [buy] on affordable item.
- 4. Click [Yes] on [Confirmation] window.

User can not buy affordable Actual result

item, balance stayes the same.

User buys need affordable item, **Expected result**

balance is decreased.

Reproducibility always















Сведения

Components

Нет

Исполнитель



Метки

Нет


Sprint

Sprint

Story point estimate

Нет


Автор




Automation



Bugs Highest



Your balance is 0\$



Документация Отчет о тестировании

Test Report

PRODUCT DETAILS:

Name of the

product:

Purposes of the

100carrots-This is an application that allows you to earn money by answering questions and buying

jewelry with the money you earn

provision of test data to the customer 28.05.2022

SPRINT №: DATE:

28.05.2022

BUILD №:

report:

1

ENVIRONMENT:

Operating

Systems:

1. Windows 10, 21H1,19043.1645

2. Windows 11 Pro, 21H2. 22000.613

3. MacOS Catalina 10.15.7

Browsers:

1.Mozilla Firefox

2. Google chrome

3. Opera4. Safari

1. LAPTOP-HDQ6M9SL

Devices:

Intel(R) Core(TM) i5-8265U CPU @ 1.60GHz 1.80 GHz

2. DESKTOP-7LUCRIA, ntel(R) Core(TM) i5-9600K CPU @ 3.70GHz 3.70 GHz 3. Laptop MacBook Air (13-inch, Mid 2013), 1,3 GHz 2-ядерный процессор

Intel Core i5, 4 Fb 1600 MHz DDR3

Site opening, Home page, Sign up, Sign in, Users Home page, Earn, Overview, Store, Sign

Tested Modules: out

TIME SPENT: 8 h


Qa-engineer

Евгения Бояренко

Татьяна Дерябина

Документация Отчет о тестировании

1.	Test coverage:			
	Status	Quantity (areas)	Percentage, %	
	Covered		9	40
	Not Covered		0	60
	Total		9	100
2.	Test case statistics	by covered area		
_•	Status	Quantity	Percentage, %	
	Passed		128	77,11
	Failed		38	22,89
	Retest		0	0
	blocked		0	0
	not tested		0	0
	Total		166	100



Документация Отчет о тестировании

Issues have been found	d:	
No	Title	Priority
	[Earn]: correct answers generates only when fourth marker is	
DB100-7	chosen.	Highest
DB100-8	[Earn]: Balance limit exceeded when answering questions	Highest
	[Store]: User can not buy items with affordable prices and balance	
DB100-21	is not decreased.	Highest
		3
DB100-9	[Earn]: Application crushes with balance -100 or less	Highest
	[Password] field: Validation about minimum size is not shown to	
DB100-14	User before clicking [Sign Up] button	High
	[Sign Up]: User can be signed up with password consisted of 7	
<u>DB100-17</u>	symbols instead of minimum 8	High
	[Sign Up]: User can be signed up with password consisted with	
<u>DB100-18</u>	spaces as symbols.	High
	[Sign Up]: User can be registered with invalid email consisted with	
DB100-15	4 symbols after '.'	High
DD400 22	[Famal: Overtions and annual accusing in comment a mahala	AA
<u>DB100-22</u>	[Earn]: Questions and answers contain incorrect symbols.	Medium
DP100 14	[Email] field: Validation error is not shown to User when put	Medium
<u>DB100-16</u>	spaces before and after email.	medium
DB100-11	[Store]-there is no second photo in the product card	Medium
	[Email] field: Validation error is not shown to User before clicking	
DB100-13	[Sign Up] button	Low
	[Sign In]: User recieves error message "Correct credentials"	
DB100-19	instead of "Incorrect credentials"	Low
DB100-12	[Store GUI] - product cards are not the same size	Low
DB100-10	Logo does not refresh the page on [Users Home page]	Low
	[Sign In]: no validation data of [Email] and [Password] fields is	
	shown to User while filling the fields before clicking [Sign in]	
<u>DB100-20</u>	button	Lowest

Резюме

Priority in percentage:			
Status	Quantity	Percentage, %	
Blocker)	
Highest		4 25	
High		4 25	
Medium	3	18,8	
Low		4 25	
Lowest	1	6,3	
Total	16	5 100	
	The tested modules (Open Site, Home Page, Sign Up, Login, User Home Page, Earn Money, Browse, Store, Log Out) are not ready for release. Test coverage is 100%. QA team have found 16 errors (38 checks) out of 166 tests, which is 22.89%. The accent should be done on site availability when User earns -100\$ and less, also it is needed to fix functionality of earning module (correct answer should not be always the 4 th). Users of Safari can not spend their earned money, so availability of the main application function is unavailable. 4 errors have priority "Highest", 4 errors have priority "High" 3 "Medium", 4"Low", 1"Lowest".		

Resume:

