

If 5x + 6 = 10, what is the value of 10x + 3?

- A) 4
- B) 9
- C) 11
- D) 20

2

Which of the following expressions is equal to 0 for some value of x?

- A) |x-1|-1
- B) |x+1|+1
- C) |1-x|+1
- D) |x-1|+1

3

A landscaping company estimates the price of a job, in dollars, using the expression 60 + 12nh, where n is the number of landscapers who will be working and h is the total number of hours the job will take using n landscapers. Which of the following is the best interpretation of the number 12 in the expression?

- A) The company charges \$12 per hour for each landscaper.
- B) A minimum of 12 landscapers will work on each job.
- C) The price of every job increases by \$12 every hour.
- D) Each landscaper works 12 hours a day.

4

$$x + y = 0$$
$$3x - 2y = 10$$

Which of the following ordered pairs (x, y) satisfies the system of equations above?

- A) (3,-2)
- B) (2,-2)
- C) (-2, 2)
- D) (-2, -2)




$$\frac{x}{y} = 6$$

$$4(y+1) = x$$

If (x, y) is the solution to the system of equations above, what is the value of y?

- A) 2
- B) 4
- C) 12
- D) 24

6



In the *xy*-plane above, line ℓ is parallel to line k. What is the value of p?

- A) 4
- B) 5
- C) 8
- D) 10

7

$$2x - 3y = -14$$
$$3x - 2y = -6$$

If (x, y) is a solution to the system of equations above, what is the value of x - y?

- A) -20
- B) -8
- C) -4
- D) 8

8

$$nA = 360$$

The measure A, in degrees, of an exterior angle of a regular polygon is related to the number of sides, n, of the polygon by the formula above. If the measure of an exterior angle of a regular polygon is greater than 50° , what is the greatest number of sides it can have?

- A) 5
- B) 6
- C) 7
- D) 8



The graph of a line in the xy-plane has slope 2 and contains the point (1,8). The graph of a second line passes through the points (1,2) and (2,1). If the two lines intersect at the point (a,b), what is the value of a+b?

- A) 4
- B) 3
- C) -1
- D) -4

10

Which of the following equations represents a line that is parallel to the line with equation

$$y = -3x + 4$$
 ?

- A) 6x + 2y = 15
- B) 3x y = 7
- C) 2x 3y = 6
- D) x + 3y = 1

11

While preparing to run a marathon, Amelia created a training schedule in which the distance of her longest run every week increased by a constant amount. If Amelia's training schedule requires that her longest run in week 4 is a distance of 8 miles and her longest run in week 16 is a distance of 26 miles, which of the following best describes how the distance Amelia runs changes between week 4 and week 16 of her training schedule?

- A) Amelia increases the distance of her longest run by 0.5 miles each week.
- B) Amelia increases the distance of her longest run by 2 miles each week.
- C) Amelia increases the distance of her longest run by 2 miles every 3 weeks.
- D) Amelia increases the distance of her longest run by 1.5 miles each week.

12

Ken and Paul each ordered a sandwich at a restaurant. The price of Ken's sandwich was x dollars, and the price of Paul's sandwich was \$1 more than the price of Ken's sandwich. If Ken and Paul split the cost of the sandwiches evenly and each paid a 20% tip, which of the following expressions represents the amount, in dollars, each of them paid? (Assume there is no sales tax.)

- A) 0.2x + 0.2
- B) 0.5x + 0.1
- C) 1.2x + 0.6
- D) 2.4x + 1.2



$$kx - 3y = 4$$

$$4x - 5y = 7$$

In the system of equations above, k is a constant and x and y are variables. For what value of k will the system of equations have no solution?

- A) $\frac{12}{5}$
- B) $\frac{16}{7}$
- C) $-\frac{16}{7}$
- D) $-\frac{12}{5}$

14

$$C = \frac{5}{9}(F - 32)$$

The equation above shows how a temperature F, measured in degrees Fahrenheit, relates to a temperature C, measured in degrees Celsius. Based on the equation, which of the following must be true?

- I. A temperature increase of 1 degree Fahrenheit is equivalent to a temperature increase of $\frac{5}{9}$ degree Celsius.
- II. A temperature increase of 1 degree Celsius is equivalent to a temperature increase of 1.8 degrees Fahrenheit.
- III. A temperature increase of $\frac{5}{9}$ degree
 Fahrenheit is equivalent to a temperature increase of 1 degree Celsius.
- A) I only
- B) II only
- C) III only
- D) I and II only



A musician has a new song available for downloading or streaming. The musician earns \$0.09 each time the song is downloaded and \$0.002 each time the song is streamed. Which of the following expressions represents the amount, in dollars, that the musician earns if the song is downloaded d times and streamed s times?

- A) 0.002d + 0.09s
- B) 0.002d 0.09s
- C) 0.09d + 0.002s
- D) 0.09d 0.002s

2

The average number of students per classroom at Central High School from 2000 to 2010 can be modeled by the equation y = 0.56x + 27.2, where x represents the number of years since 2000, and y represents the average number of students per classroom. Which of the following best describes the meaning of the number 0.56 in the equation?

- A) The total number of students at the school in 2000
- B) The average number of students per classroom in 2000
- C) The estimated increase in the average number of students per classroom each year
- D) The estimated difference between the average number of students per classroom in 2010 and in 2000

3

$$\ell = 24 + 3.5m$$

One end of a spring is attached to a ceiling. When an object of mass m kilograms is attached to the other end of the spring, the spring stretches to a length of ℓ centimeters as shown in the equation above. What is m when ℓ is 73?

- A) 14
- B) 27.7
- C) 73
- D) 279.5

4

If $\frac{3}{5}w = \frac{4}{3}$, what is the value of w?

- A) $\frac{9}{20}$
- B) $\frac{4}{5}$
- C) $\frac{5}{4}$
- D) $\frac{20}{9}$



4

Questions 5 and 6 refer to the following information.

The amount of money a performer earns is directly proportional to the number of people attending the performance. The performer earns \$120 at a performance where 8 people attend.

5

How much money will the performer earn when 20 people attend a performance?

- A) \$960
- B) \$480
- C) \$300
- D) \$240

6

The performer uses 43% of the money earned to pay the costs involved in putting on each performance. The rest of the money earned is the performer's profit. What is the profit the performer makes at a performance where 8 people attend?

- A) \$51.60
- B) \$57.00
- C) \$68.40
- D) \$77.00

7

When 4 times the number x is added to 12, the result is 8. What number results when 2 times x is added to 7?

- A) -1
- B) 5
- C) 8
- D) 9

8

In a video game, each player starts the game with k points and loses 2 points each time a task is not completed. If a player who gains no additional points and fails to complete 100 tasks has a score of 200 points, what is the value of k?

- A) 0
- B) 150
- C) 250
- D) 400

9

A worker uses a forklift to move boxes that weigh either 40 pounds or 65 pounds each. Let x be the number of 40-pound boxes and y be the number of 65-pound boxes. The forklift can carry up to either 45 boxes or a weight of 2,400 pounds. Which of the following systems of inequalities represents this relationship?

A)
$$\begin{cases} 40x + 65y \le 2,400 \\ x + y \le 45 \end{cases}$$

B)
$$\begin{cases} \frac{x}{40} + \frac{y}{65} \le 2,400\\ x + y \le 45 \end{cases}$$

C)
$$\begin{cases} 40x + 65y \le 45 \\ x + y \le 2,400 \end{cases}$$

D)
$$\begin{cases} x + y \le 2,400 \\ 40x + 65y \le 2,400 \end{cases}$$



The monthly membership fee for an online television and movie service is \$9.80. The cost of viewing television shows online is included in the membership fee, but there is an additional fee of \$1.50 to rent each movie online. For one month, Jill's membership and movie rental fees were \$12.80. How many movies did Jill rent online that month?

- A) 1
- B) 2
- C) 3
- D) 4

11

One of the requirements for becoming a court reporter is the ability to type 225 words per minute. Donald can currently type 180 words per minute, and believes that with practice he can increase his typing speed by 5 words per minute each month. Which of the following represents the number of words per minute that Donald believes he will be able to type $\,m\,$ months from now?

- A) 5 + 180m
- B) 225 + 5m
- C) 180 + 5m
- D) 180 5m

12

On January 1, 2000, there were 175,000 tons of trash in a landfill that had a capacity of 325,000 tons. Each year since then, the amount of trash in the landfill increased by 7,500 tons. If y represents the time, in years, after January 1, 2000, which of the following inequalities describes the set of years where the landfill is at or above capacity?

- A) $325,000 7,500 \le y$
- B) $325,000 \le 7,500y$
- C) $150,000 \ge 7,500y$
- D) $175,000 + 7,500y \ge 325,000$

13

The density of an object is equal to the mass of the object divided by the volume of the object. What is the volume, in milliliters, of an object with a mass of 24 grams and a density of 3 grams per milliliter?

- A) 0.125
- B) 8
- C) 21
- D) 72

14

Last week Raul worked 11 more hours than Angelica. If they worked a combined total of 59 hours, how many hours did Angelica work last week?

- A) 24
- B) 35
- C) 40
- D) 48

15

Line ℓ in the xy-plane contains points from each of Quadrants II, III, and IV, but no points from Quadrant I. Which of the following must be true?

- A) The slope of line ℓ is undefined.
- B) The slope of line ℓ is zero.
- C) The slope of line ℓ is positive.
- D) The slope of line ℓ is negative.



Questions 16 and 17 refer to the following information.

Mr. Martinson is building a concrete patio in his backyard and deciding where to buy the materials and rent the tools needed for the project. The table below shows the materials' cost and daily rental costs for three different stores.

Store	Materials' Cost, M (dollars)	Rental cost of wheelbarrow, <i>W</i> (dollars per day)	Rental cost of concrete mixer, <i>K</i> (dollars per day)
A	750	15	65
В	600	25	80
С	700	20	70

The total cost, y, for buying the materials and renting the tools in terms of the number of days, x, is given by y = M + (W + K)x.

16

For what number of days, *x*, will the total cost of buying the materials and renting the tools from Store B be less than or equal to the total cost of buying the materials and renting the tools from Store A?

- A) $x \le 6$
- B) $x \ge 6$
- C) $x \le 7.3$
- D) $x \ge 7.3$

17

If the relationship between the total cost, *y*, of buying the materials and renting the tools at Store C and the number of days, *x*, for which the tools are rented is graphed in the *xy*-plane, what does the slope of the line represent?

- A) The total cost of the project
- B) The total cost of the materials
- C) The total daily cost of the project
- D) The total daily rental costs of the tools

18

The graph of the linear function f has intercepts at (a,0) and (0,b) in the xy-plane. If a+b=0 and $a \ne b$, which of the following is true about the slope of the graph of f?


- A) It is positive.
- B) It is negative.
- C) It equals zero.
- D) It is undefined.

19

A project manager estimates that a project will take x hours to complete, where x > 100. The goal is for the estimate to be within 10 hours of the time it will actually take to complete the project. If the manager meets the goal and it takes y hours to complete the project, which of the following inequalities represents the relationship between the estimated time and the actual completion time?

- A) x + y < 10
- B) y > x + 10
- C) y < x 10
- D) -10 < y x < 10





In the xy-plane above, ABCD is a square and point E is the center of the square. The coordinates of points C and E are (7,2) and (1,0), respectively. Which of the following is an equation of the line that passes through points E and E?

- A) y = -3x 1
- B) y = -3(x-1)
- C) $y = -\frac{1}{3}x + 4$
- D) $y = -\frac{1}{3}x 1$

21

If $3p - 2 \ge 1$, what is the least possible value of 3p + 2?

- A) 5
- B) 3
- C) 2
- D) 1

22

In the xy-plane, the line determined by the points (2, k) and (k, 32) passes through the origin. Which of the following could be the value of k?

- A) 0
- B) 4
- C) 8
- D) 16



Questions 23 and 24 refer to the following information.

Planet	Acceleration due to gravity $\left(\frac{m}{\sec^2}\right)$	
Mercury	3.6	
Venus	8.9	
Earth	9.8	
Mars	3.8	
Jupiter	26.0	
Saturn	11.1	
Uranus	10.7	
Neptune	14.1	

The chart above shows approximations of the acceleration due to gravity in meters per second squared $\left(\frac{m}{\sec^2}\right)$ for the eight planets in our solar system. The weight of an object on a given planet can be found by using the formula W = mg, where W is the weight of the object measured in newtons, m is the mass of the object measured in kilograms, and g is the acceleration due to gravity on the planet measured in $\frac{m}{2}$.

23

What is the weight, in newtons, of an object on Mercury with a mass of 90 kilograms?

- A) 25
- B) 86
- C) 101
- D) 324

24

An object on Earth has a weight of 150 newtons. On which planet would the same object have an approximate weight of 170 newtons?

- A) Venus
- B) Saturn
- C) Uranus
- D) Neptune



Questions 25 and 26 refer to the following information.

$$S(P) = \frac{1}{2}P + 40$$
$$D(P) = 220 - P$$

The quantity of a product supplied and the quantity of the product demanded in an economic market are functions of the price of the product. The functions above are the estimated supply and demand functions for a certain product. The function S(P) gives the quantity of the product supplied to the market when the price is P dollars, and the function D(P) gives the quantity of the product demanded by the market when the price is P dollars.

25

How will the quantity of the product supplied to the market change if the price of the product is increased by \$10?

- A) The quantity supplied will decrease by 5 units.
- B) The quantity supplied will increase by 5 units.
- C) The quantity supplied will increase by 10 units.
- D) The quantity supplied will increase by 50 units.

26

At what price will the quantity of the product supplied to the market equal the quantity of the product demanded by the market?

- A) \$90
- B) \$120
- C) \$133
- D) \$155

27

The sum of three numbers is 855. One of the numbers, x, is 50% more than the sum of the other two numbers. What is the value of x?

- A) 570
- B) 513
- C) 214
- D) 155

28

Mr. Kohl has a beaker containing n milliliters of solution to distribute to the students in his chemistry class. If he gives each student 3 milliliters of solution, he will have 5 milliliters left over. In order to give each student 4 milliliters of solution, he will need an additional 21 milliliters. How many students are in the class?

- A) 16
- B) 21
- C) 23
- D) 26



	Handedness	
Gender	Left	Right
Female		
Male		
Total	18	122

The incomplete table above summarizes the number of left-handed students and right-handed students by gender for the eighth-grade students at Keisel Middle School. There are 5 times as many right-handed female students as there are left-handed female students, and there are 9 times as many right-handed male students as there are left-handed male students. If there is a total of 18 left-handed students and 122 right-handed students in the school, which of the following is closest to the probability that a right-handed student selected at random is female? (Note: Assume that none of the eighth-grade students are both right-handed and left-handed.)

- A) 0.410
- B) 0.357
- C) 0.333
- D) 0.250

30

$$3x + b = 5x - 7$$
$$3y + c = 5y - 7$$

In the equations above, b and c are constants.

If *b* is *c* minus $\frac{1}{2}$, which of the following is true?

- A) x is y minus $\frac{1}{4}$.
- B) x is y minus $\frac{1}{2}$.
- C) x is y minus 1.
- D) x is y plus $\frac{1}{2}$.