Cucumber Report

| Start : Aug 16, 11:34:25.144 AM	End : Aug 16, 11:35:55.431 AM	Duration : 1 m 30.287 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 2

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Beymen Test	1 m 30.287 s	1	0	1	0	9	6	1	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@wip	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Beymen Test	1	0	1	0	1 m 30.287 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Beymen Test	Beymen Test	9	6	1	2	1 m 30.274 s

Beymen Test

FAILED	DURATION - 1 m 30.287 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 11:34:25.144 AM // 11:35:55.431 AM /					

Beymen Test

FAILED	DURATION - 1 m 30.274 s		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 11:34:25.157 AM // 11:35:55.431 AM /				
Beymen Test				
@wip				

#	Step / Hook Details	Status	Duration
1	Given kullanici Beymen sayfasina gider	PASSED	28.249 s
2	Then Cerezleri kabul eder ve cinsiyet secimini yapar	PASSED	9.795 s
3	And Beymen anasayfasinin acildigini kontrol eder	PASSED	0.093 s
4	And Arama kutucuguna "aranacak Urun" kelimesini girer ve aratir	PASSED	0.581 s
5	Then Sonuca gore sergilenen urunlerden rastgele bir urun secer	PASSED	15.532 s
6	And Secilen urunu sepete ekler	PASSED	16.037 s
7	And Urun sayfasindaki fiyat ile sepette yer alan urunun fiyatinin dogrulugunu karsilastirir	FAILED	15.212 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='m-productPrice__salePrice']"} (Session info: chrome=115.0.5790.171) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2a8de3dd078a6e363634be38a989117, findElement {using=xpath, value=//span[@class='m-productPrice__salePrice']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Yvz\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:58273}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58273/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2a8de3dd078a6e363634be38a989117
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at com.sun.proxy.$Proxy26.getText(Unknown Source)
	   at stepDefinitions.BeymenStepDefinitions.
	urun_sayfasindaki_fiyat_ile_sepette_yer_alan_urunun_fiyatinin_dogrulugunu_karsilastirir(BeymenStepDefinitions.java:70)
	   at ?.Urun sayfasindaki fiyat ile sepette yer alan urunun fiyatinin dogrulugunu karsilastirir(file:///C:/Users/Yvz/Desktop/GITHUB%20REPOSTORY/com.carrefour_java/src/test/resources/Beymen.feature:11)
	* Not displayable characters are replaced by '?'.		

8	And Adet sayisini arttirarak urun adedinin 2 oldugunu dogrular	SKIPPED	0.001 s
9	Then Urunu sepetten silerek sepetin bos oldugunu kontrol eder	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) screenshots 	PASSED	4.666 s