Windows System Driver Installation Tutorial

CONTENT

01 USB connection to the computer to install the driver

02 Where can I found the installed drivers?

03 Manual driver installation tutorial

04 How to view the printer port number?

05 How to change the printer port number?

Installation Instructions

Pre-installation work:


1. It is recommended that the printer be turned on and connected to the computer by using the data cable.
2. Close the computer antivirus software.

Other Notes:

1. When you install the driver for the first time, the next time you access to other Clabel printers, the computer will automatically generate the corresponding model of the printer driver, you do not need to manually install.
2. The printer models shown here are only for demonstration purposes. If you purchased other printers, it is the same installation method.

The process of download the driver


Log on to **https://ga.ctaiot.com/**
Follow the website guidelines to download the driver.



USB Connection to Computer to Install the Driver

Installation of Driver


01



Open the Driver and Click on "Run".

Note: Not every computer has this prompt, please handle it according to the actual situation.

02



1. Select Driver Language.


2. Click "OK"

03




Click "OK".

04



Click on "Install".

05




Installation is successed, click "Finish".

Note: Some computers may prompt you to restart the computer. We suggest that you choose to restart it for smoother use of the driver.


Where are the installed drivers?


Where are the installed drivers?



2. Click the "Control Panel".


1. Enter "Control Panel" in the search box.



Control Panel
Control Panel
Adjusting computer settings
Hardware and sound
Equipment and printers
Add Device
Click on "Equipment and Printers".




These are the drivers installed in the computer.

Manual Driver Installation Tutorial


\Devices and Printers
Devices and Printers
Search Devices and Printers
Add a device
Add a printer
Click on "Add a Printer".
Devices (4)
DELL U2518D
Gaming Keyboard G610
WIN-8HO4DVN8VQ6
Wireless Receiver
Printers (7)
CHITENG-CT220D
Clabel Printer IP:192.168.1.159
Fax
Microsoft Print to PDF
Microsoft XPS Document Writer
Samsung M267x 287x Series
WPS PDF
11




Click on "The printer that I want isn’t listed".




1. Click on "Add a local printer or network printer with manual settings".

2. Click on "Next".




1. Check the "Use an existing port" box.

2. Select the correct USB port. If both "USB001" and "USB002" exist, please select the port with the largest value.




Click on "Next".




1. Select the printer model to be installed.

2. Click on "Next".




1. A new name can be given to the printer, if necessary.

2. Click on "Next".



1. Choose the "Do not share this printer".


2. Click on "Next".



1. Click "Print a test page".
If the printer responds that the driver was installed successfully.
If not, the port may be selected incorrectly, you can modify the port and then retry.


2. At the end of the installation, click "Finish".

How to View Printer Port



2. Click on "device manager".


1. Search for "device manager".



1. Click on "Universal Serial Bus Controller".

2. Right-click on "USB Print Support".

3. Click on "Properties".




1. Click on "Details".

2. Select "Bus relationship".


3. You can see that the port number of the printer, such as USB001.

How to Modify Printer Port Number



1. Right-click on the driver you want to modify.

2. Select "Printer Properties".



1. Click on "Ports".

2. Check the correct port.

3. Click "OK" to complete the port modification.

THANK YOU