Rajalakshmi Engineering College

Name: YAZHINI PS 1

Email: 240701612@rajalakshmi.edu.in

Roll no: 240701612 Phone: 9150998219

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt: 1 Total Mark: 20

Marks Obtained: 19

Section 1: MCQ

1. Set s1 = {1, 2, 4, 3} and s2 = {1, 5, 4, 6}, find s1 & amp; s2, s1 - s2, s1 | s2 and s1 ^ s2.

Answer

Answer

 $s1\&s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$

Status: Correct Marks: 1/1

2. What is the output of the following code?

a={1:"A",2:"B",3:"C"} b=a.copy() b[2]="D" print(a)

```
{1: 'A', 2: 'B', 3: 'C'}
```

Status : Correct Marks: 1/1

3. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
init_tuple_b = (1, 2, 7)
set1=set(init_tuple_b)
set2=set(init_tuple_a)
print (set1 | set2)
print (init_tuple_a | init_tuple_b)
```

Answer

{1, 2, 7, 8}TypeError: unsupported operand type

Status: Correct Marks: 1/1

4. What will be the output?

a={'B':5,'A':9,'C':7} print(sorted(a))

Answer

['A', 'B', 'C'].

Status: Correct Marks : 1/1

5. Which of the following statements is used to create an empty tuple?

Answer

()

Status: Correct Marks: 1/1

6. What is the output of the following code?

```
b=(1,2,(3,4))
print(a<b)
Answer
False
Status: Correct
                                                                      Marks: 1/1
7. What will be the output of the following program?
set1 = \{1, 2, 3\}
set2 = set1.copy()
set2.add(4)
print(set1)
Answer
\{1, 2, 3\}
Status: Correct
                                                                      Marks: 1/1
8. Fill in the code in order to get the following output.
Output:
Tuple: (1, 3, 4)
Max value: 4
t=(1,)
print("Tuple:" ,t)
print("Max value:",____
Answer
```

9. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Marks: 0/1

1) t=t+(3,4)2) Max(t)

Status: Wrong

Answer

Removes an arbitrary element

Status: Correct Marks: 1/1

10. Which of the following is a Python tuple?

Answer

(1, 2, 3)

Status: Correct Marks: 1/1

11. What will be the output for the following code?

Answer

False

Status: Correct Marks: 1/1

12. What is the output of the following code?

Answer

{1: 'a', 2: 'b', 3: 'c'}

Status: Correct Marks: 1/1

13. Which of the statements about dictionary values is false?

Answer

Marks : 1/1 Status : Correct

14. What will be the output for the following code?

```
a=(1,2,3)
b=('A','B','C')
c=zip(a,b)
```

print(c) print(tuple(c))

((1, 'A'), (2, 'B'), (3, 'C'))

Status: Correct Marks: 1/1

15. What is the output of the below Python code?

```
list1 = [1, 2, 3]
   list2 = [5, 6, 7]
   list3 = [10, 11, 12]
   set1 = set(list2)
   set2 = set(list1)
   set1.update(set2)
set1.update(list3)
   print(set1)
```

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Marks: 1/1 Status: Correct

16. What will be the output of the following code?

Answer

13

Status: Correct Marks: 1/

17. What is the result of print(type({}) is set)?

Answer

False

Status: Correct Marks: 1/1

Which of the following isn't true about dictionary keys?

Answer

Keys must be integers

Status: Correct Marks: 1/1

19. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

t[3] = 45

Marks : 1/1 Status: Correct

20. What is the output of the following?

 $set1 = \{10, 20, 30, 40, 50\}$ set2 = {60, 70, 10, 30, 40, 80, 20, 50} print(set1.issubset(set2)) print(set2.issuperset(set1))

Answer

TrueTrue

Marks : 1/1 Status : Correct