



目录|CONTENTS



5	公司证书 Company certificate
6	机车配件 Locomotive parts
7	闸瓦 瓦托 Brake shoe & holder
9	避震弹簧 Shock spring
11	轨道扣件 Railway fasteners
15	道钉&螺栓 Spike & bolt
21	弹条、弹片 Rail clip
26	防爬器 Rail anchor
27	扣板 Rail clamp
28	鱼尾板 Rail fish plate
29	铁垫板 Rail base pate
31	预埋件 Rail shoulder
32	平垫、弹垫 Plain & spring washer
35	塑料、橡胶产品 Rail pad,dowel,insulator
37	定制扣件 OEM products




Item	Speed(KM/H)	Service life(KM)	Weight(Kg)
Casting iron brake shoe	<80	3000~3500	8~15
Composite brake shoe	>80	8000~12000	3~5
Powder metallurgy brake shoe	>80	16000~25000	2.5~4




1 机车配件 Locomotive parts

2) 闸瓦、闸片、瓦托




Brake shoe & holder (Casting steel, iron, composite and powder metallurgy material)





1 机车配件 Locomotive parts


3) 减震弹簧级其他配件 Spring and other parts



1 机车配件 Locomotive parts


4) 车厢用防转销 Pivot pin(SISI C1060,60# Steel)





2 轨道扣件 Railway fasteners

1) 扣件系统 Rail fastening system




公司产品 COMPANY PRODUCTS



2 轨道扣件 Railway fasteners


1) 扣件系统 Rail fastening system





2 轨道扣件 Railway fasteners

1) 螺纹道钉 Screw spike





Tensile Strength	Yield Strength	Elongation	Reduction of area	Hardness	Bend test	Workmanship
120,000 psi min.	92,000 psi min.	14% min.	35% min.	HRc 22 min.-HRc 32 max.	Full size carbon steel screw spikes shall stand being bent cold 45° around a pin 3 times the spike's diameter without cracking on the outside of the bent portion.	Screw spikes shall be free from burrs, seams, laps, loose scale, irregular surfaces and any defects affecting their serviceability.

2) 铝制填充件 Aluminum coil




Fact file
Over 50 million units installed worldwide
Comprehensive tests carried out by Deutsche Bahn and SNCF proved conclusively that they are the best long-term low cost solution to worn sleeper holes




2 轨道扣件 Railway fasteners

1) 螺纹道钉 Screw spike



2 轨道扣件 Railway fastener

2) 勾头道钉 Dog spike










2 轨道扣件 Railway fasteners

3) 螺栓 鱼尾螺栓 T型螺栓, 四方头螺栓

Fish bolt oval neck

T bolt, SQ HD bolt












2 轨道扣件 Railway fasteners

3) 弹条 Elastic rail clip

- 1.E type D12~20mm
- 2.Special clip
- 3.E OEM clip
- 4.PR clip
- 5.SKL1,SKL3 clip









2

Elastic rail clip

6.SKL2 10.Russian
7.SKL12 11.Guage
8.SKL14 12. Fast
9.Deenik & #100







2 轨道扣件 Railway fasteners

4) 弹片 Elastic rail plate

2 轨道扣件 Railway fastener

5) 防爬器 Rail anchor





2 轨道扣件 Railway fasteners


6) 扣板
Elastic rail clamp



2 轨道扣件 Railway fastener

7) 鱼尾板
Fish plate


Standard	TYPE	Standard	TYPE
AREMA 2007	100-8	UIC 864	UIC54 4 hole
	115RE		UIC54 6 hole
	119RE		UIC60 4 hole
	132RE		UIC60 6 hole
	133RE	AS	S49
	136RE		GB9KG
	136LB		GB12KG
	141RE		GB15KG
	132-136RE		GB22KG
			GB30KG
BS 47-1	BS75A	CHINESE GB	GB38KG
	BS75R		GB43KG
	BS80A		GB50KG
	BS80O		GB60KG
	BS90A		GB75KG
	BS100A		
	BS113A		



2 轨道扣件 Railway fasteners

8) 铁垫板 Rail base plate





2 轨道扣件 Railway fasteners

9) 预埋件
Rail shoulder



2 轨道扣件 Railway fastener

10) 垫圈
Washer

NOMINAL BOLT DIAMETER	A		B		C NOM	D	E	F MAX	NET WT.PER 100 [LBS]
	MN	MAX	MN	MAX					
3/4	25/32	13/16	---	1-5/8	1/16	13/32	7/16	7/16	185
7/8	29/32	15/16	---	1-3/4	1/16	13/32	7/16	7/16	195
1	1-1/32	1-1/16	---	2-3/32	1/16	1/2	17/32	5/8	340
1-1/8	1-5/32	1-3/16	---	2-1/4	1/16	17/32	17/32	5/8	400
1-1/4	1-9/32	1-5/16	---	2-3/8	1/16	17/32	17/32	5/8	425
1-3/8	1-13/32	1-7/16	---	2-1/2	1/16	17/32	17/32	17/32	455

Spring Washers for Bolt Diameter Inches	Applied Load Pounds	Platens Released From Loads By Distances Inches	Minimum Reactive Spring Pressure Pounds
3/4	20,000	0.025	2,500
7/8	20,000	0.025	2,500
1	20,000	0.030	5,000
1-1/16	20,000	0.030	5,000
1-1/8	20,000	0.030	5,000
1-1/4	20,000	0.030	5,000



Item	d	D	a	b	h	KG
Fe6	25	45	6	10	19	0.09
Fe7	25	45	6	10	11	0.05
Fe8	21	39	5	9	16	0.058
Fe15	28	52	6	12	19	0.126
Fe19	26	46	6	10	25.5	0.145




2 轨道扣件 Railway fasteners

10) 垫圈 Washer

2 轨道扣件 Railway fastener

11) 螺母 Nut, lock nut





2 轨道扣件 Railway fasteners

11) 塑料和橡胶产品

Rail insulator, guide plate, screw dowel, PA66, nylon, HDPE


2 轨道扣件 Railway fastener

12) 橡胶制品

Rail pad, EVA, SBR, HDPE, rubber



• 公司产品 COMPANY PRODUCTS




3 定制扣件 OEM fasteners

1) 定制螺栓


Anchor bolt, fish tail, J bolt, stud bolt, U & huck bolt



Fishtail bolt



J type



公司产品 COMPANY PRODUCTS



4 矿用产品及工具 Products for mine & tools

1) 钢轨及扣件

GB Std light rail(9~30Kg and accessories)

2) 工具

Tools and equipments for railway



5 钢轨、道岔 Steel rail, turnout

Standard	TYPE
GB11264-89 GB2585-2007 YB/T5055-93	8kg,9kg,12kg,15kg,18kg,22kg,24kg,30kg,38kg,43kg,50kg,60kg QU70,QU80,QU100,QU120
ASTM A1,AREMA	ASCE25, ASCE30, ASCE40 ASCE60,ASCE75,ASCE85,90RA,115RE,136RE,175LBs
UIC860	UIC50,UIC54,UIC60
DIN536 DIN5901-1955	A45,A55,A65,A75,A100,A120,S10,S14,S18,S20,S30,S33 S41R10,S41R14,S49
BS11-1985	BS500,BS60A,BS60R,BS70A,BS75A,BS75R,BS80A,BS80R BS90A,BS100A,BS113A
BS EN14811:2006	59R1,59R2,60R1,60R2
AS1085	31kg,47kg,50kg,60kg,68kg,73kg,86kg,89kg
EN13674-1-2003	49E1,49E2,50E1,50E2,50E4,50E5,50E6,54E1,54E2,54E3,55E1 60E1
IS3443-1980	ISCR50,ISCR60,ISCR70,ISCR80,ISCR100,ISCR120
ISCOR	15kg,22kg,30kg,40kg,48kg,57kg
JIS E1103-91/JIS E1101-93	15kg,22kg,30kg,37A,50N,CR73,CR100

