


Mark	Qty.	Description	Length	Grade	Coating	Part kg	Total kg
B48	1	230 PFC	Shear Plate				
F1399	1	105x12 PL	194	300	Coating as specified	1.91	1.91
						Combined Total	1.91



1 NO. 105x12 PL - MKD F1399

NOTES

1. ALL FABRICATION OF STRUCTURAL STEELWORK TO CONFORM WITH PROJECT SPECIFICATIONS.
2. ALL SURFACE PREPARATION, PAINTING AND GALVANISING TO CONFORM WITH PROJECT SPECIFICATIONS
3. ALL FITTINGS PLACED ON CENTER LINE U.N.O. (BACK OF IS C/L)
4. FOR GENERAL STRUCTURAL WORKS ALL WELDS 6mm CONTINUOUS FILLET CAT SP AS/NZS 1554 U.N.O.
5. ALL HOLES TO BE Ø22 FOR M20 BOLTS U.N.O.
6. REFER TO GENERAL NOTES FOR FURTHER DETAILS.

				<div><div>A1</div><div>DO NOT SCALE</div><div></div><div>IF IN DOUBT ASK</div><div><small>Tolerances UNLESS OTHERWISE SPECIFIED: DIMENSIONS TO MILLIMETERS DRAWING PRACTICE TO AS1100 1 DEC PLACE +0.5 2 DEC PLACE +0.2 ALL ANGLES 45°</small></div></div>	<div><div></div><div>Customer : MCMAHON SERVICES/ABC Reference : 236-020</div></div>	<div><div></div><div>Genius Consulting Pty Ltd, ABN 91 615 110 033 101 Henley Beach Rd, Ph: +61 8 7221 9970 Mile End, SA, 5031, www.ingenia.com.au</div></div>	<div><div>Status : ISSUED FOR CONSTRUCTION</div><div><div>Drawn: AZ</div><div>Date: 28/04/2023</div><div>A3 Scale = 1.5x</div><div>A1 Sheet Scale =</div></div><div><div>Description:</div><div>MCMAHON SERVICES/ABC 1000T RMS SILO F1399</div></div><div><div>Cust. No.</div><div>Ref. No.</div><div>Type</div><div>Drawing</div><div>Revision</div></div><div><div>236-020</div><div>S-F1399-01_0</div></div></div>
--	--	--	--	--	--	--	---