Independent Approach to Molecular Dynamics
Model Using DNA Encoded Amino Acids with
Goal of Simulating Short Peptides to Proteins

Eric A. Chapman

December 5, 2021

### Declaration

All figures and plots presented in this paper were produced by myself using the python code in the appendix or presentation making software. Of course; unless any figures are cited, referenced or stated otherwise.

- Eric A. Chapman
December 5, 2021

### Abstract

to be done at some point

# Contents

Li	ist of Figures	3
Li	ist of Tables	3
1	Introduction -	4
<b>2</b>	Mathematics -	4
	2.1 Geometry	. 4
	2.1.1 Line Intersecting an 'n'-dimensional sphere	. 4
3	The Natural Amino Acids -	6
	3.1 What We Will be Looking At	. 6
4	Turning Structural Formulae into Tables -	7
	4.1 Rules to Turn into Table	. 7
	4.1.1 Tetrahedral	. 7
	4.1.2 Trigonal Planar	. 7
	4.2 Preserving Correct Chirality	. 8
$\mathbf{A}$	A Structural, Skeletal Formulae & Structure Tables -	9
	A.1 Alanine	. 9
	A.2 Arginine	. 9
	A.3 Asparagine	. 10
	A.4 Aspartic Acid	. 10
	A.5 Cysteine	. 10
	A.6 Glutamine	. 11
	A.7 Glutamic Acid	. 11
	A.8 Glycine	. 12
	A.9 Histidine	. 12
	A.10 Isoleucine	. 12
	A.11 Leucine	. 13
	A.12 Lysine	. 13
	A.13 Methionine	. 14
	A.14 Phenylalanine	. 14
	A.15 Proline	. 15
	A.16 Serine	. 15
	A.17 Threonine	. 16
	A 18 Truntonhan	16

A.1	9 Tyrosine	17
A.2	0 Valine	17
Refere	A.20 Valine - 1  Leferences 1  List of Figures  1 Encoding of Amino Acids to RNA Bases  List of Tables  1 The 20 Natural Amino Acids with Their 3 & 1 Letter Codes 2 Example of Tetrahedral Table Row 3 Example of Trigonal Table Row 4 Alanine Structure Table 5 Arginine Structure Table	19
List	of Figures	
1	Encoding of Amino Acids to RNA Bases	6
$\operatorname{List}$	of Tables	
1	The 20 Natural Amino Acids with Their 3 & 1 Letter Codes	7
2	Example of Tetrahedral Table Row	8
3	Example of Trigonal Table Row	8
4	Alanine Structure Table	9
5	Arginine Structure Table	9
6	Asparagine Structure Table	10
7	Aspartic Acid Structure Table	10
8	Cysteine Structure Table	11
9	Glutamine Structure Table	11
10	Glutamic Acid Structure Table	11
11	Glycine Structure Table	12
12	Histidine Structure Table	12
13	Isoleucine Structure Table	13
14	Leucine Structure Table	13
15	Lysine Structure Table	14
16	Methionine Structure Table	14
17	Phenylalanine Structure Table	15
18	Proline Structure Table	15
19	Serine Structure Table	16
20	Threonine Structure Table	16
21	Tryptophan Structure Table	17
22	Tyrosine Structure Table	17
23	Valine Structure Table	18

### 1 Introduction -

### 2 Mathematics -

### 2.1 Geometry -

### 2.1.1 Line Intersecting an 'n'-dimensional sphere -

In Cartesian coordinates the generalised equation for a circle with an arbitrary origin is as such:

$$(x - x_0)^2 + (y - y_0)^2 = \rho^2 \tag{1}$$

But for generality we cannot use the  $x_0$  notation used above to denote the origin coordinates. Thus, we shall say these are elements of a wider vector of n length/dimension, and each element counts as a coordinate. We shall therefore call this vector  $\underline{\omega}$ . We shall also treat x and y and so on in the same way by saying these are part of a vector which we shall label  $\underline{r}$ . Then for the inside of the brackets above to match up with new vector notation, we need simply subtract  $\underline{\omega}$  from  $\underline{r}$ . Then take the dot product with itself, which looks as such:

$$\rho^2 = (\underline{r} - \underline{\omega}) \cdot (\underline{r} - \underline{\omega}) \tag{2}$$

Which for convenience we shall change the above notation be like so:

$$\rho^2 = (\underline{r} - \underline{\omega})^{\cdot 2} \tag{3}$$

Next, instead of our nice and simple two dimensional line of y = mx + c, we need to use a parametric form to have a line in higher dimensions. Like the +c being an offset for the 2D line, we generalise the offsets for each axis in a vector  $\underline{\delta}$ . We will also assume that the x, y, z... components are a function of some parameter t with each dimension having some gradient  $m_i$  for the ith direction. Which we shall also keep in a vector labelled  $\underline{m}$ . Thus for each dimension, we have equations of the form:

$$x_i = m_i t - \delta_i \quad \Leftrightarrow \quad t = \frac{x_i + \delta_i}{m_i} \tag{4}$$

Then for the last bit of housekeeping, the above  $x_i$  will be the elements of the  $\underline{r}$  vector that corresponds to the points of the line.

We can then substitute this into the previous equation that we have for a generalised sphere, which gives us:

$$\rho^2 = (\underline{m}t - \underline{\delta} - \underline{\omega})^{\cdot 2} \tag{5}$$

$$\rho^2 = \underline{m}^2 t^2 - 2\underline{m} \cdot (\underline{\delta} + \underline{\omega})t + \underline{\delta}^2 + \underline{\omega}^2 + 2\underline{\delta} \cdot \underline{\omega}$$
 (6)

Then letting:

$$\varphi_a = \underline{m}^{\cdot 2} \tag{7}$$

$$\varphi_b = \underline{m} \cdot (\underline{\delta} + \underline{\omega}) \tag{8}$$

$$\varphi_c = \underline{\delta}^{\cdot 2} + \underline{\omega}^{\cdot 2} + 2\underline{\delta} \cdot \underline{\omega} - \rho^2 \tag{9}$$

$$\Rightarrow 0 = \varphi_a t^2 - 2\varphi_b t + \varphi_c \tag{10}$$

The above can then be used to gain the two values of t via use of the quadratic formula, which keeping the '-2' in the equation above makes the formula somewhat nicer to use.

$$t = \frac{1}{\varphi_a} \left( \varphi_b \pm \sqrt{\varphi_b^2 - \varphi_a \varphi_c} \right)$$

$$\Rightarrow t = t^{\pm}$$
(11)

### 3 The Natural Amino Acids -

### 3.1 What We Will be Looking At -

In total, there are twenty such amino acids that are produced from DNA encoding. These are encoded as such:

		Secon	d base			
	U	С	Α	G		
U	UUU PHE UUC LEU	UCU UCC UCA UCG	$\left( \begin{array}{c} UAU \\ UAC \end{array} \right)  TYR$ $\left( \begin{array}{c} UAA \\ UAG \end{array} \right)  STOP$	UGU CYS UGA STOP UGG TRP	U C A G	
C	CUU CUC CUA CUG	CCU CCC CCA CCG	$ \begin{array}{c} CAU \\ CAC \end{array} \} \ \ \mathbf{HIS} \\ \begin{array}{c} CAA \\ CAG \end{array} \} \ \ \mathbf{GLN} $	CGU CGC CGA CGG	U C A G	
A A	AUU } ILE AUA } MET or AUG } START	ACU ACC ACA ACG	AAU ASN AAC LYS	AGU SER AGC AGA AGA ARG	U C A G	
G	GUU GUC GUA GUG	GCU GCC GCA GCG	$ \left. \begin{array}{c} GAU \\ GAC \end{array} \right\} \ \mathbf{ASP} \\ \left. \begin{array}{c} GAA \\ GAG \end{array} \right\} \ \mathbf{GLU} $	GGU GGC GGA GGG	U C A G	

Universal Genetic Code Chart

Messenger RNA Codons and Amino Acids for Which They Code

Figure 1: Encoding of Amino Acids to RNA Bases

One will notice that the above corresponds to RNA encoding (UCAG) which uses *uracil*, *cytosine*, *adenine* and *guanine*. For the above to use the nucleotides (or bases) that DNA uses, all one would have to do is swap uracil for *thymine*, i.e. 'U' for 'T'. Thus also to give names to the three letter codes that one will see in the chart above, do have a look at **Table 22 [1]**.

We shall then -in the proceeding subsection- go through and see the two 2-dimensional structures that the represent these molecules. These two representations being the structural and skeletal formulae. After that we shall discuss how to turn these in to some form of data structure that preserves chirality, implicit structure and gives what could be the start of a mapping in coordinate space.


	Amino Acid	3 Letter Code	1 Letter Code
1	Alanine	Ala	A
2	Arginine	Arg	R
3	Asparagine	Asn	N
4	Aspartic Acid	Asp	D
5	Cysteine	Cys	C
6	Glutamine	$\operatorname{Gln}$	Q
7	Glutamic Acid	Glu	E
8	Glycine	Gly	G
9	Histidine	His	Н
10	Isoleucine	Ile	I
11	Leucine	Leu	L
12	Lysine	Lys	K
13	Methionine	Met	M
14	Phenylalanine	Phe	F
15	Proline	Pro	P
16	Serine	Ser	S
17	Threonine	Thr	T
18	Tryptophan	Trp	W
19	Tyrosine	Tyr	Y
20	Valine	Val	V

Table 1: The 20 Natural Amino Acids with Their 3 & 1 Letter Codes

# 4 Turning Structural Formulae into Tables -

### 4.1 Rules to Turn into Table -

Right, so now we shall endeavour to build some data structure or framework where we can represent the structural formulae (as that shows all elements present in the molecule) as some form of table. We shall first suppose the two bond structures that we will most certainly see. Those being tetrahedral and trigonal which look like so:



Now from looking at the above, there are at most five elements in and around the central element (depicted as [0]) we can therefore say that the table will have five columns. Suppose we have the following two cases:

$$C \longrightarrow C \longrightarrow H$$
 $C \longrightarrow C$ 
 $C \longrightarrow C$ 
 $C \longrightarrow C$ 
 $C \longrightarrow C$ 

Where one may recognise the right hand example to be similar to the carbon found amongst a carboxylic acid group and left to what we will soon refer to as the 'central' carbon of a given amino acid. So how would the above translate to their allocated 'row' within a table. Well, the tetrahedral case would look as such:


Path/Bond Index	0	1	2	3	4
0	С	-C	-C	-H	-N

Table 2: Example of Tetrahedral Table Row

Path/Bond Index	0	1	2	3	4
0	С	=0	-O	-C	X

Table 3: Example of Trigonal Table Row

Here we can see that to interpret the table, one must accept a *rule of end-points*. In other words, we need to use 'X' as the identifier of a trigonal bonding around the atom in question of that row and is therefore an end point. Plus, in terms of what an atom can be bonded to, we must add '=O' and '-H' to the list of end points. It is best now to do this, not just for one row of the table but for an entire molecule, and so we shall construct the table for alanine. Recalling the structure that was presented earlier, to make the table, we will first need to present its structure in a more fuller fashion. i.e.



### 4.2 Preserving Correct Chirality -

# A Structural, Skeletal Formulae & Structure Tables -


### A.1 Alanine -



	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-H	-H	-C	-H
02	С	=0	-O	-C	X
04	N	-H	-C	ee	-H
022	О	-H	ee	ee	-C

Table 4: Alanine Structure Table

# A.2 Arginine -



	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	$-\mathbf{C}$	-H	$-\mathbf{C}$	-H
02	С	=0	-O	-C	X
04	N	-H	$-\mathbf{C}$	ee	-H
011	С	$-\mathbf{C}$	-H	$-\mathbf{C}$	-H
022	О	-H	ee	ee	-C
0111	С	-N	-H	$-\mathbf{C}$	-H
01111	N	-H	ee	$-\mathbf{C}$	-H
011111	С	-N	=N	-N	X
0111111	N	-H	ee	$-\mathbf{C}$	-H
0111112	N	-H	ee	=C	X

Table 5: Arginine Structure Table

# A.3 Asparagine -




Table 6: Asparagine Structure Table

# A.4 Aspartic Acid -




Table 7: Aspartic Acid Structure Table

# A.5 Cysteine -

$$\begin{array}{c|c} O & OH \\ \hline \\ C & OH \\ \hline \\ H & N \\ \hline \\ H & NH_2 \\ \end{array}$$

	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	C	-S	-H	-C	-H
02	С	=0	-O	-C	X
04	N	-H	$-\mathbf{C}$	ee	-H
011	S	-H	ee	-C	ee
022	О	-H	ee	ee	-C

Table 8: Cysteine Structure Table

#### **A.6** Glutamine -




Table 9: Glutamine Structure Table

-N

-H

 $\mathbf{C}$ 

0111

01111

01111

ee

=0

ee

ee

-C

-C

 $\mathbf{X}$ 

-Н

#### Glutamic Acid -A.7




Table 10: Glutamic Acid Structure Table

-C

ee

-H

# A.8 Glycine -



		[0]	[1]	[2]	[3]	[4]
	0	С	-H	-C	-H	-N
İ	02	С	=0	-O	-C	X
	04	N	-H	-C	ee	-H
	022	О	-H	ee	ee	-C

Table 11: Glycine Structure Table

### A.9 Histidine -




Table 12: Histidine Structure Table

## A.10 Isoleucine -

	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-C	-C	-C	-H
02	С	=0	-O	-C	X
04	N	-H	-C	ee	-H
011	С	-C	-H	-C	-H
012	С	-H	-H	-H	-C
022	О	-H	ee	ee	-C
0111	С	-H	-H	-C	-H

Table 13: Isoleucine Structure Table

# A.11 Leucine -




Table 14: Leucine Structure Table

# A.12 Lysine -

$$\begin{array}{c|c} O & OH \\ \hline \\ H_2N-(CH_2)_4-C & H \\ \hline \\ H & N \\ \hline \\ H & NH_2 \\ \end{array}$$

	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-C	-H	-C	-H
02	С	=0	-O	-C	X
04	N	-H	-C	ee	-H
011	С	$-\mathbf{C}$	-H	-C	-H
022	О	-H	ee	ee	-C
0111	С	-C	-H	-C	-H
01111	С	-N	-H	$-\mathbf{C}$	-H
011111	N	-H	ee	$-\mathbf{C}$	-H

Table 15: Lysine Structure Table

## A.13 Methionine -




Table 16: Methionine Structure Table

# A.14 Phenylalanine -

	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-C	-H	-C	-H
02	С	=0	-O	-C	X
04	N	-H	-C	ee	-H
011	С	-C	=C	-C	X
022	О	-H	ee	ee	-C
0111	С	=C	-C	-H	X
0112	С	-C	-H	=C	X
01111	С	-H	-C	=C	X
01121	С	=C	-H	-C	X
011112	С	-H	=C	-C	X

Table 17: Phenylalanine Structure Table

### A.15 Proline -





Table 18: Proline Structure Table

### A.16 Serine -

HO — 
$$CH_2$$
 —  $C$  —  $H$  —  $O$  
	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-O	-H	-C	-H
02	С	=0	-O	-C	X
04	N	-H	$-\mathbf{C}$	ee	-H
011	О	-H	ee	-C	ee
022	О	-H	ee	ee	-C

Table 19: Serine Structure Table

# A.17 Threonine -



	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-C	-O	-C	-H
02	С	=0	-O	-C	X
04	N	-H	-C	ee	-H
011	С	-H	-H	-C	-H
012	О	ee	-H	ee	-C
022	О	-H	ee	ee	-C

Table 20: Threonine Structure Table

# A.18 Tryptophan -

	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-C	-H	$-\mathbf{C}$	-Н
02	С	=0	-O	$-\mathbf{C}$	X
04	N	-H	-C	ee	-H
011	С	$-\mathbf{C}$	=C	$-\mathbf{C}$	X
022	О	-H	ee	ee	-C
0111	С	=C	-C	$-\mathbf{C}$	X
0112	С	-N	-H	=C	X
01121	N	-H	ee	$-\mathbf{C}$	-C
01111	С	$-\mathbf{C}$	-N	=C	X
01113	С	=C	$-\mathbf{C}$	-H	X
011111	С	-H	-C	=C	X
011131	С	$-\mathbf{C}$	=C	-H	X
0111113	С	-H	=C	-C	X

Table 21: Tryptophan Structure Table

# A.19 Tyrosine -




Table 22: Tyrosine Structure Table

=C

-O

-H

-C

-C

-C

-Н

=C

ee

X

X

ee

 $\mathbf{C}$ 

 $\mathbf{C}$ 

О

01121

011112

0111121

tyr

# A.20 Valine -

$$\begin{array}{c|c} O & OH \\ CH_3 & C \\ \hline \\ H_3C & CH & C \\ \hline \\ H & N \\ \hline \\ H & N \\ \hline \\ H & N \\ \hline \\ NH_2 \\ \end{array}$$

	[0]	[1]	[2]	[3]	[4]
0	С	-C	-C	-H	-N
01	С	-C	-C	-C	-H
02	С	=0	-O	-C	X
04	N	-H	-C	ee	-H
011	С	-H	-H	-C	-H
012	С	-H	-H	-H	-C
022	О	-H	ee	ee	-C

Table 23: Valine Structure Table

# References

- $[2] \ \ Authors. \ \ Year \ of \ Publish. \ \ \textit{Title}. \ \ edition/printing. \ City \ of \ publish: \ printing \ office/press.$