Certificate of Analysis

Polystyrene, **Product Name**

analytical standard, for GPC, 20,000

327743 **Product Number Product Brand** SIAL

Molecular Formula $[CH_2CH(C_6H_5)]_n$

TEST SPECIFICATION LOT 06589LE RESULTS

WHITE POWDER **APPEARANCE** WHITE POWDER

CONFORMS TO INFRARED SPECTRUM STRUCTURE.

17,000 - 25,000 BY **MOLECULAR WEIGHT** LIGHT SCATTERING: INTRINSIC VISCOSITY

17,000 - 25,000 BY LIGHT LIGHT SCATTERING: **MOLECULAR WEIGHT SCATTERING**

DETERMINATION MW = 18,000 *

GEL PERMEATION CHROMATOGRAPHY:

MW = 18,100 *MP = 18,800 *MN = 18,000 *MW/MN = 1.01 *

INTRINSIC VISCOSITY: **VISCOSITY**

> MV = 18,200 *[N] = 0.127 *

APPROVED NOVEMBER

16, 1995 JSB

* SUPPLIER DATA

OR * SUPPLIER DATA **NOVEMBER 2006**

QUALITY CONTROL ACCEPTANCE DATE

Barbara Rajzer, Supervisor

Quality Control

Milwaukee, Wisconsin USA