ព្រះរាជាណាចក្រកម្ពុជា
ជាតិ សាសនា ព្រះមហាក្សត្រ

ក្រសួងការងារ និងបណ្តុះបណ្តាលវិជ្ជាជីវៈ
អគ្គនាយកដ្ឋានរដ្ឋបាល និងហិរញ្ញវត្ថុ
នាយកដ្ឋានហិរញ្ញវត្ថុ និងទ្រព្យសម្បត្តិរដ្ឋ
ការិយាល័យផ្គត់ផ្គង់
លេខបញ្ជូលឃ្លាំង ០១៧/២៦

បណ្ណបញ្ជូលឃ្លាំង
ការងារផ្គត់ផ្គង់សម្ភារៈបំពាក់ឧបករណ៍បច្ចេកទេសក្នុងវិស័យកម្មន្តសាល
នៅវិទ្យាស្ថានបច្ចេកទេសឧស្សាហកម្ម ITIឆ្នាំ២០២៦

ថ្ងៃព្រហស្បតិ៍ ២កើត ខែទុតិយាសាឍ ឆ្នាំមមី អដ្ឋស័ក ព.ស.២៥៧០
រាជធានីភ្នំពេញ ថ្ងៃទី១៦ ខែកក្កដា ឆ្នាំ២០២៦

បញ្ជូលពី ៖ ក្រុមហ៊ុន សូផល ហូលឌីង កូ អិលធីឌី
តាមបណ្ណបញ្ជេញឃ្លាំង ៖ ចុះថ្ងៃទី១៦ ខែកក្កដា ឆ្នាំ២០២៦
យោង ៖ កិច្ចសន្យាលេខ ២៦៦ សហវ-អលសា ចុះថ្ងៃទី១១ ខែមិថុនា ឆ្នាំ២០២៦
អ្នកបញ្ជូល ៖ លោក នន់ សូផល
បញ្ជូលទៅឃ្លាំង ៖ ក្រសួងការងារ និងបណ្តុះបណ្តាលវិជ្ជាជីវៈ

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
ក-ឧបករណ៍បណ្តុះបណ្តាលការដេរសម្លៀកបំពាក់ និងរចនាម៉ូត							
1	Single Needle Chain Stitch Sewing Machine -TVX7 14# -S.p.m 4000 -Weight:38/46 NW/GW kg	set	5	5,234,000	26,170,000	China	
2	Double Needle Chain Stitch Sewing Machine -TVX7 14# -S.p.m 4000 -Weight:38/46 NW/GW kg	set	5	5,234,000	26,170,000	China	
3	4 Needle Waistband With Puller Industrial Industrial Sewing Machine With Table and Servo Motor -DV x 57 -S.p.m:4000 RPM	set	5	19,803,000	99,015,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
4	Multifunction machine bartacking and buttoning in one machine -Light and middle fabric -BP x 5 16# -S.p.m 3200 -Size:805x405x525 mm -Weight:55/65 NW/GW kg	set	10	20,510,000	205,100,000	China	
5	Button hole machine -Woven materials -DP x 5 11# -S.p.m 4200 -Size:880x390x635 mm -Weight:66/78 NW/GW kg	set	5	28,290,000	141,450,000	China	
6	Three Needle Chain Stitch Sewing Machine -TVX7 18# -S.p.m 3500 -Weight:38/46 NW/GW kg	set	5	5,658,000	28,290,000	China	
7	Adjustable Power Saving Overlock machine -Plain seaming -DC x 27 11# -S.p.m 5500 -Size:525x360x510 mm -Weight:28/36 NW/GW kg	set	5	5,234,000	26,170,000	China	
8	Hem machine -Number Of Needles: 4 -Number of Thread: 8 -Needle Type Organ(#): UO X 113 14# -Presser Foot Lift: 10mm -Needle Bar Stroke: 34mm -Max Speed Per Inch: 4500spm -Built-in servo motor: quiet, powerful, and energy-efficient	set	5	11,316,000	56,580,000	China	
9	Multineedle Hem machine -UO113 14-16# -S.p.m 3500 -Size:615x400x605 mm -Weight:52.5/57.5 NW/GW kg	set	5	12,731,000	63,655,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
10	Electric Cloth Cutter Fabric Cutting Machine Industrial -125 mm RotaryBlade -Power:250W -Cutting height 35mm	set	5	990,000	4,950,000	China	
11	Industrial Fabric Cutter 10" CLOTH CUTTER -Cutting height 210mm -Voltage:220V 50Hz -Power:850W	set	5	2,970,000	14,850,000	China	
12	Rotary-knife Cutting machine -Rotary blade 100mm -Voltage:240V -S.P.M:1800 RPM	set	5	849,000	4,245,000	China	
13	Multipurpose 220 Electric Cutter fabric Cutting Machinne -DC 3.6V -2000 MAH	set	5	283,000	1,415,000	China	
14	Table Metal Cloth Cutting -Size:1200mm x 2400mm x 800mm	set	5	3,253,000	16,265,000	China	
15	Rotery Cutter, Blick art -Size:62x163 mm -Rotaryblade 28mm	set	5	113,000	565,000	China	
16	Needle Threader Seam Ripper -Length13 cm -Handle 8.4cm -Blade 3.6 cm	set	5	7,000	35,000	China	
17	Leather Belt Pedal Parts -Length 1.83m -Diameter 5mm	set	5	14,000	70,000	China	
18	Industrial Ironing Machine 3KW iron boiler Automatic control and water supplies -0.4Mpa -Power:220V -Size:740x435x400mm	set	5	4,244,000	21,220,000	China	
19	Foot Controller and Power Cord -3A -Power:250W	set	5	42,000	210,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
20	Sewing Dummy Scene 3D model -Size 88 -Waist 68cm -Chest 88cm	set	5	1,202,000	6,010,000	China	
21	Automatic edge inspection Machine -Power:220v -1.9m width -distance up to 185m -minimum diameter 40cm -minimum weight 50kg	set	3	35,363,000	106,089,000	China	
22	Adjustable speed -Voltage:220V -Motor 0.75KW -Blower 0.32KW -Size:1850x1400x1550mm -Weight:175/210 kgs	set	5	25,461,000	127,305,000	China	
23	CAD high speed printing & cutting -LXW 1500x900mm -Power: 220V / 50Hz / 4.5KW -0-100mm/s -Size:1980x1450x1080mm	set	3	77,798,000	233,394,000	China	
24	Servo button sewing machine -Voltage;220V -S.p.m:3000-5000RPM -Power:750W	set	5	2,829,000	14,145,000	China	
25	Computerize sewing and emboidery machine -Size:500x300mm -Large LCD screen and onscreen guide , 16 languages -USB port for downloading pattern	set	5	7,780,000	38,900,000	China	
26	Programmable Pattern Machine -Sew with consistent -Voltage:220V -S.p.m:2700RPM -DP x 17 -0.6MPa -Power:75W	set	5	21,218,000	106,090,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
27	In-line Template Machine -Sewing & cutting in one -DPx5 DPx17 -Sewing area 800x350mm -S.p.M: 3500 RPM -Power:1KW -Weight:180/220kg	set	5	53,751,000	268,755,000	China	
28	Button hole machine -Woven materials -DP x 5 11# -S.p.m 4200 -Size;880x390x635 mm -Weight:66/78 NW/GW kg	set	5	28,290,000	141,450,000	China	
29	Buttonholer Sewing Machine -Needle:DOx558 Nm100 -Needle stitch:0.5-2.0 mm -Stitch width:1.5-5.0 mm -Auto trimmer yes -S.p.m sewing speed 1,000-2,500rpm	set	5	53,751,000	268,755,000	China	
30	Needle Chain Stitch Sewing Machine -AC 220V -Power:140W -Detection channel 600mm wide x120mm high -External dimensions 1.8x1.05x0.95m	set	3	36,777,000	110,331,000	China	
31	Norris Steam Services -Voltage:0.75KW -Size:167x51x124 cm -Power:220/380V -0.45MPa -Volume 7L -Pump power 0.06kW	set	5	12,731,000	63,655,000	China	
32	**Welding wire** φ1.2MM	Spool	1	8,920,000	8,920,000	China	
33	**Gun cleaning station** With bracket/wire cutting oil spray reamer cleaning gun, wire cutting ≤ solid 1.6mm, control 24V/foot installation size	set	1	55,000,000	55,000,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
34	**Palletizing control cabinet** Electrical control cabinet, including HMI, PLC, buttons, circuit breakers, and control cabinet sheet metal parts.	set	1	51,776,000	51,776,000	China	
សរុប ក					**2,337,000,000**		
ខ-ឧបករណ៍បណ្តុះបណ្តាលការបោកអ៊ុតសម្លៀកបំពាក់							
1. Equipment							
1	Washer Extractor Washing Capacity 30kg , Drum volume 301L, Washing speed 36Rpm/min, Weight 800Kg, Product size 1250*1250*1700mm	set	1	122,000,000	122,000,000	China	
2	Barrier Washer Extractor Medical hygiene isolation washing machine, Product size 1400*1370*1800mm	set	1	346,000,000	346,000,000	China	
3	Dryer Machine Capacity 35Kg dyer, Basket volume 664L, Motor power 0.75Kw, Fan power 0.75Kw, Gas consumption1.2Kg, Electric heating 32Kw, Weight 380Kg, Prodcut size 1060*1150*1950mm	set	1	65,000,000	65,000,000	China	
4	Horizontal washing Machine Washing capacity 100Kg, Drum diameter 970mm, Roller depth 1400mm, Motor power 3 Kw, Inter diameter 40mm, Drainage diameter 50mm, Tap water pressure 0.2-0.4 Mpa, Intake diameter 15mm, Steam pressure 0.1-0.6 Mpa, Power supply 380v/3.3Kw, Product size 2260*1190*1500mm	set	1	208,000,000	208,000,000	China	
5	Extractor Machine Dehydration capcity 35Kg, Drum diameter 640mm, Roller depth 330mm, Motor power 1.5Kw, Drain pipe diameter 50mm, Rated installed power 1.5Kw, Power supply 380V, Product size 1000*1200*700mm, Weight 320Kg	set	1	70,000,000	70,000,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
6	Ironing Machine Number of roll 1 roll, Maximum ironing width 3300mm, Diameter of roll 800mm, Ironing speed 1-10m/min, Steam heating consumption 110Kg/h, Steam pressure 0.3-0.5Mpa, Product size 4448*1330*1420mm	set	1	270,000,000	270,000,000	China	
7	Industrial Folding Machine Prodcut rated input power 1.87Kw, Max ironing 3300*3000mm, Max speed 50m/min, Layers 1-5, Air pressure 0.5Mpa, Product size 4200*2800*1760mm, Weight 2200Kg	set	1	655,000,000	655,000,000	China	
8	Dry-Cleaning Machine Electric intergrated washing drying machne 30Kg, Volume rated 280L, Speed 32-800 Rpm/min, Motor power 3Kw, Weight 800Kg, Product size 1250*1250*1700mm	set	1	128,000,000	128,000,000	China	
9	Press Machine Product rated power 300W, Motor power 0.3Kw working hight 1000mm,Weight 260, table: 1100*360mm	set	3	75,000,000	225,000,000	China	
10	Dummy Machine Product power supply 220V/750W, Blowing time 2-40s, Steam time 2-40S, Steam working pressure 0.4-0.5 Mpa, Product size 1350*800*1600mm, Weight 105Kg	set	3	36,330,000	108,990,000	China	
11	Stain Remove Table Product voltage 220v/0.55Kw, Steam pressure 0.15-0.5Mpa, Product size 1000*450*1630mm, Weight 76Kg	set	3	34,483,000	103,449,000	China	
12	Converyor Parallel convyer table , Overall height 75cm, Motor power 120w/200w, Belt material PVC, Conveying load-bearing 20Kg/m	set	3	56,826,000	170,478,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
13	Ironing Board Product size 1500*750mm, Hightly 820mm, Motor Power 550W, Weight 55 Kg	set	3	39,778,000	119,334,000	China	
14	Steam Bioler Power supply power 6Kw, Operating voltage 220V, Work pressure 0.45Mpa, Water capacity 27L, Weight 85Kg, Product size 660*510*1220mm	set	3	26,669,000	80,007,000	China	
15	Loundry Cart Product size 90*80*65cm	set	5	1,589,000	7,945,000	China	
2. Water pipe connect and Accesseries							
16	Black steel Pipe Ø80mm=30M Black Steel Pipe Ø60mm=30M Black Steel Pipe Ø49mm=30M Black Steel Pipe Ø34mm=30M Elbow90 Valve Tee Bolt, Nut & Washer Fiberglass Pipe Insulation Aluminum Tap with Hanger & Support	set	3	32,275,000	96,825,000	Local	
17	Black Steel Pipe Ø49mm=30M Black Steel Pipe Ø42mm=30M Black Steel Pipe Ø34mm=30M Elbow90 Valve TeeBolt, Nut & Washer Fiberglass Pipe Insulation Aluminum Tap with Hanger & Support	set	3	14,555,000	43,665,000	Local	
18	PVC Pipe Ø80mm PVC Pipe 75mm PVC Pipe 60mm PVC Pipe Ø34mm Elbow90 Valve Tee Bolt, Nut & Washer Hanger & Support	set	6	2,480,000	14,880,000	Local	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
19	PPR Pipe Ø75mm=40M PPR Pipe Ø49mm=40M Elbow90°=5PCS Valve=5PCS Tee=5PCS Bolt, Nut & Washer Hanger & Support	set	3	11,788,000	35,364,000	China	
20	PPR Pipe Ø27mm=40M Elbow90°=5PCS Valve=5PCS Tee=5PCS Bolt, Nut & Washer Hanger & Support	set	3	3,397,000	10,191,000	China	
21	Black Steel Pipe Ø34mm=30M Elbow90 Valve Tee Bolt, Nut & Washer Hanger & Support	set	3	3,255,000	9,765,000	Local	
22	Cable Have 4 ColorX4mm²=100m Cable Tray=200m PVC Conduit Electrical Panel Hanger & Support	set	3	68,000,000	204,000,000	China	
3. Hot water connection control							
23	Hot Water Tank(: 1000L Tank Material: SS304 (2 layer) Testing Pressure: 10Bar Temperature: 60°c	set	1	55,000,000	55,000,000	China	
24	Coil Hot Water Tank (SS304) 3000L (C) Pipe Ø42mm (SS304) 60m Insulated Pads For Hot Water Tank Circulation Pump Solenoid Steam Solenoid Cold Water Electrode level switch Thermostat Digital Display Control Panel Support Pipe Fitting (PPR) and Accessories	set	1	58,000,000	58,000,000	Local	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
4. Booster Pump							
25	Vertical Multistage Pump Power: 7.5Kw/3Ph/380V/50Hz Flowrate: 25m³/h Head: 48m Impeller: Stainless Steel 304 Pump Housing: Stainless Steel 304 Pressure Sensor: 10bar x2 *Accessories Control Panel Box Pressure Tank: 200L@10bar Pressure Gauge: 10bar Ball Valve, Check Valve Float Switch Y-Strainer Flange (SS304) Outlet Manifold Pipe DN80 (SS304) Inlet Manifold Pipe DN100 (SS304) Base and Panel Support	set	1	175,000,000	175,000,000	China	
5. Air Compressor							
26	Air Compressor Power: 7.5KW/380V Pressure: 0.8Mpa Air Volume: 1.1m³/min Size: 750*570*830mm *Cold Dryer Power: 10Hp/220V Air Volume: 1.5m³/min Size: 630*410*650mm *Tank 300L Power: 0.3m³ Pressure: 0.8Mpa Size: 550*1590mm	set	1	80,000,000	80,000,000	China	
27	Air Compressor : Three Phase Type Y 132S2 - 2 Voltage: 415V Power: 7.5kWh , 13.7 A HP : CONN 50 HZ : IP54 F INS -CL 2500 r/min : NO 99339 Water Filter on Air	set	2	45,000,000	90,000,000	China	
សរុប ខ					**3,551,893,000**		

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
គ-ឧបករណ៍បណ្តុះបណ្តាលការដំឡើង និងថែទាំរួមតឧស្សាហកម្ម							
1	**Handling Industrial Robot** Handling Capacity: 12 kg Repeatability: 0.02 mm Motion Range: S-Axis (Rotation) -170° to +170° L-Axis (Lower Wrist) -90° to +155° E-Axis (Middle Wrist) None U-Axis (Upper Wrist)*3 -85° to +140°*6 R-Axis (Wrist Rotation) -150° to +150°*6 B-Axis (Wrist Pitch) -135° to +90°*6*7 T-Axis (Wrist Twist) -210° to +210°*6 Maximum Speed: S-Axis (Rotation) 4.53 rad/s, 260°/s L-Axis (Lower Wrist) 4.01 rad/s, 230°/s E-Axis (Middle Wrist) None U-Axis (Upper Wrist) 4.53 rad/s, 260°/s R A-axis (wrist rotation) 8.20 rad/s, 470°/s B-axis (wrist pitch) 8.20 rad/s, 470°/s T-axis (wrist rotation) 12.2 rad/s, 700°/s	set	1	946,458,000	946,458,000	Japan	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
2	**Loading Industrial Robot** Loading Capacity: 12 kg Repeatability: 0.02 mm Motion Range: S-Axis (Rotation) -170° to +170° L-Axis (Lower Wrist) -90° to +155° U-Axis (Upper Wrist)*3 -85° to +150° R-Axis (Wrist Rotation) -200° to +200° B-Axis (Wrist Pitch) -150° to +150° T-Axis (Wrist Twist) -455° to +455° Maximum Speed: S-Axis (Rotation) 4.53 rad/s, 260°/s L-Axis (Lower Wrist) 4.01 rad/s, 230°/s U-Axis (Upper Wrist) 4.53 rad/s, 260°/s R-Axis (Wrist Rotation) 8.20 rad/s, 470°/s B-Axis (Wrist Pitch) 8.20 rad/s, 470°/s T-axis (wrist rotation) 12.2 rad/s, 700°/s	set	1	1,079,009,000	1,079,009,000	Japan	
3	**Robot Controller for welding robot** Protection Rating: IP54 Operating Environment: 0°C to +45°C Power Supply: Three-phase AC 380V to 480V (+10% to -15%), 50/60Hz (±2%) Special Signals: 19 Inputs, 6 Outputs General Signals: 40 Inputs, 40 Outputs (32 Transistor Outputs, 8 Relay Outputs) Number of LANs: 2	set	1	7,862,000	7,862,000	Japan	
4	**Robot Controller for Handling Robot** Protection Rating: IP54 Operating Environment: 0°C to +45°C Power Supply: Three-phase AC 380V to 480V (+10% to -15%), 50/60Hz (±2%) Special Signals: 19 Inputs, 6 Outputs General Signals: 40 Inputs, 40 Outputs (32 Transistor Outputs, 8 Relay Outputs) Number of LANs: 2	set	1	7,862,000	7,862,000	Japan	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
5	**Welding Power Source** **Arc welding package** Rated current: 350A Utilization rate: 60% Welding wire used: 0.8-1.2mm	set	1	16,439,000	16,439,000	Japan	
6	**Programming Pendant for welding robot and Handling robot** Display: 5.7-inch color LCD touchscreen, 320×240 resolution Operation: Touchscreen + physical buttons, supports graphical programming and path teaching Weight: Approximately 1.2kg Interface: USB, supports program storage and backup Ingress Protection: IP54	set	1	7,862,000	7,862,000	China	
7	**Isolation transformer** Input voltage: 380V Output voltage: 380V Coupling: Isolated Cooling: Dry	set	1	29,305,000	29,305,000	China	
8	**Welding control Cabinet** Electrical control cabinet, including HMI, PLC, buttons, circuit breakers, and control cabinet sheet metal parts.	set	1	37,882,000	37,882,000	China	
9	**Input conveyor for palletizing** Double-speed chain drive, with separate infeed and outfeed conveyors. Size: 1300mm*750mm*920mm	set	1	63,613,000	63,613,000	China	
10	**Earthing Cable** 6mm Sq.1core Copper cable 100m/Coil	set	1	9,435,000	9,435,000	China	
11	**Robot Power Wiring** RVV4*10mm 100m/Coil	set	1	32,593,000	32,593,000	China	
12	**Robot Power Wiring** 3*4mm*100M	set	1	15,439,000	15,439,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
13	**Gas hose and gas regulator** Consists of 40L gas cylinder, dedicated gas pipe, valve, preheater,pressure gauge, and flow meter.	Set	2	18,154,000	36,308,000	China	
14	**Piping/Hose pipe up to robot gripper** Warehouse fixture: The jaws are made of alumina plate, the large-diameter Airtac pneumatic opening clamp HFT25*60S, and the air pipe is made of PE pipe	set	1	12,265,000	12,265,000	China	
15	**Warehouse safety fence** It is composed of black mesh, yellow columns and safety door, with a height of 1.2 meters. The safety door is equipped with high-quality universal casters and spring door stops. Size:4500*5500*1200mm	set	1	84,056,000	84,056,000	China	
16	**Palletizing robot base** Made of Q235A, surface sprayed Size:640*640*350	set	1	26,056,000	26,056,000	China	
17	**Welding robot base** Made of Q235A, surface sprayed Size:640*640*350	set	1	28,559,000	28,559,000	China	
18	**Fume purifier** Air volume: 3500 cubic meters per hour, filtration accuracy 99.9%, filtration area 7 square meters/two air inlets, flame retardant suction arm diameter D120 length 2.2m, suction arm can be rotated and stopped, suction hood diameter 360mm/power 3kw	set	1	51,748,000	51,748,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
19	Robot gripper for welding robot Circular and square horizontal quick-release clamps, with gas cylinder trolleys, welding workpieces, positioning angle rulers, screw clamps, and locking pins.	set	1	24,356,000	24,356,000	China	
សរុប គ					**2,517,107,000**		
សរុបរួម					**8,406,000,000**		

បញ្ឈប់តារាងត្រឹមទឹកប្រាក់ចំនួន(ជាអក្សរ)៖ ៨ ៤០៦ ០០០ ០០០រៀល (ប្រាំបីពាន់លាន បួនរយប្រាំមួយលានរៀលគត់)។

ប្រធាននាយកដ្ឋាន	ប្រធានការិយាល័យ	អ្នកប្រគល់	ឆ្នាំអ្នកទិញ
ទ្បៀ គីមសល្យ	ព្រុំ សុភា	ឆន ស្រួចល	