ព្រះរាជាណាចក្រកម្ពុជា
ជាតិ សាសនា ព្រះមហាក្សត្រ

ក្រសួងការងារ និងបណ្តុះបណ្តាលវិជ្ជាជីវៈ
អគ្គនាយកដ្ឋានរដ្ឋបាល និងហិរញ្ញវត្ថុ
នាយកដ្ឋានហិរញ្ញវត្ថុ និងទ្រព្យសម្បត្តិរដ្ឋ
ការិយាល័យផ្គត់ផ្គង់
លេខបញ្ជូលឃ្លាំង ០១៨/២៦

បណ្ណបញ្ជូលឃ្លាំង
ការងារផ្គត់ផ្គង់សម្ភារៈបំពាក់ឧបករណ៍នៅក្នុងបន្ទប់សិក្ខា នៅវិទ្យាស្ថានពហុបច្ចេកទេសខេត្តកំពង់ឆ្នាំងឆ្នាំ២០២៦

ថ្ងៃព្រហស្បតិ៍ ២កើត ខែទុតិយាសាឍ ឆ្នាំមមី អដ្ឋស័ក ព.ស.២៥៧០
រាជធានីភ្នំពេញ ថ្ងៃទី១៦ ខែកក្កដា ឆ្នាំ២០២៦

បញ្ជូលពី ៖ ក្រុមហ៊ុន សូផល ហូលឌីង កូ អិលធីឌី
តាមបណ្ណបញ្ជេញឃ្លាំង ៖ ចុះថ្ងៃទី១៦ ខែកក្កដា ឆ្នាំ២០២៦
យោង ៖ កិច្ចសន្យាលេខ ២៤៦ សហវ-អលសា ចុះថ្ងៃទី៩ ខែមិថុនា ឆ្នាំ២០២៦
អ្នកបញ្ជូល ៖ លោក នន់ សូផល
បញ្ជូលទៅឃ្លាំង ៖ ក្រសួងការងារ និងបណ្តុះបណ្តាលវិជ្ជាជីវៈ

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
ក. សម្ភារៈបរិក្ខារ							
ក.១.សម្ភារបរិក្ខារសម្រាប់ Online Meeting Room							
ក.១.១. Screen							
1	4K Interactive Display 86" 4K, Android 11, memory 4GB, build-in 64GB storage, 45 points infrared touch, Type-C*1, - Ultra HD display with up to 3840 × 2160 - 20px ultra fine writing, and 2 mm diameter recognizable with the precision - Built-in Wi-Fi realizes miracasting without any cable connection. - Built-in interactive whiteboard system allows annotating and sharing - Looping-out display available. - Various audio and video interfaces for device access. - Built-in network switch chip saves a network switch. - Built-in Android system provides kinds of applications. *Include wallmount x1 *Include pen x 2	PCS	1	33,825,000	33,825,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
ក.១.២. System for meeting online							
2	Desktop Dell - CPU core i7-10700, - Ram 8GB - SSD 256GB + HDD 1TB - DVD RW , - Monitor DEll 27 inch - Mouse & Keyboard	PCS	1	13,259,000	13,259,000	China	
3	Camera Stream Switcher - 4-Channel Live Stream HDMI Switcher - Control up to Four BMPCC 6K/4K Cameras - Live Tally, Stream and Record Status - Record Button, Channel Preview Multiview - 2-Channel Digital Audio Mixer per Source - HDMI Output, Ethernet ATEM Control - Media Player, Computer Input Support - Upstream and Downstream Keyers - Color and Pattern Generators - DVE Transition, Chroma/Luma Keyers	PCS	1	8,754,000	8,754,000	China	
4	Camera Video - Single 1" Exmor RS CMOS Sensor - UHD 4K (3840 x 2160) up to 30p - 4K HDR with Hybrid Log-Gamma (HLG) - 3G-SDI Output, 2.4/5 GHz Live Streaming - Phase-Detection Autofocus (AF) - Zeiss 12x Optical / 18x Clear Image - Records MPEG-2 HD with Optional - XAVC HD / QFHD Recording - S-Log3/S-Gamut3 Imaging Options - 2 x SD Card Slots, Relay & Simul Modes	PCS	3	33,825,000	101,475,000	USA	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
5	HDMI Cable Optical fiber 1.4 - Fiber HDMI CABLE 2.0 Version 50M black 4K @ 60Hz , - Categories hdmi fiber cable, - Color Black, - Length 50M - bandwidth 18Gbps - Resolution 4K 60Hz YUV444	PCS	3	947,000	2,841,000	China	
6	Camera tripod - Compatible Devices Projector, Spotting Scopes, Phone, Camera - Material Aluminum - Weight Limit 15 Pounds - Maximum Height 74 Inches - Tripod Head Type Quick release head - Number of leg sections 3 - Folded Size 18 inch	PCS	3	1,082,000	3,246,000	China	
ក.១.៣. Sound System							
7	Rack 15U case shock amplifier - Cabinet: GS. 6615.9801 GS 600W * 600D * 15U, steel glass front door with door margin, net hole back RAL9004SN	PCS	1	4,370,000	4,370,000	China	
8	Wireless Microphone Professional - Optional UHF band(640-690MHz), preset 500 channels each side - Unique ID pilot technology, no crosstalk disturbance even same frequency - Ideal distance: 100 meters	PCS	2	474,000	948,000	China	
9	Wireless Microphone Professional - Optional UHF band(640-690MHz), preset 500 channels each side - Unique ID pilot technology, no crosstalk disturbance even same frequency - Ideal distance: 100 meters	Set	1	3,383,000	3,383,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
10	Mixing Console - 8 x Microphone Preamps - Global 48V Phantom Power - Built-In Compression - Studio-Quality Headphone Output - KOSMOS Bass and Treble Enhancement - Dual Selectable Control Room Outputs - Convenient Tablet Cradle - Slim Low-Profile Design - LED Meter Bridge - Power Supply Included	PCS	1	3,788,000	3,788,000	China	
11	Amplifier - 400W per Channel at 8 Ohm Load - 10 to 25,000 Hz Frequency Response - 2x Temperature-Dependent Dual Speed Fans, - 2RU Rackmountable Design	PCS	1	5,304,000	5,304,000	China	
12	Speaker - Type: 2 way 3 Speakers system - Nominal Impedance: 8 Ohms - Frequency Response: 50 Hz to 20 kHz - Maximum Input Power: 200 Watts - Dimensions:452Wx268Hx254Dmm	PCS	4	1,448,000	5,792,000	China	
13	Speaker Bracket Wall Mount - Material: Hiqh Quality steel 309 - Max. Loading: 50kgs each - Metal Plate Rotation: 360° - Arm Length: 250mm-400mm	PCS	4	406,000	1,624,000	China	
14	Microphone Cable - Application: Microphone - 2Cx20/0.12mm BC/CCA/Copper - Shield: Al-foil, Braid: 80/0.12mmCCA - Insulation: PE, Jacket: PVC - O.D: 6.5mm Flexible PVC	ដុំ	1	2,030,000	2,030,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
15	Cable Speaker - Outer Diameter: 4.2mm, 4.2*8.4mm - Conductor: Bare Copper, CCA, BC/CCA/TCCA, - Insulation: PVC - Rated Volatge: 300V	ដុំ	4	677,000	2,708,000	China	
16	Connector Speaker Cabinet speaker connector 4 pins Male plug	PCS	4	68,000	272,000	China	
17	Frequency Shift/Feedback Suppressor Device - Place of Origin:Guangdong, China - Frequency Range (Hz): Non-shift:20Hz-20KHz, - Shift: 150Hz-15KHz - Dimension (L x W x H): 43.3*4.3*15.8cm - Application:Disco\Bar\Club\Home - Usage:solve the generating sound feedback due to the use of microphone - Signal to noise ratio:82db Frequency response: 80Hz-15KHz	PCS	2	2,895,000	5,790,000	China	
18	Digital Wired Conference System Controller - Power supply AC 100-240 V 50 / 60HZ - Output impedance RCA- 200Ω - LINE 200Ω - BALANCE – 300Ω - UNBALANCE -400Ω - Input impedance LINE-50 KΩ - DIN-50 KΩ - S / N ratio > 90 dB (1 KHz THD1%) - Case dimension 480 x 220 x 56 mm - Accessory 10 m 8 core shielded cable	PCS	1	4,221,000	4,221,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
19	Digital Wired Conference System Chairman - Type Condenser - Frequency Response 40Hz-16KHz - Sensitivity -43 ± 2 dB @ 1 KHz - Input voltage DC 9 V (Supplied by host) - Min Input impedance 1 KΩ - S / N Ratio > 90 dB - Input cable 2.0 M 8 core shield cable - Accessory Windshield	PCS	1	1,218,000	1,218,000	China	
20	Digital Wired Conference System Delegate - Type Condenser - Frequency Response 40Hz-16KHz - Sensitivity -43 ± 2 dB @ 1 KHz - Input voltage DC 9 V (Supplied by host) - Min Input impedance 1 KΩ - S / N Ratio > 90 dB - Input cable 2.0 M 8 core shield cable - Accessory Windshield	PCS	20	1,109,000	22,180,000	China	
21	Extention cable EC-20 20 meter extention cable	PCS	1	677,000	677,000	China	
ក.១.៤. Internet Wifi							
22	MikroTik Routers - Features RB951G-2HnD (Gigabit, USB, 2GHz, 802.11n, dual chain) - CPU Atheros AR9344 600MHz CPU - Memory 128MB DDR2 onboard memory - Ethernet Five independent 10/100/1000 Gigabit Ethernet ports - LEDs Power, NAND activity, 5 Ethernet LEDs,	PCS	1	1,082,000	1,082,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
23	Wifi Access Point - AC1300 Dual Band Ceiling Mount Access Point, 867Mbps at 5GHz + 400Mbps at 2.4GHz, 2 10/100/1000base-t Ethernet uplink port, Internal Antennas, support 802.11a/b/g/n/ac Wave1/Wave2	PCS	1	1,015,000	1,015,000	China	
24	Network Cable - Internet Cat 6 Ethernet Cable RJ45 S/FTP Installation Double Shield Solid Copper 23AWG 0.57mm LSZH 10G Network Wire Lan Cable (100m)	ដុំ	1	1,488,000	1,488,000	China	
ក.២. សម្ភារៈបរិក្ខារសម្រាប់ បន្ទប់សាលប្រជុំ							
ក.២.១. Screen & Projector							
25	Motorized projection screen, electric projector screen with remote control/matte white 5*5m - Style: Electric - Material: Matt White - Format: 16:9, 4:3 16:9 1:1 - View Angle: 160 Degree	កំប្លេ	1	33,006,000	33,006,000	China	
26	**Motorized projection screen, electric projector screen with remote control/matte white 4*3m** **- Style: Electric** **- Material: Matt White** **- Format: 16:9, 4:3 16:9 1:1** **- View Angle: 160 Degree**	កំប្លេ	2	7,847,000	15,694,000	China	
27	Projector - Brightness of 4500 Lumens - XGA (1024 x 768) Native Resolution - 1.18 to 1.9:1 Throw Ratio - VGA, Composite Video, 2x HDMI Inputs - VGA Output for Loop-Through - Analog Audio Input and Output - Integrated 10-Watt Speaker - Compatible with Popular Control Systems - Ethernet and RS-232 Controllable - VGA Cable & IR Remote Included	កំប្លេ	3	25,500,000	76,500,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
28	HDMI Splitter 8 Port - Weight: 1060g - Size: 276mmX156mmX25mm - Function: 1 HDMI signal input, 8 HDMI signal output	PCS	1	988,000	988,000	China	
29	HDMI Cable Optical fiber 1.4 - Fiber HDMI CABLE 2.0 Version 50M black 4K @ 60Hz - Categories hdmi fiber cable - Color Black - Length 50M - bandwidth 18Gbps - Resolution 4K 60Hz YUV444	PCS	4	1,231,000	4,924,000	China	
30	Mount Extending Wall Ceiling Place - Mounting Type:Wall Mount, Ceiling Mount - Size:43-65cm - Special Feature:Adjustable - Material:Cold Rolled Steel - Usage:Projector - Color:White - Load Capacity:15KG - Extension:170-230mm - Application:General Projector - Bracket material:Stainless steel	PCS	3	1,421,000	4,263,000	China	
ក.២.២. Sound System							
31	Rack 15U case shock amplifier - Cabinet: GS. 6615.9801 GS 600W * 600D * 15U, steel glass front door with door margin, net hole back RAL9004SN	PCS	1	4,370,000	4,370,000	China	
32	Wireless Microphone Professional - Optional UHF band(640-690MHz), preset 500 channels each side - Unique ID pilot technology, no crosstalk disturbance even same frequency - Ideal distance: 100 meters	PCS	2	474,000	948,000	China	
33	Desktop Dell CPU core i7-10700 - Ram 8GB SSD 256GB + HDD 1TB - DVD RW, - Monitor DEll 27 inch - Mouse & Keyboard	PCS	1	13,259,000	13,259,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
34	Wireless Microphone Professional - Optional UHF band(640-690MHz), preset 500 channels each side - Unique ID pilot technology, no crosstalk disturbance even same frequency - Ideal distance: 100 meters	Set	1	5,141,000	5,141,000	China	
35	Amplifier, - 400W per Channel at 8 Ohm Load, - 10 to 25,000 Hz Frequency Response, - 2x Temperature-Dependent Dual Speed Fans - 2RU Rackmountable Design	PCS	2	5,304,000	10,608,000	China	
36	Mxer conntrol • 16 channel signal input (8-channel mic, 2 groups of stereo, 1 group of return, sound card /mp3+ optical fiber) • Stereo return input • Fast copy function of channel parameters • Each channel is equipped with electric pushers with a travel of 100mm, signal lights and peak lights (8 electric pushers and 1 Analog pusher) • 8-channel signal output (stereo main output, 4-channel marshalling output, 2-channel auxiliary output) • Built in sound card (MP3, Android, PC direct playback, recording)	PCS	1	21,115,000	21,115,000	China	
37	Speaker - Type: 2 way 3 Speakers system - Nominal Impedance: 8 Ohms - Frequency Response: 50 Hz to 20 kHz - Maximum Input Power: 200 Watts - Dimensions: 452Wx268Hx254Dmm	PCS	8	1,448,000	11,584,000	China	
38	Speaker Bracket Wall Mount - Material: Hiqh Quality steel 309 - Max. Loading: 50kgs each - Metal Plate Rotation: 360° - Arm Length: 250mm-400mm	PCS	8	406,000	3,248,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ផ្សាំផលិត
	1	2	3	4	5=3*4	6	7
39	Microphone Cable - Application: Microphone - 2Cx20/0.12mm BC/CCA/Copper - Shield: Al-foil, Braid: 80/0.12mmCCA - Insulation: PE, Jacket: PVC - O.D: 6.5mm Flexible PVC	ម៉ែ	8	2,030,000	16,240,000	China	
40	Cable Speaker - Outer Diameter: 4.2mm, 4.2*8.4mm, - Conductor: Bare Copper, CCA, BC/CCA/TCCA, - Insulation: PVC - Rated Volatge: 300V	ម៉ែ	8	677,000	5,416,000	China	
41	Connector Speaker Cabinet speaker connector 4 pins Male plug	PCS	8	68,000	544,000	China	
42	Frequency Shift/Feedback Suppressor Device - Place of Origin:Guangdong, China - Frequency Range (Hz): Non-shift:20Hz-20KHz, - Shift: 150Hz-15KHz - Dimension (L x W x H): 43.3*4.3*15.8cm - Application:Disco\Bar\Club\Home - Usage:solve the generating sound feedback due to the use of microphone - Signal to noise ratio:82db Frequency response: 80Hz-15KHz	PCS	3	2,895,000	8,685,000	China	
43	Conference Microphone - Directivity: super cardioid Sensitivity: -35dB 3dB 20mV/Pa - Frequency response: 100 to 12,000Hz - Output impedance: 200 - Power supply: battery size AA 1.5X2 or 11 to 48V phantom power supply	PCS	5	1,055,000	5,275,000	China	
44	Connector XLR Audio XLR 3 Pin Audio Microphone Cable Signal Connector	PCS	20	68,000	1,360,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
ក.២.៣. Internet Wifi							
45	MikroTik Routers - Features RB951G-2HnD - CPU Atheros AR9344 600MHz CPU - Memory 128MB DDR2 onboard memory - Ethernet Five independent 10/100/1000 Gigabit Ethernet ports - LEDs Power, NAND activity, 5 Ethernet LEDs,	PCS	1	1,082,000	1,082,000	China	
46	Wifi Access Point - AC1300 Dual Band Ceiling Mount Access Point, 867Mbps at 5GHz + 400Mbps at 2.4GHz, 2 10/100/1000base-t Ethernet uplink port, Internal Antennas, support 802.11a/b/g/n/ac Wave1/Wave2	PCS	3	1,015,000	3,045,000	China	
47	Network Cable - Internet Cat 6 Ethernet Cable RJ45 S/FTP Installation Double Shield Solid Copper 23AWG 0.57mm LSZH 10G Network Wire Lan Cable (100m)	ដុំ	1	1,488,000	1,488,000	China	
ខ. សម្ភារៈបរិក្ខារសម្រាប់បំពាក់ក្នុង បន្ទប់ធ្វើការ បន្ទប់រៀនទ្រឹស្តី បន្ទប់កុំព្យូទ័រ និង បន្ទប់ Workshop							
48	Computer All In One - CPU: Intel Core i7 - Ram: 16GB - Storage: SSD 1TB - VGA Intel Integrated Graphics - Wireless : Wi-Fi Bluetooth - Wire Mosue and Keybaourd - Monitor 23.8" Non-Touch - Microsoft Window & Office	គ្រឿង	15	22,385,000	335,775,000	Malaysia China	
49	**UPS 650VA**	គ្រឿង	5	337,000	1,685,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
50	Intelligent Interactive Led panel 86" with stand, - Display Panel Information - Disgonal size 86", - Resolution 4K/UHD 3840*2160, - Display Area 1899*1070(mm), - Display Type E-LED - Brighness 350cd/㎡, - Ratio of display 16:9, - Best viewing angle up:89 down:89 left:89 right:89 - Max. viewing angle 178° - OS - Android Specification - OS Version Android 11.0 - OS UI Resolution 3840*2160 - CPU T982 , Quad-core ARM Cortex-A55 - GPU Mali-G52 MP2(2EE) - RAM 4GB , ROM 32GB - Language Chinese,English	គ្រឿង	14	24,895,000	348,530,000	China	
51	Computer Labtop - CPU i7, - RAM 16GB - Storage : 512GB SSD - Screen 15.6" HD Non-Touch - Graphic 4GB - Wireless : wifi / Bluetooth - Microsoft Window & Office	គ្រឿង	24	30,800,000	739,200,000	China	
52	Surface Pro -Snapdragon X Elite (12 Core) -Ram : 32GB LPDDR5x, -SSD : 1TB PCIe -Screen : 13" OLED 120Hz, -Graphics: Qualcomm Adreno GPU, -Weight : 0.8Kg -Windows 11 Home Original License -Microsoft Office, -Keyboard + pen	គ្រឿង	1	33,803,000	33,803,000	China	
53	Epson EcoTank A3/A4 Wi-Fi Duplex All-in-One Ink Tank Printer - Print speed of up to 25.0 ipm, - Prints up to A3+ (for simplex) - Automatic duplex printing, - Ultra-high page yield of 7,500 pages (black) and 6,000 pages (colour), - Wi-Fi, Wi-Fi Direct, Ethernet,- Epson Connect (Epson iPrint, Epson Email Print and Remote Print Driver, Scan to Cloud), - Auto Feeder	គ្រឿង	1	10,634,000	10,634,000	China	

ល.រ	រាយមុខទំនិញ	ឯកតា	បរិមាណ	តម្លៃឯកតា	តម្លៃសរុប	ប្រភព	ឆ្នាំផលិត
	1	2	3	4	5=3*4	6	7
54	Printer Epson EcoTank A4 Color (4-in-1) - Function: Print, Scan, Copy, Fax (ADF) - Draft Speed: 33 ppm/15ppm - Automatic 2-sided Printing: No - Wi-Fi & Wi-Fi Direct: Yes - Scanner Type: Flatbed color image - Flatbed (B/C): 12sec / 4.5sec - Maximum Copies: 99copies - Fax Speed: Up to 33.6 kbps/3sec/p - Paper Input Capacity: Up 100sheets - Output Capacity: Up to 30 sheets - Interface: USB 2.0 - Ink 003 (C/M/Y/B)	គ្រឿង	12	3,900,000	46,800,000	China	
សរុបរួម					1,996,500,000		

បញ្ឈប់តារាងត្រឹមទឹកប្រាក់ចំនួន(ជាអក្សរ)៖ ១ ៩៩៦ ៥០០ ០០០រៀល (មួយប៊ីលាន ប្រាំបួនរយកៅសិបប្រាំមួយលាន ប្រាំរយពាន់រៀលគត់)។

ប្រធានឯកជ្ញាន	ប្រធានការិយាល័យ	អ្នកប្រគល់	ឆ្នាំឃ្លាំង
ឡៅ គឹមសល្យ	ព្រំ សុភា	ឆន សុផល	