

Cucumber Report

15-Jul-2022 14:48:11

Start : Jul 15, 2:45:25.182 PM

End : Jul 15, 2:48:10.852 PM

Duration : 2 m 45.670 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 7



FAILED - 8


SKIPPED - 0

PASSED - 111


FAILED - 8

SKIPPED - 16






#	Feature Name	T	P	F	S	Duration
1	<u>email should be validated with API</u>	2	1	1	0	7.928 s
2	<u>email should be validated with DB</u>	1	1	0	0	3.722 s
3	<u>Choose a username that can contain any chars, but it cannot be blank</u>	12	5	7	0	2 m 33.976 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>email should be validated with API</u>	<u>email should be validated with API</u>	5	5	0	0	7.878 s
2	<u>email should be validated with API</u>	<u>username should be validated with API</u>	5	0	1	4	0.016 s
3	<u>email should be validated with DB</u>	<u>email should be validated with DB</u>	4	4	0	0	3.722 s
4	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	13	11	1	1	30.081 s
5	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	13	11	1	1	15.872 s
6	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	13	11	1	1	15.900 s
7	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	13	6	1	6	0.616 s
8	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	13	11	1	1	15.889 s
9	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	13	11	1	1	15.894 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test username for new applicant</u>	6	6	0	0	0.619 s
11	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test email for new applicant</u>	13	11	1	1	27.182 s
12	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test email for new applicant</u>	6	6	0	0	0.666 s
13	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test email for new applicant</u>	6	6	0	0	9.836 s
14	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test email for new applicant2</u>	6	6	0	0	11.523 s
15	<u>Choose a username that can contain any chars, but it cannot be blank</u>	<u>test email for new applicant3</u>	6	6	0	0	9.676 s

(F)- email should be validated with API



FAILED	DURATION - 7.928 s	Scenarios		Steps	
/ 2:45:25.182 PM // 2:45:33.110 PM /		Total - 2		Total - 10	
		Pass - 1		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- email should be validated with API

<div>PASSED</div> <div>DURATION - 7.878 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:45:25.183 PM // 2:45:33.061 PM /				
email should be validated with API				
@US02 @team87 @api @US_002_TC_014				

#	Step / Hook Details	Status	Duration
1	Given user sends POST request to get Bearer Token	PASSED	3.134 s
2	Then user verifies that response status code is 200	PASSED	0.024 s
3	And user sends a GET request to get email address	PASSED	4.688 s
4	Then user verifies that response status code is 200	PASSED	0.012 s
5	Then user verifies that the returned information matches the expected one	PASSED	0.004 s

(S)- username should be validated with API



<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 2:45:33.094 PM // 2:45:33.110 PM /				
email should be validated with API				
@US02 @team87 @api @US_002_TC_014				
@US_002_TC_015				

#	Step / Hook Details	Status	Duration
1	<p>Given user sends POST request to get Bearer Token</p> <pre> java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 2. Redundant path parameters are: second=notpatient. at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1248) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1262) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1029) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:816) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1135) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1262) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1029) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:816) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1655) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1262) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1029) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:816) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1661) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1262) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1029) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:816) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:175) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at utilities.ApiUtils.post(ApiUtils.java:106) at stepdefinitions.apisteps.US_002_API_Stepdefs.user_sends_post_request_to_get_bearer_token(US_002_API_Stepdefs.java:19) at ?.user sends POST request to get Bearer Token(file:///Users/papatya/IdeaProjects/medunnateam871./src/test/resources/features/ </pre>		

#	Step / Hook Details	Status	Duration
	APIFeatures/US02_GetNewRegistrantInfo_API.feature:16) * Not displayable characters are replaced by '?'. 2 Then user verifies that response status code is 200		
2	Then user verifies that response status code is 200	SKIPPED	0.001 s
3	And user sends a GET request to get email address	SKIPPED	0.000 s
4	Then user verifies that response status code is 200	SKIPPED	0.000 s
5	Then user verifies that the returned information matches the expected one, and is unique	SKIPPED	0.000 s

(F)- email should be validated with DB



PASSED	DURATION - 3.722 s	Scenarios		Steps	
/ 2:45:33.133 PM // 2:45:36.855 PM /		Total - 1	1	Total - 4	4
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- email should be validated with DB



<div>PASSED</div> <div>DURATION - 3.722 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:45:33.133 PM // 2:45:36.855 PM /				
email should be validated with DB				
@US02 @US_002_TC_013 @db @team87				

#	Step / Hook Details	Status	Duration
1	Given user connects to medunna_db with valid credentials	PASSED	3.444 s
2	When user sends a requests to get the user details with a specific valid email address	PASSED	0.275 s
3	Then user confirms the request with the email address returns information	PASSED	0.000 s
4	Then user closes database connection	PASSED	0.002 s

(F)- Choose a username that can contain any chars, but it cannot be blank

FAILED	DURATION - 2 m 33.976 s	Scenarios		Steps	
/ 2:45:36.876 PM // 2:48:10.852 PM /		Total - 12		Total - 121	
		Pass - 5		Pass - 102	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 12	

(S)- test username for new applicant



<div>FAILED</div> <div>DURATION - 30.081 s</div>			Steps	
/ 2:45:36.879 PM // 2:46:06.960 PM /			Total - 13	
Choose a username that can contain any chars, but it cannot be blank			Pass - 11	
@US02 @US_002_TC_001 @team87 @ui			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	14.531 s
2	When user navigates to registration page	PASSED	0.098 s
3	And user verifies Registration is displayed	PASSED	0.024 s
4	And user provides ssn id as "281-13-5239"	PASSED	0.050 s
5	And user provides firstname as "Mario"	PASSED	0.032 s
6	And user provides lastname as "Costa"	PASSED	0.032 s
7	And user provides username as "abcdefghijklmn111213"	PASSED	0.044 s
8	And user provides email as "31211mariocosta@gmail.com"	PASSED	0.039 s
9	When user types password as "1234"	PASSED	0.030 s
10	And user types password confirmation as "1234"	PASSED	0.034 s
11	And user clicks on Register button	PASSED	0.013 s
12	Then user should see Registration saved message	FAILED	15.150 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Registration Saved'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)		

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85)</p> <p>at ?.user should see Registration saved message(file:///Users/papatya/IdeaProjects/medunnateam871./src/test/resources/features/UIFeatures/US02_NewRegistrant_UI.feature:16)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[text()='Registration Saved']"} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'zeytin.local', ip: '2a02:4e0:2d15:d1:3184:f91b:b464:8096%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.4', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/ck/bc46sjz1js...)}, goog:chromeOptions: {debuggerAddress: localhost:59641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9832a1b3499bbee2e260fd64de600501 *** Element info: {Using=xpath, value=//*[text()='Registration Saved']}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)</p> <p>at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
13	And user closes the browser	SKIPPED	0.000 s

(S)- test username for new applicant



<div>FAILED</div> <div>DURATION - 15.872 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:46:06.983 PM // 2:46:22.855 PM /				
Choose a username that can contain any chars, but it cannot be blank				
@US02 @US_002_TC_001 @team87 @ui				

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.433 s
2	When user navigates to registration page	PASSED	0.059 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides ssn id as "382-13-5239"	PASSED	0.029 s
5	And user provides firstname as "Mario"	PASSED	0.029 s
6	And user provides lastname as "Costa"	PASSED	0.028 s
7	And user provides username as "opqrstuvwxyz111213"	PASSED	0.032 s
8	And user provides email as "31211mariocosta1@gmail.com"	PASSED	0.044 s
9	When user types password as "1234"	PASSED	0.023 s
10	And user types password confirmation as "1234"	PASSED	0.026 s
11	And user clicks on Register button	PASSED	0.009 s
12	Then user should see Registration saved message	FAILED	15.137 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Registration Saved'] (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)</p> <p>at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85)</p> <p>at ?.user should see Registration saved message(file:///Users/papatya/IdeaProjects/medunnateam87//src/test/resources/features/UIFeatures/US02_NewRegistrant_UI.feature:16)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Registration Saved']"} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'zeytin.local', ip: '2a02:4e0:2d15:d1:3184:f91b:b464:8096%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.4', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/ck/bc46sjz11js...), goog:chromeOptions: {debuggerAddress: localhost:59641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9832a1b3499bbea2e260fd64de600501 *** Element info: {Using=xpath, value=//*[text()='Registration Saved']}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
13	And user closes the browser	SKIPPED	0.000 s

(S)- test username for new applicant

FAILED	DURATION - 15.900 s		Steps Total - 13 Pass - 11 Fail - 1 Skip - 1	
/ 2:46:22.877 PM // 2:46:38.777 PM /				
Choose a username that can contain any chars, but it cannot be blank				
@US02 @US_002_TC_001 @team87 @ui				



#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.422 s
2	When user navigates to registration page	PASSED	0.067 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides ssn id as "483-13-5239"	PASSED	0.034 s

#	Step / Hook Details	Status	Duration
5	And user provides firstname as "Mario"	PASSED	0.031 s
6	And user provides lastname as "Costa"	PASSED	0.029 s
7	And user provides username as "1234567890111213"	PASSED	0.035 s
8	And user provides email as "31211mariocosta2@gmail.com"	PASSED	0.040 s
9	When user types password as "1234"	PASSED	0.026 s
10	And user types password confirmation as "1234"	PASSED	0.027 s
11	And user clicks on Register button	PASSED	0.012 s
12	Then user should see Registration saved message <div> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Registration Saved'] (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)</p> <p>at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85)</p> <p>at ?.user should see Registration saved message(file:///Users/papatya/IdeaProjects/medunnateam877/src/test/resources/features/UIFeatures/US02_NewRegistrant_UI.feature:16)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Registration Saved']} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'zeytin.local', ip: '2a02:4e0:2d15:d1:3184:f91b:b464:8096%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.4', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/ck/bc46sjz11js...), goog:chromeOptions: {debuggerAddress: localhost:59641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9832a1b3499bbee2e260fd64de600501 *** Element info: {Using=xpath, value=//*[text()='Registration Saved']}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201)</p> </div>	FAILED	15.158 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) * Not displayable characters are replaced by '?'.		
13	And user closes the browser	SKIPPED	0.000 s

(S)- test username for new applicant

<div>FAILED</div> <div>DURATION - 0.616 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 2:46:38.821 PM // 2:46:39.437 PM /				
Choose a username that can contain any chars, but it cannot be blank				
@US02 @US_002_TC_001 @team87 @ui				

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.434 s
2	When user navigates to registration page	PASSED	0.065 s
3	And user verifies Registration is displayed	PASSED	0.018 s
4	And user provides ssn id as "584-13-5239"	PASSED	0.032 s
5	And user provides firstname as "Mario"	PASSED	0.032 s
6	And user provides lastname as "Costa"	PASSED	0.030 s
7	And user provides username as "!@#\$%^&*()_+!=";./,<>{}111213"	FAILED	0.000 s
	Step undefined		
8	And user provides email as "31211mariocosta3@gmail.com"	SKIPPED	0.000 s
9	When user types password as "1234"	SKIPPED	0.000 s
10	And user types password confirmation as "1234"	SKIPPED	0.000 s
11	And user clicks on Register button	SKIPPED	0.000 s
12	Then user should see Registration saved message	SKIPPED	0.001 s
13	And user closes the browser	SKIPPED	0.000 s

(S)- test username for new applicant



FAILED	DURATION - 15.889 s		Steps Total - 13 Pass - 11 Fail - 1 Skip - 1	
/ 2:46:39.449 PM // 2:46:55.338 PM /				
Choose a username that can contain any chars, but it cannot be blank				
@US02 @US_002_TC_001 @team87 @ui				

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.422 s
2	When user navigates to registration page	PASSED	0.071 s
3	And user verifies Registration is displayed	PASSED	0.016 s
4	And user provides ssn id as "685-13-5239"	PASSED	0.030 s
5	And user provides firstname as "Mario"	PASSED	0.028 s
6	And user provides lastname as "Costa"	PASSED	0.027 s
7	And user provides username as "ABCDEFGHijklmN111213"	PASSED	0.038 s
8	And user provides email as "31211mariocosta4@gmail.com"	PASSED	0.040 s
9	When user types password as "1234"	PASSED	0.026 s
10	And user types password confirmation as "1234"	PASSED	0.031 s
11	And user clicks on Register button	PASSED	0.014 s
12	Then user should see Registration saved message	FAILED	15.143 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Registration Saved'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at ?.user should see Registration saved message(file:///Users/papatya/IdeaProjects/medunnateam87//src/test/resources/features/UIFeatures/US02_NewRegistrant_UI.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Registration Saved']"} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'zeytin.local', ip: '2a02:4e0:2d15:d1:3184:f91b:b464:8096%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.4', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/ck/bc46sjz11js...), goog:chromeOptions: {debuggerAddress: localhost:59641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9832a1b3499bbea2e260fd64de600501 *** Element info: {Using=xpath, value=//*[text()='Registration Saved']}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
13	And user closes the browser	SKIPPED	0.001 s

(S)- test username for new applicant

<div>FAILED</div> <div>DURATION - 15.894 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:46:55.362 PM // 2:47:11.256 PM /				
Choose a username that can contain any chars, but it cannot be blank				
@US02 @US_002_TC_001 @team87 @ui				



#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.428 s
2	When user navigates to registration page	PASSED	0.062 s
3	And user verifies Registration is displayed	PASSED	0.019 s
4	And user provides ssn id as "786-12-5239"	PASSED	0.034 s

#	Step / Hook Details	Status	Duration
5	And user provides firstname as "Mario"	PASSED	0.029 s
6	And user provides lastname as "Costa"	PASSED	0.029 s
7	And user provides username as "OPQRSTUVWXYZ111213"	PASSED	0.035 s
8	And user provides email as "31211mariocosta5@gmail.com"	PASSED	0.039 s
9	When user types password as "1234"	PASSED	0.023 s
10	And user types password confirmation as "1234"	PASSED	0.027 s
11	And user clicks on Register button	PASSED	0.012 s
12	Then user should see Registration saved message <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Registration Saved'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at ?.user should see Registration saved message(file:///Users/papatya/IdeaProjects/medunnateam871/src/test/resources/features/UIFeatures/US02_NewRegistrant_UI.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Registration Saved']} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'zeytin.local', ip: '2a02:4e0:2d15:d1:3184:f91b:b464:8096%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.4', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/ck/bc46sjz11js...), goog:chromeOptions: {debuggerAddress: localhost:59641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9832a1b3499bbea2e260fd64de600501 *** Element info: {Using=xpath, value=//*[text()='Registration Saved']} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201)</p>	FAILED	15.152 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) </pre>		



#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) * Not displayable characters are replaced by '?'.		
13	And user closes the browser	SKIPPED	0.000 s

(S)- test username for new applicant

<div>PASSED</div> <div>DURATION - 0.619 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:11.280 PM // 2:47:11.899 PM /</div>			
<div>Choose a username that can contain any chars, but it cannot be blank</div>			
<div>@US02 @US_002_TC_001 @US_002_TC_002 @team87 @ui</div>			

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.427 s
2	When user navigates to registration page	PASSED	0.062 s
3	And user verifies Registration is displayed	PASSED	0.018 s
4	And user provides username as ""	PASSED	0.025 s
5	Then user should see "Your username is required." message	PASSED	0.000 s
6	And user closes the browser	PASSED	0.087 s

(S)- test email for new applicant



<div>FAILED</div> <div>DURATION - 27.182 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:47:11.910 PM // 2:47:39.092 PM /</div>			
<div>Choose a username that can contain any chars, but it cannot be blank</div>			
<div>@US02 @US_002_TC_001 @team87</div> <div>@US_002_TC_003 @ui</div>			

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	11.641 s
2	When user navigates to registration page	PASSED	0.093 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides ssn id as "358-74-4225"	PASSED	0.053 s
5	And user provides firstname as "Stefan"	PASSED	0.030 s
6	And user provides lastname as "Soluchkov"	PASSED	0.033 s
7	And user provides username as "kurrup818217"	PASSED	0.038 s
8	And user provides email as "soluchkow1221217@gmail.com"	PASSED	0.041 s
9	When user types password as "369369"	PASSED	0.027 s
10	And user types password confirmation as "369369"	PASSED	0.028 s
11	And user clicks on Register button	PASSED	0.011 s
12	Then user should see Registration saved message <div> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Registration Saved'] (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)</p> <p>at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85)</p> <p>at ?.user should see Registration saved message(file:///Users/papatya/IdeaProjects/medunnateam871./src/test/resources/features/UIFeatures/US02_NewRegistrant_UI.feature:55)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Registration Saved']"} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'zeytin.local', ip: '2a02:4e0:2d15:d1:3184:f91b:b464:8096%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.4', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/ck/bc46sjz1js...), goog:chromeOptions: {debuggerAddress: localhost:60780}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 91ed5c3af93f6658512fc9090d94f891 *** Element info: {Using=xpath, value=//*[text()='Registration Saved']}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> </div>	FAILED	15.163 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at stepdefinitions.uisteps.US_002_Stepdefs.user_should_see_registration_saved_message(US_002_Stepdefs.java:85) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
13	And user closes the browser	SKIPPED	0.000 s

(S)- test email for new applicant

<div>PASSED</div> <div>DURATION - 0.666 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
/ 2:47:39.117 PM // 2:47:39.783 PM /		
Choose a username that can contain any chars, but it cannot be blank		
@US02 @US_002_TC_001 @team87 @ui @US_002_TC_004		



#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	0.474 s
2	When user navigates to registration page	PASSED	0.065 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides the invalid email as ""	PASSED	0.030 s
5	Then user should see "Your email is required." message	PASSED	0.000 s
6	And user closes the browser	PASSED	0.077 s

(S)- test email for new applicant

<div>PASSED</div> <div>DURATION - 9.836 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:39.794 PM // 2:47:49.630 PM /</div>			
<div>Choose a username that can contain any chars, but it cannot be blank</div>			
<div>@US02 @US_002_TC_001 @team87</div> <div>@US_002_TC_005 @ui</div>			



#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	9.576 s
2	When user navigates to registration page	PASSED	0.093 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides the invalid email as "user"	PASSED	0.058 s
5	Then user should see "Your email is required to be at least 5 characters." message	PASSED	0.016 s
6	And user closes the browser	PASSED	0.075 s

(S)- test email for new applicant2

<div>PASSED</div> <div>DURATION - 11.523 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 2:47:49.642 PM // 2:48:01.165 PM /</div>		
<div>Choose a username that can contain any chars, but it cannot be blank</div>		
<div>@US02 @US_002_TC_001 @team87</div> <div>@US_002_TC_006 @ui</div>		

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	11.266 s
2	When user navigates to registration page	PASSED	0.085 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides the invalid email as "user1905@gmailcom"	PASSED	0.062 s
5	Then user should see "This field is invalid" message	PASSED	0.016 s
6	And user closes the browser	PASSED	0.077 s

(S)- test email for new applicant3

PASSED	DURATION - 9.676 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:48:01.176 PM // 2:48:10.852 PM /				
Choose a username that can contain any chars, but it cannot be blank				
@US_002_TC_007 @US02 @US_002_TC_001 @team87 @ui				

#	Step / Hook Details	Status	Duration
1	Given user goes to webpage	PASSED	9.431 s
2	When user navigates to registration page	PASSED	0.088 s
3	And user verifies Registration is displayed	PASSED	0.017 s
4	And user provides email as "@gmail.com"	PASSED	0.049 s
5	Then user should see "This field is invalid" message	PASSED	0.016 s
6	And user closes the browser	PASSED	0.073 s