# Cucumber Report

| *Start : Jul 05, 9:34:43.854 AM* | *End : Jul 05, 9:36:49.385 AM* | *Duration : 2 m 5.531 s* |
|---|---|---|
| Features | Scenarios | Steps |

| PASSED - 1 | PASSED - 11 | PASSED - 56 |
|---|---|---|
| FAILED - 0 | FAILED - 0 | FAILED - 0 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 0 |

| 1 | 11 | 56 |
|---|---|---|

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | US008_password_update | 11 | 11 | 0 | 0 | 2 m 5.531 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | US008_password_update | US08_password_edit | 8 | 8 | 0 | 0 | 15.273 s |
| 2 | US008_password_update | The new password should be confirmed | 5 | 5 | 0 | 0 | 15.551 s |
| 3 | US008_password_update | for stronger password adding one LOWERCASE character | 5 | 5 | 0 | 0 | 10.452 s |
| 4 | US008_password_update | for stronger password adding one UPPERCASE character | 5 | 5 | 0 | 0 | 10.424 s |
| 5 | US008_password_update | for stronger password adding one DIGIT character | 5 | 5 | 0 | 0 | 10.447 s |
| 6 | US008_password_update | for stronger password adding one SPECIAL character | 5 | 5 | 0 | 0 | 10.607 s |
| 7 | US008_password_update | (Negative Scenario) sending 4 or 5 or 6 characters to verify that is not enough for a stronger password(There should be * | 3 | 3 | 0 | 0 | 6.313 s |

*The feature name and/or scenario name has been cropped to fit in the available space.*

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 8 | US008_password_update | (Negative Scenario) sending 4 or 5 or 6 characters to verify that is not enough for a stronger password(There should be * | 3 | 3 | 0 | 0 | 6.359 s |
| 9 | US008_password_update | (Negative Scenario) sending 4 or 5 or 6 characters to verify that is not enough for a stronger password(There should be * | 3 | 3 | 0 | 0 | 6.380 s |
| 10 | US008_password_update | (Positive Scenario) sending 6 then add 1 chars to see the password is getting stronger(There should be at least 7 * | 5 | 5 | 0 | 0 | 10.573 s |
| 11 | US008_password_update | old password should not be used | 9 | 9 | 0 | 0 | 23.043 s |

* The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- US008_password_update

| PASSED | DURATION - 2 m 5.531 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 9:34:43.854 AM // 9:36:49.385 AM / | | Total - 11 | 11 | Total - 56 | 56 |
| | | Pass - 11 | | Pass - 56 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- US08_password_edit

| PASSED | DURATION - 15.273 s | | Steps | |
|---|---|---|---|---|
| / 9:34:43.854 AM // 9:34:59.127 AM / | | | Total - 8 | 8 |
| US008_password_update | | | Pass - 8 | |
| @US_08_user_password_segment | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user navigates to Url | PASSED | 9.035 s |
| 2 | And user clicks on Account menu | PASSED | 1.087 s |
| 3 | And user clicks on Sign in button | PASSED | 0.103 s |
| 4 | And user enters "team87user01" as username and "1234567" as password | PASSED | 0.214 s |
| 5 | And user clicks on the Signin button | PASSED | 0.080 s |
| 6 | And verify the login is successful | PASSED | 2.529 s |
| 7 | And user clicks on account menu on the account page | PASSED | 0.069 s |
| 8 | Then user clicks on Password button | PASSED | 2.102 s |

## (S)- The new password should be confirmed

| PASSED | DURATION - 15.551 s |
|--------|---------------------|
| / 9:34:59.142 AM // 9:35:14.693 AM / | |
| US008_password_update | |
| @US08_TC_0001 @US_08_user_password_segment | |

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | And user sends current password "1234567" to current password part | PASSED | 2.149 s |
| 2 | And user sends new password "1234560" to new password part | PASSED | 2.131 s |
| 3 | And user sends new password "1234560" again to new password confirmation part | PASSED | 2.120 s |
| 4 | And user clicks on save button | PASSED | 3.106 s |
| 5 | And user verifies the success message on the toast container box | PASSED | 6.045 s |

## (S)- for stronger password adding one LOWERCASE character

| PASSED | DURATION - 10.452 s |
|--------|---------------------|
| / 9:35:14.701 AM // 9:35:25.153 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0002 | |

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | And user cleans the new password part | PASSED | 2.109 s |
| 2 | And user sends new password "123456" to new password part | PASSED | 2.138 s |
| 3 | And user verifies the password strength bar is one | PASSED | 2.075 s |
| 4 | And user add character " a" to new password part | PASSED | 2.061 s |
| 5 | And user verifies the password strength bar is two | PASSED | 2.065 s |

## (S)- for stronger password adding one UPPERCASE character

| PASSED | DURATION - 10.424 s |
|--------|---------------------|
| / 9:35:25.153 AM // 9:35:35.577 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0003 | |

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | And user cleans the new password part | PASSED | 2.099 s |
| 2 | And user sends new password "1234560" to new password part | PASSED | 2.160 s |
| 3 | And user verifies the password strength bar is two | PASSED | 2.039 s |
| 4 | And user add character " C" to new password part | PASSED | 2.067 s |
| 5 | And user verifies the password strength bar is four | PASSED | 2.059 s |

## (S)- for stronger password adding one DIGIT character

| PASSED | DURATION - 10.447 s |
|--------|---------------------|
| / 9:35:35.585 AM // 9:35:46.032 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0004 | |

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | And user cleans the new password part | PASSED | 2.098 s |
| 2 | And user sends new password "qazwsX!" to new password part | PASSED | 2.169 s |
| 3 | And user verifies the password strength bar is four | PASSED | 2.036 s |
| 4 | And user add character " 5" to new password part | PASSED | 2.062 s |
| 5 | And user verifies the password strength bar is five | PASSED | 2.082 s |

## (S)- for stronger password adding one SPECIAL character

| *PASSED* | *DURATION - 10.607 s* |
|---|---|

*/ 9:35:46.048 AM // 9:35:56.655 AM /*

US008_password_update

@US_08_user_password_segment
@US08_TC_0005

Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0

5

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | And user cleans the new password part | PASSED | 2.117 s |
| 2 | And user sends new password "12345xy" to new password part | PASSED | 2.195 s |
| 3 | And user verifies the password strength bar is two | PASSED | 2.082 s |
| 4 | And user add character " !" to new password part | PASSED | 2.129 s |
| 5 | And user verifies the password strength bar is four | PASSED | 2.084 s |

## (S)- (Negative Scenario) sending 4 or 5 or 6 characters to verify that is not enough for a stronger password(There should be at least 7 characters)

| *PASSED* | *DURATION - 6.313 s* |
|---|---|

*/ 9:35:56.670 AM // 9:36:02.983 AM /*

US008_password_update

@US_08_user_password_segment
@US08_TC_0006-0007-
0008_negative_test_for_stronger_password_sendi-
ng_7_character

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

3

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | And user cleans the new password part | PASSED | 2.087 s |
| 2 | And user sends new password "qA1!" to new password part | PASSED | 2.142 s |
| 3 | And user verifies the password strength bar is one | PASSED | 2.084 s |

## (S)- (Negative Scenario) sending 4 or 5 or 6 characters to verify that is not enough for a stronger password(There should be at least 7 characters)

| PASSED | DURATION - 6.359 s |
|--------|--------------------|
| / 9:36:02.999 AM // 9:36:09.358 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0006-0007-0008_negative_test_for_stronger_password_sending_7_character | |

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | And user cleans the new password part | PASSED | 2.085 s |
| 2 | And user sends new password "qA1!5" to new password part | PASSED | 2.191 s |
| 3 | And user verifies the password strength bar is one | PASSED | 2.083 s |

## (S)- (Negative Scenario) sending 4 or 5 or 6 characters to verify that is not enough for a stronger password(There should be at least 7 characters)

| PASSED | DURATION - 6.380 s |
|--------|--------------------|
| / 9:36:09.373 AM // 9:36:15.753 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0006-0007-0008_negative_test_for_stronger_password_sending_7_character | |

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | And user cleans the new password part | PASSED | 2.103 s |
| 2 | And user sends new password "qA1!5*" to new password part | PASSED | 2.194 s |
| 3 | And user verifies the password strength bar is one | PASSED | 2.083 s |

## (S)- (Positive Scenario) sending 6 then add 1 chars to see the password is getting stronger(There should be at least 7 characters)

| PASSED | DURATION - 10.573 s |
|---|---|
| / 9:36:15.769 AM // 9:36:26.342 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0009_positive_test_for_stronger_password_sending_7_character | |

**Steps**
Total - 5
Pass - 5
Fail - 0
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | And user cleans the new password part | PASSED | 2.085 s |
| 2 | And user sends new password "12345x" to new password part | PASSED | 2.193 s |
| 3 | And user verifies the password strength bar is one | PASSED | 2.083 s |
| 4 | And user add character " !" to new password part | PASSED | 2.129 s |
| 5 | And user verifies the password strength bar is four | PASSED | 2.083 s |

## (S)- old password should not be used

| PASSED | DURATION - 23.043 s |
|---|---|
| / 9:36:26.342 AM // 9:36:49.385 AM / | |
| US008_password_update | |
| @US_08_user_password_segment @US08_TC_0010 | |

**Steps**
Total - 9
Pass - 9
Fail - 0
Skip - 0

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | When user cleans the current password part | PASSED | 2.168 s |
| 2 | And user cleans the new password part | PASSED | 2.122 s |
| 3 | And user cleans the confirmation password part | PASSED | 2.164 s |
| 4 | And user sends current password "1234560" to current password part | PASSED | 2.153 s |
| 5 | And user sends current password "1234567" to new password part | PASSED | 2.165 s |
| 6 | And user sends current password "1234567" to confirmation password part | PASSED | 2.197 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 7 | And user clicks on save button | PASSED | 3.156 s |
| 8 | Then user sees the success message on the toast container box as a BUG | PASSED | 6.087 s |
| 9 | Then user close the driver | PASSED | 0.813 s |