



FEATURES SUMMARY

-- 2 --



#		T	P	F	S	Duration
1	First Feature File	5	2	3	0	48.358 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	First Feature File	<u>TC09</u>	7	7	0	0	11.011 s
2	First Feature File	<u>TC09</u>	7	7	0	0	9.987 s
3	First Feature File	<u>TC09</u>	7	5	1	1	22.463 s
4	First Feature File	<u>TC09</u>	7	0	1	6	0.425 s
5	First Feature File	TC09	7	0	1	6	4.140 s

DETAILED SECTION -- 4 --

(F)- First Feature File


FAILED	DURATION - 48.358 s	Scenarios		Steps	
		Total - 5		Total - 35	
/ 2:19:59.609 PN	Л // 2:20:47.967 PM /	Pass - 2	5	Pass - 19	35
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 13	




#	Step / Hook Details	Status	Duration
1	Given user goes to Medunna webpage	PASSED	7.543 s
2	And verify make an appointment button is displayed	PASSED	0.152 s
3	When user clicks to Make an Appointment	PASSED	0.144 s
4	Then verify Make an Appointment page is displayed	PASSED	2.046 s
5	When user provides the "123" phone number	PASSED	0.168 s
6	Then user gets Phone number is invalid error message	PASSED	0.096 s
7	And close the application	PASSED	0.798 s

DETAILED SECTION -- 5 --

(S)- TC09




#	Step / Hook Details	Status	Duration
1	Given user goes to Medunna webpage	PASSED	6.327 s
2	And verify make an appointment button is displayed	PASSED	0.060 s
3	When user clicks to Make an Appointment	PASSED	0.110 s
4	Then verify Make an Appointment page is displayed	PASSED	2.059 s
5	When user provides the "00056800005" phone number	PASSED	0.360 s
6	Then user gets Phone number is invalid error message	PASSED	0.071 s
7	And close the application	PASSED	0.990 s




#	Step / Hook Details	Status	Duration
1	Given user goes to Medunna webpage	PASSED	4.674 s
2	And verify make an appointment button is displayed	PASSED	0.091 s
3	When user clicks to Make an Appointment	PASSED	0.145 s
4	Then verify Make an Appointment page is displayed	PASSED	2.071 s
5	When user provides the "1234568790" phone number	PASSED	0.395 s
6	Then user gets Phone number is invalid error message	FAILED	15.069 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Phone number is invalid']"} (Session info: chrome=103.0.5060.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-DS5GARL', ip: '192.168.0.16', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7, userDataDir: C:\Users\afazi\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52880}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:virtualAuthenticators: true} Session ID: 708002da3cacc648564fb91cddee0fdd *** Element info: {Using=xpath, value=//*[text()='Phone number is invalid']}		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy19.isDisplayed(Unknown Source)		
	at stepdefinitions.uisteps.US05_StepDefs.user_gets_phone_number_is_invalid_error_message(US05_StepDefs.java:175)		
	at ?.user gets Phone number is invalid error message(file:///C:/Users/afazi/IdeaProjects/medunnateam87/src/test/resources/features/		
	UIFeatures/US05_appointment.feature:86)		
	* Not displayable characters are replaced by '?'.		
7	And close the application	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
1	Given user goes to Medunna webpage	FAILED	0.395 s
	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=103.0.5060.114) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-DS5GARL', ip: '192.168.0.16', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptlinecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7, userDataDir: C:Users\alphafae'). C:Users\alphafae'). GebuggerAddress: localhost:52830}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 708002da3cacc648564fb91cddee0fdd at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:129) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:39) at org.openqa.selenium.remote.RemoteWebDriver.execute(PitreCommandExecutor.java:352) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:2577) at stepdefinitions.uisteps.USO5_Ste		
	* Not displayable characters are replaced by '?'.		
2	And verify make an appointment button is displayed	SKIPPED	0.000 s
3	When user clicks to Make an Appointment	SKIPPED	0.005 s
4	Then verify Make an Appointment page is displayed	SKIPPED	0.000 s
5	When user provides the "12345687902" phone number	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
6	Then user gets Phone number is invalid error message	SKIPPED	0.005 s
7	And close the application	SKIPPED	0.005 s



#	Step / Hook Details	Status	Duration
1	Given user goes to Medunna webpage	FAILED	4.118 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps.US05_StepDefs at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149)		
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		

#	Step / Hook Details	Status	Duration
\Box	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.		
	java:141)		
	38 more Caused by: org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=103.0.5060.114) Build info:		
	version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-DS5GARL', ip: '192.168.0.16', os.name:		
	'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53		
	(a1711811edd7, userDataDir: C:\Users\afazi\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52880},		
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:		
	dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	708002da3cacc648564fb91cddee0fdd		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:60) at pages.HomePage. <init>(HomePage.java:11) at stepdefinitions.uisteps.US05_StepDefs.<init>(US05_StepDefs.java:25)</init></init>		
2	And verify make an appointment button is displayed	SKIPPED	0.000 s
3	When user clicks to Make an Appointment	SKIPPED	0.000 s
4	Then verify Make an Appointment page is displayed	SKIPPED	0.000 s
5	When user provides the "12-325-45698" phone number	SKIPPED	0.000 s
6	Then user gets Phone number is invalid error message	SKIPPED	0.005 s
7	And close the application	SKIPPED	0.000 s