

Cucumber Report

Jul 14, 2022 3:32:14 PM

Start : Jul 14, 3:30:40.482 PM

End : Jul 14, 3:32:12.881 PM

Duration : 1 m 32.399 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 9




FAILED - 5


SKIPPED - 0

PASSED - 56


FAILED - 5

SKIPPED - 54






#	Feature Name	T	P	F	S	Duration
1	<u>US_03 Registration Password</u>	6	6	0	0	19.485 s
2	<u>Login page should be accessible only with valid credentials</u>	6	3	3	0	1 m 12.662 s
3	<u>Update an appointment by doctor</u>	2	0	2	0	0.112 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US_03 Registration Password</u>	<u>TC_01 AtLeastFourChar</u>	6	6	0	0	12.808 s
2	<u>US_03 Registration Password</u>	<u>TC_02 AtLeastSevenChars</u>	4	4	0	0	1.472 s
3	<u>US_03 Registration Password</u>	<u>TC_03</u> <u>AtLeastSevenCharsWithOneLowerCaseOneUpperCase</u>	4	4	0	0	1.402 s
4	<u>US_03 Registration Password</u>	<u>TC_04 AtLeastSevenCharsWithOneLowerCase</u>	4	4	0	0	1.108 s
5	<u>US_03 Registration Password</u>	<u>TC_05</u> <u>AtLeastSevenCharsWithOneLowerCaseUpperCaseNumber</u>	4	4	0	0	1.281 s
6	<u>US_03 Registration Password</u>	<u>TC_06</u> <u>AtleastSevenCharsWithOneLowerCaseUpperCaseNumb *</u>	4	4	0	0	1.046 s
7	<u>Login page should be accessible only with valid credentials</u>	<u>User log in with correct username and password</u>	7	7	0	0	7.971 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Login page should be accessible only with valid credentials</u>	<u>User log in with correct username and password</u>	7	0	1	6	0.119 s
9	<u>Login page should be accessible only with valid credentials</u>	<u>User always logs in with existing credentials</u>	7	7	0	0	18.815 s
10	<u>Login page should be accessible only with valid credentials</u>	<u>User updates password with did you forget your password option</u>	10	10	0	0	22.145 s
11	<u>Login page should be accessible only with valid credentials</u>	<u>User registers with not registered yet option</u>	8	6	1	1	23.241 s
12	<u>Login page should be accessible only with valid credentials</u>	<u>User log in with wrong username and password</u>	8	0	1	7	0.032 s
13	<u>Update an appointment by doctor</u>	<u>Update My Appointments by doctor</u>	20	0	1	19	0.060 s
14	<u>Update an appointment by doctor</u>	<u>Update My Appointments by doctor</u>	22	0	1	21	0.025 s

(F)- US_03 Registration Password



PASSED	DURATION - 19.485 s	Scenarios		Steps	
/ 3:30:40.482 PM // 3:30:59.967 PM /		Total - 6		Total - 26	
		Pass - 6		Pass - 26	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- TC_01 AtLeastFourChar

<div>PASSED</div>	<div>DURATION - 12.808 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:30:40.498 PM // 3:30:53.306 PM /</div>				
<div>US_03 Registration Password</div>				
<div>@team87 @US003_TC01</div>				



#	Step / Hook Details	Status	Duration
1	Given user navigates to "<medunnaUrl>"	PASSED	10.617 s
2	Then user clicks on registration button and navigates to registration page	PASSED	0.446 s
3	Then user types one char and sees the length is not enough	PASSED	0.601 s
4	And user types two char and sees the length is not enough	PASSED	0.392 s
5	And user types three char sees the length is not enough	PASSED	0.349 s
6	Then user types 4 char and sees the length is enough	PASSED	0.329 s

(S)- TC_02 AtLeastSevenChars

<div>PASSED</div> <div>DURATION - 1.472 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:30:53.449 PM // 3:30:54.921 PM /</div>			
<div>US_03 Registration Password</div>			
<div>@team87 @US003_TC02</div>			



#	Step / Hook Details	Status	Duration
1	Given user navigates to "<medunnaUrl>"	PASSED	0.642 s
2	Then user clicks on registration button and navigates to registration page	PASSED	0.279 s
3	Then user types seven chars	PASSED	0.446 s
4	And user sees strength level is changed to stronger	PASSED	0.103 s

(S)- TC_03 AtLeastSevenCharsWithOneLowerCaseOneUpperCase

PASSED	DURATION - 1.402 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0				
/ 3:30:54.975 PM // 3:30:56.377 PM /							
US_03 Registration Password							
@team87 @US003_TC03							



#	Step / Hook Details	Status	Duration
1	Given user navigates to "<medunnaUrl>"	PASSED	0.409 s
2	Then user clicks on registration button and navigates to registration page	PASSED	0.407 s
3	Then user types seven chars included one lowercase and one uppercase	PASSED	0.466 s
4	And user sees strength level is changed to stronger	PASSED	0.118 s

(S)- TC_04 AtLeastSevenCharsWithOneLowerCase

<div>PASSED</div> <div>DURATION - 1.108 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:30:56.439 PM // 3:30:57.547 PM /</div>			
<div>US_03 Registration Password</div>			
<div>@US003_TC04 @team87</div>			



#	Step / Hook Details	Status	Duration
1	Given user navigates to "<medunnaUrl>"	PASSED	0.364 s
2	Then user clicks on registration button and navigates to registration page	PASSED	0.299 s
3	Then user types seven chars included one lowercase char	PASSED	0.280 s
4	And user sees strength level is changed to stronger	PASSED	0.154 s

(S)- TC_05 AtLeastSevenCharsWithOneLowerCaseUpperCaseNumber

<div>PASSED</div> <div>DURATION - 1.281 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:30:57.607 PM // 3:30:58.888 PM /				
US_03 Registration Password				
@US003_TC05 @team87				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "<medunnaUrl>"	PASSED	0.380 s
2	Then user clicks on registration button and navigates to registration page	PASSED	0.303 s
3	Then user types seven chars included one lowercase and one uppercase and number	PASSED	0.470 s
4	And user sees strength level is changed to stronger	PASSED	0.127 s

(S)- TC_06 AtleastSevenCharsWithOneLowerCaseUpperCaseNumberSpecialChar



<div>PASSED</div> <div>DURATION - 1.046 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:30:58.921 PM // 3:30:59.967 PM /</div>			
<div>US_03 Registration Password</div>			
<div>@US003_TC06 @team87</div>			

#	Step / Hook Details	Status	Duration
1	Given user navigates to "<medunnaUrl>"	PASSED	0.412 s
2	Then user clicks on registration button and navigates to registration page	PASSED	0.215 s
3	Then : user types seven chars included one lowercase and one uppercase and number and special char	PASSED	0.297 s
4	And user sees strength level is changed to stronger	PASSED	0.120 s

(F)- Login page should be accessible only with valid credentials



<div>FAILED</div> <div>DURATION - 1 m 12.662 s</div>		<div>Scenarios</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div><div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>6</div></div>	<div>Steps</div> <div>Total - 47</div> <div>Pass - 30</div> <div>Fail - 3</div> <div>Skip - 14</div>	<div><div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>47</div></div>
<div>/ 3:31:00.053 PM // 3:32:12.715 PM /</div>					

(S)- User log in with correct username and password

<div>PASSED</div> <div>DURATION - 7.971 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:31:00.069 PM // 3:31:08.040 PM /</div>			
<div>Login page should be accessible only with valid credentials</div>			
<div>@SignInPage @login @team87</div>			

#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	0.361 s
2	And user clicks on account dropdown	PASSED	3.207 s
3	And user clicks on sign in button	PASSED	2.221 s
4	And user verifies that sign in page is visible	PASSED	1.097 s
5	And user enters "team87inci" username and "1Finci." password	PASSED	0.207 s
6	And user clicks on sign in page sign in button	PASSED	0.090 s
7	And close the application	PASSED	0.784 s

(S)- User log in with correct username and password



<div>FAILED</div> <div>DURATION - 0.119 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:32:12.502 PM // 3:32:12.621 PM /</div>				
<div>Login page should be accessible only with valid credentials</div>				
<div>@SignInPage @didYouForget @team87 @cancel</div>				

#	Step / Hook Details	Status	Duration
1	Given user navigates to url io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps.US04_UserLoginStepDefs at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)	FAILED	0.113 s


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141) ... 38 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.66) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-SNI330F', ip: '192.168.1.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.66, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\Hp\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:52717}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5be0a49aeeb37879dc631f69514917d5 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:60) at pages.US04_LoginPage.<init>(US04_LoginPage.java:10) at stepdefinitions.uisteps.US04_UserLogInStepDefs.<init>(US04_UserLogInStepDefs.java:13) </pre>		
2	And user clicks on account dropdown	SKIPPED	0.000 s
3	And user clicks on sign in button	SKIPPED	0.000 s
4	And user enters "team87inci" username and "1Finci." password	SKIPPED	0.000 s
5	And user verifies that cancel button is enable	SKIPPED	0.002 s
6	And user clicks cancel button	SKIPPED	0.001 s
7	And close the application	SKIPPED	0.000 s


(S)- User always logs in with existing credentials

<div>PASSED</div> <div>DURATION - 18.815 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:31:08.058 PM // 3:31:26.873 PM /				
Login page should be accessible only with valid credentials				
@SignInPage @team87 @rememberMe				

#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	8.100 s
2	And user clicks on account dropdown	PASSED	3.155 s
3	And user clicks on sign in button	PASSED	2.155 s
4	And user verifies that sign in page is visible	PASSED	1.079 s
5	And user enters "team87inci" username and "1Finci." password	PASSED	0.289 s
6	And user verifies remember me check box is clickable	PASSED	3.191 s
7	And close the application	PASSED	0.842 s

(S)- User updates password with did you forget your password option



#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	8.124 s
2	And user clicks on account dropdown	PASSED	3.171 s
3	And user clicks on sign in button	PASSED	2.190 s
4	And user verifies that sign in page is visible	PASSED	1.095 s
5	And user enters "team87inci" as username	PASSED	3.135 s
6	And user clicks on Did you forget your password text box	PASSED	0.260 s
7	And user enters "team87inci@gmail.com" address	PASSED	0.192 s
8	And user clicks Reset password button	PASSED	2.130 s
9	And user verifies Alert check your email for details on how to reset your password	PASSED	1.089 s
10	And close the application	PASSED	0.748 s

(S)- User registers with not registered yet option

#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	9.841 s
2	And user clicks on account dropdown	PASSED	3.175 s
3	And user clicks on sign in button	PASSED	2.185 s

#	Step / Hook Details	Status	Duration
4	And user verifies that sign in page is visible	PASSED	1.058 s
5	And user verifies You don't have an account yet? Register a new account is visible	PASSED	3.099 s
6	And user clicks on register new account	PASSED	3.128 s
7	And user verifies that Registration page is visible org.openqa.selenium.NoSuchElementException: Cannot locate an element using xpath=//span[normalize-space()='Register a new account'] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-SNI330F', ip: '192.168.1.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:327) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy19.isDisplayed(Unknown Source) at stepdefinitions.uisteps.US04_UserLoginStepDefs.userVerifiesThatRegistrationPageIsVisible(US04_UserLoginStepDefs.java:146) at ?.user verifies that Registration page is visible(file:///C:/Users/Hp/IdeaProjects/medunnateam87/.src/test/resources/features/UIFeatures/US04_fatma.feature:62) * Not displayable characters are replaced by '?'.	FAILED	0.745 s
8	And close the application	SKIPPED	0.002 s

(S)- User log in with wrong username and password



<div>FAILED</div> <div>DURATION - 0.032 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 3:32:12.683 PM // 3:32:12.715 PM /			
Login page should be accessible only with valid credentials			
@loginWithWrongUserNameAndPassword @SignInPage @team87			

#	Step / Hook Details	Status	Duration
1	Given user navigates to url io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps.US04_UserLoginStepDefs at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)	FAILED	0.028 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader. </pre>		

#	Step / Hook Details	Status	Duration
	<pre> java:141) ... 38 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.66) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-SNI330F', ip: '192.168.1.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.66, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\Hp\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:52717}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5be0a49aeeb37879dc631f69514917d5 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:60) at pages.US04_LoginPage.<init>(US04_LoginPage.java:10) at stepdefinitions.uisteps.US04_UserLoginStepDefs.<init>(US04_UserLoginStepDefs.java:13) </pre>		
2	And user clicks on account dropdown	SKIPPED	0.000 s
3	And user clicks on sign in button	SKIPPED	0.001 s
4	And user verifies that sign in page is visible	SKIPPED	0.000 s
5	And user enters "team87inc" username and "1Finci" password	SKIPPED	0.001 s
6	And user clicks on sign in page sign in button	SKIPPED	0.000 s
7	And Verify that Authentication information not correct is displayed	SKIPPED	0.001 s
8	And close the application	SKIPPED	0.000 s

(F)- Update an appointment by doctor

FAILED	DURATION - 0.112 s	Scenarios		Steps	
/ 3:32:12.769 PM // 3:32:12.881 PM /		Total - 2		Total - 42	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 40	

(S)- Update My Appointments by doctor



<div>FAILED</div> <div>DURATION - 0.060 s</div>			Steps	<div>Total - 20</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 19</div>	
/ 3:32:12.769 PM // 3:32:12.829 PM /					
Update an appointment by doctor					
@team87 @Positive					

#	Step / Hook Details	Status	Duration
1	<p>Given user is on the login page</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps. US11_CreateOrEditAnAppointmentByDoctorStepDefs at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)</p>	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141) ... 38 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.66) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-SNI330F', ip: '192.168.1.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.66, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\Hp\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:52717}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5be0a49aeeb37879dc631f69514917d5 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>		

#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:60) at pages.DoctorPage.<init>(DoctorPage.java:12) at stepdefinitions.uisteps.US11_CreateOrEditAnAppointmentByDoctorStepDefs. <init>(US11_CreateOrEditAnAppointmentByDoctorStepDefs.java:17)		
2	When user clicks on login dropdown icon	SKIPPED	0.000 s
3	And user clicks on sign in dropdown	SKIPPED	0.001 s
4	And user sends username "<username>"	SKIPPED	0.000 s
5	And user sends password "<password>"	SKIPPED	0.000 s
6	Then user clicks on the sign in dropdown	SKIPPED	0.000 s
7	Then user verifies the login is successful	SKIPPED	0.000 s
8	And user clicks on login dropdown icon	SKIPPED	0.007 s
9	And Doctor navigates to My Pages Dropdown	SKIPPED	0.000 s
10	And Doctor clicks on My Appointments Button	SKIPPED	0.001 s
11	And Doctor selects Appointment date from and to boxes	SKIPPED	0.001 s
12	And Doctor clicks on Edit Button	SKIPPED	0.000 s
13	Given Doctor verifies patient's info id, start and end date, status, physician are visible	SKIPPED	0.000 s
14	And Doctor should fills in required fields, anemnesis, treatment, diagnosis which as required fields	SKIPPED	0.001 s
15	And Doctor should fills in optional fields precscription and description Which as optional fields	SKIPPED	0.001 s
16	And Doctor can be select as PENDING, COMPLETED or CANCELLED at Status Dropdown	SKIPPED	0.001 s
17	And Doctor ckicks on Save Button	SKIPPED	0.000 s
18	And Doctor verifies Appointment is updated succesfully	SKIPPED	0.001 s
19	Then Doctor clicks Sign Out Button	SKIPPED	0.001 s
20	Then Doctor close the application	SKIPPED	0.000 s

(S)- Update My Appointments by doctor

<div>FAILED</div> <div>DURATION - 0.025 s</div>		<div>Steps</div> <div>Total - 22</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 21</div>	
<div>/ 3:32:12.856 PM // 3:32:12.881 PM /</div>			
<div>Update an appointment by doctor</div>			
<div>@team87 @Negative</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given user is on the login page</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps. US11_CreateOrEditAnAppointmentByDoctorStepDefs at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141) ... 38 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.66) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-SNI330F', ip: '192.168.1.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.66, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\Hp\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:52717}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5be0a49aeeb37879dc631f69514917d5 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:60) at pages.DoctorPage.<init>(DoctorPage.java:12) </pre>		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.uisteps.US11_CreateOrEditAnAppointmentByDoctorStepDefs. <init>(US11_CreateOrEditAnAppointmentByDoctorStepDefs.java:17)		
2	When user clicks on login dropdown icon	SKIPPED	0.000 s
3	And user clicks on sign in dropdown	SKIPPED	0.000 s
4	And user sends username "<username>"	SKIPPED	0.000 s
5	And user sends password "<password>"	SKIPPED	0.000 s
6	Then user clicks on the sign in dropdown	SKIPPED	0.000 s
7	Then user verifies the login is successful	SKIPPED	0.000 s
8	And user clicks on login dropdown icon	SKIPPED	0.000 s
9	And Doctor navigates to My Pages Dropdown	SKIPPED	0.001 s
10	And Doctor clicks on My Appointments Button	SKIPPED	0.000 s
11	And Doctor selects Appointment date from and to boxes	SKIPPED	0.001 s
12	And Doctor clicks on Edit Button	SKIPPED	0.001 s
13	Given Doctor leaves anamesis field blank	SKIPPED	0.000 s
14	And Doctor verifies anamesis field is required	SKIPPED	0.001 s
15	And Doctor leaves treatment field blank	SKIPPED	0.000 s
16	And Doctor verifies treatment field required	SKIPPED	0.000 s
17	And Doctor doctor leaves diagnosis field blank	SKIPPED	0.000 s
18	And Doctor verifies diagnosis field required	SKIPPED	0.001 s
19	And Doctor selects UNAPPROVED from status field	SKIPPED	0.000 s
20	And Doctor verifies UNAPPROVED can not selecteable	SKIPPED	0.000 s
21	Then Doctor clicks Sign Out Button	SKIPPED	0.000 s
22	Then Doctor close the application	SKIPPED	0.000 s