Cucumber Report

Start : Jul 22, 1:51:39.213 PM	End : Jul 22, 1:54:47.995 PM	Duration : 3 m 8.782 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 40 FAILED - 4 SKIPPED - 29

1

5

73

Pass %
0 %

Pass %
20 %

Pass %
54 %

#	Feature Name	T	P	F	S	Duration
1	US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB	5	1	4	0	3 m 8.782 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US19 Create new Staff-Update existing Staff-View and Delete the Staff-Valid *	TC0002 Admin can search new Staff among registered people using their SSN	14	14	0	0	15.067 s
2	US19 Create new Staff-Update existing Staff-View and Delete the Staff-Valid *	TC0003 All their information should be populated	19	17	1	1	36.963 s
3	US19 Create new Staff-Update existing Staff-View and Delete the Staff-Valid *	TC0004 User (Admin) can select a user from the existing users (registered people)	11	9	1	1	2 m 16.462 s
4	US19 Create new Staff-Update existing Staff-View and Delete the Staff-Valid *	TC0005 User can edit their info	17	0	1	16	0.023 s
5	US19 Create new Staff-Update existing Staff-View and Delete the Staff-Valid *	TC0006 User can delete their info	12	0	1	11	0.020 s

* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB

FAILED	DURATION - 3 m 8.782 s	Scenarios		Steps	
		Total - 5		Total - 73	
/ 1:51:39.213 PM // 1:54:47.995 PM /		Pass - 1	5	Pass - 40	73
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 29	

(S)- TC0002 Admin can search new Staff among registered people using their SSN

PASSED	DURATION - 15.067 s		Steps	
/ 1:51:39.224 PM // 1:51:54.291 PM /			Total - 14	
US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB			Pass - 14	14
			Fail - 0	
@US19			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Admin is on the login page	PASSED	10.379 s
2	When Admin clicks on login dropdown icon	PASSED	0.075 s
3	And Admin clicks on sign in dropdown	PASSED	0.115 s
4	And Admin sends username "<username>"	PASSED	0.089 s
5	And Admin sends password "<password>"	PASSED	0.106 s
6	Then Admin clicks on the sign in dropdown	PASSED	0.082 s
7	And Admin clicks Items&Titles Dropdown	PASSED	0.571 s
8	And Admin clicks StaffDropdown	PASSED	0.099 s
9	And Admin clicks Create a new staff button	PASSED	1.126 s
10	And Admin selects Use search checkbox	PASSED	0.265 s
11	And Admin fills SSN box with "358-65-3578" number	PASSED	0.324 s
12	And Admin clicks Search User button	PASSED	0.084 s
13	And Admin verifiy "user found with search SSN" message is visible	PASSED	1.057 s
14	Then Admin close the application	PASSED	0.650 s

(S)- TC0003 All their information should be populated

FAILED	*DURATION - 36.963 s*
/ 1:51:54.385 PM // 1:52:31.348 PM /	
US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB	
@US19	

Steps
Total - 19
Pass - 17
Fail - 1
Skip - 1

19

#	Step / Hook Details	Status	Duration
1	Given Admin is on the login page	PASSED	8.712 s
2	When Admin clicks on login dropdown icon	PASSED	0.090 s
3	And Admin clicks on sign in dropdown	PASSED	0.114 s
4	And Admin sends username "<username>"	PASSED	0.088 s
5	And Admin sends password "<password>"	PASSED	0.107 s
6	Then Admin clicks on the sign in dropdown	PASSED	0.079 s
7	And Admin clicks Items&Titles Dropdown	PASSED	0.482 s
8	And Admin clicks StaffDropdown	PASSED	0.095 s
9	And Admin clicks Create a new staff button	PASSED	1.120 s
10	And Admin selects Use search checkbox	PASSED	0.109 s
11	And Admin fills "111-22-1930" box	PASSED	1.330 s
12	And Admin clicks Search User button	PASSED	0.145 s
13	And Admin fills "07/10/2001" and "111-223-1930" from birthdate and phone boxes	PASSED	2.388 s
14	And Admin selects Blood Group	PASSED	0.185 s
15	And Admin fills "1232 Sandia ave. Fremont" and "This is test" boxes	PASSED	2.341 s
16	And Admin selects Country and City from dropdown boxes	PASSED	3.328 s
17	When Admin clicks Save button	PASSED	0.133 s
18	And Admin verifies to "A new Staff is created" message is visible	FAILED	16.105 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'created')]"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8AUL7KQ', ip: '192.168.1.58', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\lenovo\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:62236}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),		

#	Step / Hook Details	Status	Duration

	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8d04281b5bac374abea9ecc36f06f612 *** Element info: {Using=xpath, value=//div[contains(text(),'created')]}
	   at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	   at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at com.sun.proxy.$Proxy19.getText(Unknown Source)
	   at stepdefinitions.uisteps.US19_Create_Update_DeleteNewStaffStepDefs.admin_verifies_to_message_is_visible(US19_Create_Update_DeleteNewStaffStepDefs.java:149)
	   at ?.Admin verifies to "A new Staff is created" message is visible(file:///C:/Users/lenovo/IdeaProjects/medunnateam87/./src/test/resources/features/UIFeatures/US19_Create_Update_DeleteNewStaff.feature:61)
	* Not displayable characters are replaced by '?'.		

19	Then Admin close the application	SKIPPED	0.001 s

(S)- TC0004 User (Admin) can select a user from the existing users (registered people)

FAILED	DURATION - 2 m 16.462 s
/ 1:52:31.395 PM // 1:54:47.857 PM /	
US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB	
@US19	

Steps
Total - 11
Pass - 9
Fail - 1
Skip - 1

11

#	Step / Hook Details	Status	Duration
1	Given Admin is on the login page	PASSED	0.639 s
2	When Admin clicks on login dropdown icon	PASSED	0.083 s

| #	Step / Hook Details	Status	Duration
3	And Admin clicks on sign in dropdown	PASSED	16.047 s
4	And Admin sends username "<username>"	PASSED	1 m 20.207 s
5	And Admin sends password "<password>"	PASSED	31.431 s
6	Then Admin clicks on the sign in dropdown	PASSED	1.007 s
7	And Admin clicks Items&Titles Dropdown	PASSED	1.004 s
8	And Admin clicks StaffDropdown	PASSED	1.004 s
9	And Admin selects any user from the existing users	PASSED	5.031 s
10	And Admin verifies selected user all information is visible	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8AUL7KQ', ip: '192.168.1.58', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\lenovo\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:62236}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8d04281b5bac374abea9ecc36f06f612 *** Element info: {Using=xpath, value=(//*[text()='Staff'])[2]}
	
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	    at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at com.sun.proxy.$Proxy19.isDisplayed(Unknown Source)
	    at stepdefinitions.uisteps.US19_Create_Update_DeleteNewStaffStepDefs. admin_verifies_selected_user_all_information_is_visible(US19_Create_Update_DeleteNewStaffStepDefs.java:159)
	    at ?.Admin verifies selected user all information is visible(file:///C:/Users/lenovo/IdeaProjects/medunnateam87/./src/test/resources/features/ UIFeatures/US19_Create_Update_DeleteNewStaff.feature:78)
	* Not displayable characters are replaced by '?'.		

11	Then Admin close the application	SKIPPED	0.000 s

(S)- TC0005 User can edit their info

| FAILED	DURATION - 0.023 s
/ 1:54:47.904 PM // 1:54:47.927 PM /	
US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB	
@US19	

Steps
Total - 17
Pass - 0
Fail - 1
Skip - 16

17

#	Step / Hook Details	Status	Duration
1	Given Admin is on the login page	FAILED	0.010 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps. US19_Create_Update_DeleteNewStaffStepDefs
	  at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149)
	  at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:104)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)
	  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)
	  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141)		
	... 38 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8AUL7KQ', ip: '192.168.1.58', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\lenovo\AppData\Loc. ..}, goog:chromeOptions: {debuggerAddress: localhost:62236}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8d04281b5bac374abea9ecc36f06f612		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)		
	at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:837)		
	at utilities.Driver.getDriver(Driver.java:60)		
	at pages.US19_Create_Update_DeleteNewStaffPage.<init>(US19_Create_Update_DeleteNewStaffPage.java:12)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.uisteps.US19_Create_Update_DeleteNewStaffStepDefs.<init>(US19_Create_Update_DeleteNewStaffStepDefs.java:14)		
2	When Admin clicks on login dropdown icon	SKIPPED	0.000 s
3	And Admin clicks on sign in dropdown	SKIPPED	0.001 s
4	And Admin sends username "<username>"	SKIPPED	0.000 s
5	And Admin sends password "<password>"	SKIPPED	0.000 s
6	Then Admin clicks on the sign in dropdown	SKIPPED	0.001 s
7	And Admin clicks Items&Titles Dropdown	SKIPPED	0.000 s
8	And Admin clicks StaffDropdown	SKIPPED	0.000 s
9	And Admin clicks edit button	SKIPPED	0.000 s
10	And Admin change firstname "firstname edited" and lastname "lastname edited"	SKIPPED	0.000 s
11	And Admin fill "04/03/1968" and "123-451-6787" from birthdate and phone boxes	SKIPPED	0.000 s
12	And Admin fills bloodgroup	SKIPPED	0.001 s
13	And Admin fill "New York 1234 street" and "Next test" boxes	SKIPPED	0.000 s
14	And Admin select Country and City from dropdown boxes	SKIPPED	0.000 s
15	When Admin clicks Save button	SKIPPED	0.000 s
16	And Admin verifies that "A Staff is updated" message is visible	SKIPPED	0.000 s
17	Then Admin close the application	SKIPPED	0.001 s

(S)- TC0006 User can delete their info

FAILED	DURATION - 0.020 s
/ 1:54:47.975 PM // 1:54:47.995 PM /	
US19 Create new Staff-Update existing Staff-View and Delete the Staff-Validate with API and DB	
@US19	

Steps
Total - 12
Pass - 0
Fail - 1
Skip - 11

12

#	Step / Hook Details	Status	Duration
1	Given Admin is on the login page	FAILED	0.012 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.uisteps. US19_Create_Update_DeleteNewStaffStepDefs
	    at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader. java:149)
	    at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141) ... 38 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8AUL7KQ', ip: '192.168.1.58', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_333' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\lenovo\AppData\Loc. ..}, goog:chromeOptions: {debuggerAddress: localhost:62236}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8d04281b5bac374abea9ecc36f06f612 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:837) at utilities.Driver.getDriver(Driver.java:60) at pages.US19_Create_Update_DeleteNewStaffPage.<init>(US19_Create_Update_DeleteNewStaffPage.java:12) at stepdefinitions.uisteps.US19_Create_Update_DeleteNewStaffStepDefs.<init>(US19_Create_Update_DeleteNewStaffStepDefs.java:14)		
2	When Admin clicks on login dropdown icon	SKIPPED	0.001 s
3	And Admin clicks on sign in dropdown	SKIPPED	0.000 s
4	And Admin sends username "<username>"	SKIPPED	0.000 s
5	And Admin sends password "<password>"	SKIPPED	0.001 s
6	Then Admin clicks on the sign in dropdown	SKIPPED	0.001 s
7	And Admin clicks Items&Titles Dropdown	SKIPPED	0.000 s
8	And Admin clicks StaffDropdown	SKIPPED	0.001 s
9	And Admin clicks Delete Button at the Staff Page	SKIPPED	0.000 s
10	And Admin clicks Delete Button at he Alert Page	SKIPPED	0.001 s
11	And Admin verifies at "A Staff is deleted" message is visible	SKIPPED	0.000 s
12	Then Admin close the application	SKIPPED	0.000 s