

# Cucumber Report

14-Nov-2024 13:15:37

Start : Nov 14, 1:14:52.249 PM

End : Nov 14, 1:15:36.639 PM

Duration : 44.390 s

Features


Scenarios


Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 24  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check new consultants are correctly added</u>	2	1	1	0	44.390 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check new consultants are correctly added</u>	<u>Verify new consultant has been added to finder</u>	13	13	0	0	12.060 s
2	<u>Check new consultants are correctly added</u>	<u>Verify new consultant has been added to finder</u>	13	11	1	1	32.319 s


**(F)- Check new consultants are correctly added**

<b>FAILED</b>	<b>DURATION - 44.390 s</b>	Scenarios		Steps	
/ 1:14:52.249 PM // 1:15:36.639 PM /		Total - 2		Total - 26	
		Pass - 1		Pass - 24	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**(S)- Verify new consultant has been added to finder**


<div>PASSED</div> <div>DURATION - 12.060 s</div>		<div></div>	Steps	<div></div>
<div>/ 1:14:52.253 PM // 1:15:04.313 PM /</div>			Total - 13	
<div>Check new consultants are correctly added</div>			Pass - 13	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user navigates to finder page	PASSED	1.785 s
2	And user accept cookies	PASSED	0.001 s
3	And click search for a consultant	PASSED	0.088 s
4	And I fill the form from sheetname "Doctors" and rownumber 82	PASSED	1.417 s
5	And user click next tab	PASSED	0.066 s
6	And user click Book online	PASSED	1.795 s
7	When user click initial appt	PASSED	0.612 s
8	And user select a location	PASSED	0.580 s
9	Then weekdays header should be displayed	PASSED	0.579 s
10	And user click appointment link	PASSED	0.050 s
11	And user select follow on appt	PASSED	0.625 s
12	And user select a location	PASSED	0.589 s
13	Then weekdays header should be displayed	PASSED	0.558 s

**(S)- Verify new consultant has been added to finder**

#	Step / Hook Details	Status	Duration
1	Given user navigates to finder page	PASSED	2.193 s
2	And user accept cookies	PASSED	0.000 s
3	And click search for a consultant	PASSED	0.088 s
4	And I fill the form from sheetname "Doctors" and rownumber 103	PASSED	1.306 s
5	And user click next tab	PASSED	0.072 s
6	And user click Book online	PASSED	1.739 s
7	When user click initial appt	PASSED	0.603 s
8	And user select a location	PASSED	0.588 s
9	Then weekdays header should be displayed	PASSED	0.547 s
10	And user click appointment link	PASSED	0.032 s
11	And user select follow on appt	PASSED	0.588 s
12	And user select a location	FAILED	20.126 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@class="LocationCard_main__t29V"]' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at utilities.WaitHelper.WaitForElementToBeVisible(WaitHelper.java:23) at pages.LiveDiaryConsultantsPage.clickSelectLocationTab(LiveDiaryConsultantsPage.java:208) at stepDefinitions.LiveDiaryConsultantsSteps.user_select_a_location(LiveDiaryConsultantsSteps.java:89) at ?.user select a location(file:///C:/CMA_Discloure/src/test/resources/features/LiveDiaryConsultants.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="LocationCard_main__t29V"]"} (Session info: chrome=127.0.6533.119) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'x86', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [369026374073f76be3d2edc5c4afed52, findElement {using=xpath, value=//div[@class="LocationCard_main__t29V"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.119, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Users\yolukoya\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50716}, networkConnectionEnabled: false, pageLoadStrategy:		

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50716/devtoo..., se:cdpVersion: 127.0.6533.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 369026374073f76be3d2edc5c4afed52</p> <p>at sun.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)  at java.lang.reflect.Constructor.newInstance(Unknown Source)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)  at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)  at utilities.WaitHelper.WaitForElementToBeVisible(WaitHelper.java:23)  at pages.LiveDiaryConsultantsPage.clickSelectLocationTab(LiveDiaryConsultantsPage.java:208)  at stepDefinitions.LiveDiaryConsultantsSteps.user_select_a_location(LiveDiaryConsultantsSteps.java:89)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  at java.lang.reflect.Method.invoke(Unknown Source)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:86) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:38) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:459) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:678) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:382) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:192) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
13	Then weekdays header should be displayed	SKIPPED	0.002 s
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.204 s
	Verify new consultant has been added to finder		
			

(Step) AFTER - appHooks.  
ApplicationHooks.tearDown(io.cucumber.  
java.Scenario)

(S) Verify new consultant has been added  
to finder

(F) Check new consultants are correctly  
added



- ✓ Appointment
- 
- 2 Location
- 
- 3 Slot
- 
- 4 Your details
- 
- 5 Confirmation

Please select a location

0 No results

Can't find what you need?

 020 3993 5519

[← Back](#)

Next