PRAKTIKUM BASIS DATA

MODUL 3

Scripting_SQL_Basic

Oleh:

103122400037

Yensen Lawrenza Simangunsong

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

TP-03

(TUGAS PENDAHULUAN_MODUL_03)

SOAL.1

Worksheet | Query Builder

```
CREATE TABLE mahasiswa (
    id NUMBER PRIMARY KEY,
    nama VARCHAR2(50),
    tempat_lahir VARCHAR2(50),
    tanggal_lahir DATE,
    nomor_hp VARCHAR2(15),
    email VARCHAR2(50),
    tinggi_badan NUMBER,
    berat_badan NUMBER
);
```

Script Output | Task completed in 0.057 seconds

```
Table MAHASISWA created.
```

SOAL.2 Lakukan insert data pada table nomor 1 sebanyak 15 rows.

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.097 seconds

	ID	NAMA	TEMPAT_LAHIR	TANGGAL_LAHIR	NOMOR_HP	EMAIL	TINGGI_BADAN	BERAT_BADAN
1	1	Yensen	Jakarta	01-01-2002	081111111001	yensen@gmail.com	170	65
2	2	Keysia	Manado	02-02-2002	081111111002	keysia@gmail.com	165	55
3	3	Budi	Bandung	03-03-2001	081111111003	budi@gmail.com	172	70
4	4	Siti	Semarang	04-04-2001	081111111004	siti@gmail.com	160	50
5	5	Andi	Surabaya	05-05-2002	081111111005	andi@gmail.com	175	68
6	6	Rina	Medan	06-06-2001	081111111006	rina@gmail.com	162	52
7	7	Dika	Yogyakarta	07-07-2002	081111111007	dika@gmail.com	168	60
8	8	Lina	Makassar	08-08-2001	081111111008	lina@gmail.com	158	48
9	9	Fajar	Padang	09-09-2002	081111111009	fajar@gmail.com	173	66
10	10	Nina	Malang	10-10-2001	081111111010	nina@gmail.com	164	54
11	11	Rudi	Bogor	11-11-2002	081111111011	rudi@gmail.com	176	72
12	12	Tina	Bekasi	12-12-2001	081111111012	tina@gmail.com	159	49
13	13	Agus	Solo	13-01-2002	081111111013	agus@gmail.com	171	67
14	14	Maya	Depok	14-02-2001	081111111014	maya@gmail.com	163	53
15	15	Doni	Bali	15-03-2002	081111111015	doni@gmail.com	174	69

SOAL.3A Fungsi Karakter dan String (LOWER/UPPER, INITCAP, CONCAT, LENGTH, SUBSTR, LPAD/RPAD, LTRIM, RTRIM, INSTR, REPLACE)

1.LOWER dan UPPER

Source Code :

```
SELECT nama,
      LOWER(nama) AS nama_lower,
      UPPER(nama) AS nama_upper
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.012 seconds

	NAMA	NAMA_LOWER	NAMA_UPPER
1	Yensen	yensen	YENSEN
2	Keysia	keysia	KEYSIA
3	Budi	budi	BUDI
4	Siti	siti	SITI
5	Andi	andi	ANDI
6	Rina	rina	RINA
7	Dika	dika	DIKA
8	Lina	lina	LINA
9	Fajar	fajar	FAJAR
10	Nina	nina	NINA
11	Rudi	rudi	RUDI
12	Tina	tina	TINA
13	Agus	agus	AGUS
14	Maya	maya	MAYA
15	Doni	doni	DONI

2. INITCAP

Source Code:

```
SELECT nama,
      INITCAP(nama) AS nama_capital
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.009 seconds

	NAMA	NAMA_CAPITAL
1	Yensen	Yensen
2	Keysia	Keysia
3	Budi	Budi
4	Siti	Siti
5	Andi	Andi
6	Rina	Rina
7	Dika	Dika
8	Lina	Lina
9	Fajar	Fajar
10	Nina	Nina
11	Rudi	Rudi
12	Tina	Tina
13	Agus	Agus
14	Maya	Maya
15	Doni	Doni

3. CONCAT
Source Code : SELECT CONCAT(nama,' Mahasiswa') AS keterangan FROM mahasiswa;

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.02 seconds

	KETERANGAN
1	Yensen Mahasiswa
2	Keysia Mahasiswa
3	Budi Mahasiswa
4	Siti Mahasiswa
5	Andi Mahasiswa
6	Rina Mahasiswa
7	Dika Mahasiswa
8	Lina Mahasiswa
9	Fajar Mahasiswa
10	Nina Mahasiswa
11	Rudi Mahasiswa
12	Tina Mahasiswa
13	Agus Mahasiswa
14	Maya Mahasiswa
15	Doni Mahasiswa

4. LENGTH

Source Code:

```
SELECT nama,
    LENGTH(nama) AS panjang_nama
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.019 seconds

	NAMA	PANJANG_NAMA
1	Yensen	6
2	Keysia	6
3	Budi	4
4	Siti	4
5	Andi	4
6	Rina	4
7	Dika	4
8	Lina	4
9	Fajar	5
10	Nina	4
11	Rudi	4
12	Tina	4
13	Agus	4
14	Maya	4
15	Doni	4

5. SUBSTR

Source Code :

```
SELECT nama,
      SUBSTR(nama,1,3) AS potongan_nama
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.014 seconds

	NAMA	POTONGAN_NAMA
1	Yensen	Yen
2	Keysia	Key
3	Budi	Bud
4	Siti	Sit
5	Andi	And
6	Rina	Rin
7	Dika	Dik
8	Lina	Lin
9	Fajar	Faj
10	Nina	Nin
11	Rudi	Rud
12	Tina	Tin
13	Agus	Agu
14	Maya	May
15	Doni	Don

6. LPAD dan RPAD

Source Code:

```
SELECT
LPAD(nama,10,'*') AS lpad_nama,
RPAD(nama,10,'*') AS rpad_nama
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.025 seconds

	LPAD_NAMA	RPAD_NAMA
1	****Yensen	Yensen****
2	****Keysia	Keysia****
3	******Budi	Budi******
4	******Siti	Siti******
5	******Andi	Andi******
6	******Rina	Rina******
7	******Dika	Dika******
8	******Lina	Lina******
9	*****Fajar	Fajar*****
10	******Nina	Nina******
11	******Rudi	Rudi******
12	******Tina	Tina******
13	******Agus	Agus******
14	******Maya	Maya******
15	******Doni	Doni******

7. LTRIM dan RTRIM

Source Code :

```
SELECT
LTRIM('  '||nama) AS ltrim_nama,
RTRIM(nama||'  ') AS rtrim_nama
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.011 seconds

	LTRIM_NAMA	RTRIM_NAMA
1	Yensen	Yensen
2	Keysia	Keysia
3	Budi	Budi
4	Siti	Siti
5	Andi	Andi
6	Rina	Rina
7	Dika	Dika
8	Lina	Lina
9	Fajar	Fajar
10	Nina	Nina
11	Rudi	Rudi
12	Tina	Tina
13	Agus	Agus
14	Maya	Maya
15	Doni	Doni

8. INSTR

Source Code:

```
SELECT nama,
INSTR(nama,'a') AS posisi_huruf
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.015 seconds

	NAMA	POSISI_HURUF
1	Yensen	0
2	Keysia	6
3	Budi	0
4	Siti	0
5	Andi	0
6	Rina	4
7	Dika	4
8	Lina	4
9	Fajar	2
10	Nina	4
11	Rudi	0
12	Tina	4
13	Agus	0
14	Maya	2
15	Doni	0

9. REPLACE

Source Code :

```
SELECT email,
REPLACE(email,'gmail','yahoo') AS email_baru
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.047 seconds

	EMAIL	EMAIL_BARU
1	yensen@gmail.com	yensen@yahoo.com
2	keysia@gmail.com	keysia@yahoo.com
3	budi@gmail.com	budi@yahoo.com
4	siti@gmail.com	siti@yahoo.com
5	andi@gmail.com	andi@yahoo.com
6	rina@gmail.com	rina@yahoo.com
7	dika@gmail.com	dika@yahoo.com
8	lina@gmail.com	lina@yahoo.com
9	fajar@gmail.com	fajar@yahoo.com
10	nina@gmail.com	nina@yahoo.com
11	rudi@gmail.com	rudi@yahoo.com
12	tina@gmail.com	tina@yahoo.com
13	agus@gmail.com	agus@yahoo.com
14	maya@gmail.com	maya@yahoo.com
15	doni@gmail.com	doni@yahoo.com

SOAL.3B Fungsi Tanggal dan Waktu (MM/MON/MONTH, DD/DY, YYYY/YY/RR, AM (or PM)/HH/HH24, MI/SS, ADD_MONTHS(d,n), SYSDATE, LAST_DAY(d), NEXT_DAY(d,day_name), MONTHS_BETWEEN(d1,d2),

1.Format (MM / MON / MONTH)

Source Code :

```
SELECT
TO_CHAR(tanggal_lahir,'MM') AS bulan_angka,
TO_CHAR(tanggal_lahir,'MON') AS bulan_singkat,
TO_CHAR(tanggal_lahir,'MONTH') AS bulan_lengkap
FROM mahasiswa;
```

Script Output × Query Result ×

SQL | All Rows Fetched: 15 in 0.013 seconds

	BULAN_ANGKA	BULAN_SINGKAT	BULAN_LENGKAP
1	01	JAN	JANUARY
2	02	FEB	FEBRUARY
3	03	MAR	MARCH
4	04	APR	APRIL
5	05	MAY	MAY
6	06	JUN	JUNE
7	07	JUL	JULY
8	08	AUG	AUGUST
9	09	SEP	SEPTEMBER
10	10	OCT	OCTOBER
11	11	NOV	NOVEMBER
12	12	DEC	DECEMBER
13	01	JAN	JANUARY
14	02	FEB	FEBRUARY
15	03	MAR	MARCH

2. Format (DD / DY)

Source Code :

```
SELECT
nama,
TO_CHAR(tanggal_lahir,'DD') AS tanggal,
TO_CHAR(tanggal_lahir,'DY') AS hari_singkat
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.004 seconds

	TANGGAL	HARI_SINGKAT
1	01	TUE
2	02	SAT
3	03	SAT
4	04	WED
5	05	SUN
6	06	WED
7	07	SUN
8	08	WED
9	09	MON
10	10	WED
11	11	MON
12	12	WED
13	13	SUN
14	14	WED
15	15	FRI

3. Format (YYYY / YY / RR)

Source Code :

```
SELECT
nama,
TO_CHAR(tanggal_lahir,'YYYY') AS tahun_lengkap,
TO_CHAR(tanggal_lahir,'YY') AS tahun_pendek,
TO_CHAR(tanggal_lahir,'RR') AS format_rr
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.017 seconds

	NAMA	TAHUN_LENGKAP	TAHUN_PENDEK	FORMAT_RR
1	Yensen	2002	02	02
2	Keysia	2002	02	02
3	Budi	2001	01	01
4	Siti	2001	01	01
5	Andi	2002	02	02
6	Rina	2001	01	01
7	Dika	2002	02	02
8	Lina	2001	01	01
9	Fajar	2002	02	02
10	Nina	2001	01	01
11	Rudi	2002	02	02
12	Tina	2001	01	01
13	Agus	2002	02	02
14	Maya	2001	01	01
15	Doni	2002	02	02

4. Format Jam (AM/PM, HH, HH24, MI, SS)

Source Code :

```
SELECT
TO_CHAR(SYSDATE,'HH') AS jam_12,
TO_CHAR(SYSDATE,'HH24') AS jam_24,
TO_CHAR(SYSDATE,'MI') AS menit,
TO_CHAR(SYSDATE,'SS') AS detik,
TO_CHAR(SYSDATE,'AM') AS am_pm
FROM dual;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 1 in 0.015 seconds

	JAM_12	JAM_24	MENIT	DETIK	AM_PM
1	04	16	25	59	PM

5. SYSDATE

Source Code :

```
SELECT SYSDATE FROM dual;
```

Script Output | Query Result

SQL | All Rows Fetched: 1 in 0.008 seconds

	SYSDATE
1	14-03-2026

6. ADD_MONTHS(d,n)

Source Code :

```
SELECT
nama,
tanggal_lahir,
ADD_MONTHS(tanggal_lahir,6) AS tambah_6_bulan
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.013 seconds

	NAMA	TANGGAL_LAHIR	TAMBAH_6_BULAN
1	Yensen	01-01-2002	01-07-2002
2	Keysia	02-02-2002	02-08-2002
3	Budi	03-03-2001	03-09-2001
4	Siti	04-04-2001	04-10-2001
5	Andi	05-05-2002	05-11-2002
6	Rina	06-06-2001	06-12-2001
7	Dika	07-07-2002	07-01-2003
8	Lina	08-08-2001	08-02-2002
9	Fajar	09-09-2002	09-03-2003
10	Nina	10-10-2001	10-04-2002
11	Rudi	11-11-2002	11-05-2003
12	Tina	12-12-2001	12-06-2002
13	Agus	13-01-2002	13-07-2002
14	Maya	14-02-2001	14-08-2001
15	Doni	15-03-2002	15-09-2002

7. LAST_DAY(d)

Source Code :

```
SELECT
nama,
tanggal_lahir,
LAST_DAY(tanggal_lahir) AS akhir_bulan
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.011 seconds

	NAMA	TANGGAL_LAHIR	AKHIR_BULAN
1	Yensen	01-01-2002	31-01-2002
2	Keysia	02-02-2002	28-02-2002
3	Budi	03-03-2001	31-03-2001
4	Siti	04-04-2001	30-04-2001
5	Andi	05-05-2002	31-05-2002
6	Rina	06-06-2001	30-06-2001
7	Dika	07-07-2002	31-07-2002
8	Lina	08-08-2001	31-08-2001
9	Fajar	09-09-2002	30-09-2002
10	Nina	10-10-2001	31-10-2001
11	Rudi	11-11-2002	30-11-2002
12	Tina	12-12-2001	31-12-2001
13	Agus	13-01-2002	31-01-2002
14	Maya	14-02-2001	28-02-2001
15	Doni	15-03-2002	31-03-2002

8. NEXT_DAY(d,day_name)

Source Code :

```
SELECT
nama,
tanggal_lahir,
NEXT_DAY(tanggal_lahir,'MONDAY') AS senin_berikutnya
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.022 seconds

	NAMA	TANGGAL_LAHIR	SENIN_BERIKUTNYA
1	Yensen	01-01-2002	07-01-2002
2	Keysia	02-02-2002	04-02-2002
3	Budi	03-03-2001	05-03-2001
4	Siti	04-04-2001	09-04-2001
5	Andi	05-05-2002	06-05-2002
6	Rina	06-06-2001	11-06-2001
7	Dika	07-07-2002	08-07-2002
8	Lina	08-08-2001	13-08-2001
9	Fajar	09-09-2002	16-09-2002
10	Nina	10-10-2001	15-10-2001
11	Rudi	11-11-2002	18-11-2002
12	Tina	12-12-2001	17-12-2001
13	Agus	13-01-2002	14-01-2002
14	Maya	14-02-2001	19-02-2001
15	Doni	15-03-2002	18-03-2002

9.MONTHS_BETWEEN(d1,d2)

Source Code :

```
SELECT
nama,
tanggal_lahir,
MONTHS_BETWEEN(SYSDATE,tanggal_lahir) AS selisih_bulan
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.008 seconds

	NAMA	TANGGAL_LAHIR	SELISIH_BULAN
1	Yensen	01-01-2002	290
2	Keysia	02-02-2002	289
3	Budi	03-03-2001	300
4	Siti	04-04-2001	299
5	Andi	05-05-2002	286
6	Rina	06-06-2001	297
7	Dika	07-07-2002	284
8	Lina	08-08-2001	295
9	Fajar	09-09-2002	282
10	Nina	10-10-2001	293
11	Rudi	11-11-2002	280
12	Tina	12-12-2001	291
13	Agus	13-01-2002	290
14	Maya	14-02-2001	301
15	Doni	15-03-2002	288

10.ROUND (d,MONTH)

Source Code :

```
SELECT
nama,
ROUND(tanggal_lahir,'MONTH') AS pembulatan_bulan
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.008 seconds

	NAMA	PEMBULATAN_BULAN
1	Yensen	01-01-2002
2	Keysia	01-02-2002
3	Budi	01-03-2001
4	Siti	01-04-2001
5	Andi	01-05-2002
6	Rina	01-06-2001
7	Dika	01-07-2002
8	Lina	01-08-2001
9	Fajar	01-09-2002
10	Nina	01-10-2001
11	Rudi	01-11-2002
12	Tina	01-12-2001
13	Agus	01-01-2002
14	Maya	01-02-2001
15	Doni	01-03-2002

11.ROUND(d,YEAR)

Source Code :

```
SELECT
nama,
ROUND(tanggal_lahir,'YEAR') AS pembulatan_tahun
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.005 seconds

	NAMA	PEMBULATAN_TAHUN
1	Yensen	01-01-2002
2	Keysia	01-01-2002
3	Budi	01-01-2001
4	Siti	01-01-2001
5	Andi	01-01-2002
6	Rina	01-01-2001
7	Dika	01-01-2003
8	Lina	01-01-2002
9	Fajar	01-01-2003
10	Nina	01-01-2002
11	Rudi	01-01-2003
12	Tina	01-01-2002
13	Agus	01-01-2002
14	Maya	01-01-2001
15	Doni	01-01-2002

SOAL.3C Fungsi Konversi (TO_NUMBER (char), TO_CHAR (date), TO_CHAR (number), TO_DATE (char))

1.TO_NUMBER (char)

Source Code :

```
SELECT
TO_NUMBER('12345') AS hasil_konversi
FROM dual;
```

Script Output | Query Result

SQL | All Rows Fetched: 1 in 0.013 seconds

	HASIL_KONVERSI
1	12345

2. TO_CHAR (date)

Source Code :

```
SELECT
nama,
tanggal_lahir,
TO_CHAR(tanggal_lahir,'DD-MON-YYYY') AS tanggal_format
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.013 seconds

	NAMA	TANGGAL_LAHIR	TANGGAL_FORMAT
1	Yensen	01-01-2002	01-JAN-2002
2	Keysia	02-02-2002	02-FEB-2002
3	Budi	03-03-2001	03-MAR-2001
4	Siti	04-04-2001	04-APR-2001
5	Andi	05-05-2002	05-MAY-2002
6	Rina	06-06-2001	06-JUN-2001
7	Dika	07-07-2002	07-JUL-2002
8	Lina	08-08-2001	08-AUG-2001
9	Fajar	09-09-2002	09-SEP-2002
10	Nina	10-10-2001	10-OCT-2001
11	Rudi	11-11-2002	11-NOV-2002
12	Tina	12-12-2001	12-DEC-2001
13	Agus	13-01-2002	13-JAN-2002
14	Maya	14-02-2001	14-FEB-2001
15	Doni	15-03-2002	15-MAR-2002

3. TO_CHAR (number)

Source Code :

```
SELECT
nama,
tinggi_badan,
TO_CHAR(tinggi_badan) AS tinggi_text
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.011 seconds

	NAMA	TINGGI_BADAN	TINGGI_TEXT
1	Yensen	170	170
2	Keysia	165	165
3	Budi	172	172
4	Siti	160	160
5	Andi	175	175
6	Rina	162	162
7	Dika	168	168
8	Lina	158	158
9	Fajar	173	173
10	Nina	164	164
11	Rudi	176	176
12	Tina	159	159
13	Agus	171	171
14	Maya	163	163
15	Doni	174	174

4. TO_DATE (char)
Source Code : SELECT nama, TO_CHAR(tanggal_lahir,'DAY, DD MONTH YYYY') AS tanggal_lahir_format FROM mahasiswa;

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.026 seconds

	NAMA	TANGGAL_LAHIR_FORMAT
1	Yensen	TUESDAY , 01 JANUARY 2002
2	Keysia	SATURDAY , 02 FEBRUARY 2002
3	Budi	SATURDAY , 03 MARCH 2001
4	Siti	WEDNESDAY, 04 APRIL 2001
5	Andi	SUNDAY , 05 MAY 2002
6	Rina	WEDNESDAY, 06 JUNE 2001
7	Dika	SUNDAY , 07 JULY 2002
8	Lina	WEDNESDAY, 08 AUGUST 2001
9	Fajar	MONDAY , 09 SEPTEMBER 2002
10	Nina	WEDNESDAY, 10 OCTOBER 2001
11	Rudi	MONDAY , 11 NOVEMBER 2002
12	Tina	WEDNESDAY, 12 DECEMBER 2001
13	Agus	SUNDAY , 13 JANUARY 2002
14	Maya	WEDNESDAY, 14 FEBRUARY 2001
15	Doni	FRIDAY , 15 MARCH 2002

SOAL.3D Fungsi Numerik (ABS(n), MOD (m,n), FLOOR (n), POWER (m,n), ROUND (n[,m]), CEIL (n))

1. ABS(n)
Sourco Code : SELECT nama, berat_badan, ABS(berat_badan) AS nilai_absolut FROM mahasiswa;

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.025 seconds

	NAMA	BERAT_BADAN	NILAI_ABSOLUT
1	Yensen	65	65
2	Keysia	55	55
3	Budi	70	70
4	Siti	50	50
5	Andi	68	68
6	Rina	52	52
7	Dika	60	60
8	Lina	48	48
9	Fajar	66	66
10	Nina	54	54
11	Rudi	72	72
12	Tina	49	49
13	Agus	67	67
14	Maya	53	53
15	Doni	69	69

2. MOD(m,n)

Source Code :

```
SELECT
nama,
tinggi_badan,
MOD(tinggi_badan,10) AS sisa_pembagian
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.019 seconds

	NAMA	TINGGI_BADAN	SISA_PEMBAGIAN
1	Yensen	170	0
2	Keysia	165	5
3	Budi	172	2
4	Siti	160	0
5	Andi	175	5
6	Rina	162	2
7	Dika	168	8
8	Lina	158	8
9	Fajar	173	3
10	Nina	164	4
11	Rudi	176	6
12	Tina	159	9
13	Agus	171	1
14	Maya	163	3
15	Doni	174	4

3. FLOOR(n)

Source Code :

```
SELECT
nama,
tinggi_badan,
FLOOR(tinggi_badan/10) AS pembulatan_bawah
FROM mahasiswa;
```

Script Output x | Query Result x

SQL | All Rows Fetched: 15 in 0.013 seconds

	NAMA	TINGGI_BADAN	PEMBULATAN_BAWAH
1	Yensen	170	17
2	Keysia	165	16
3	Budi	172	17
4	Siti	160	16
5	Andi	175	17
6	Rina	162	16
7	Dika	168	16
8	Lina	158	15
9	Fajar	173	17
10	Nina	164	16
11	Rudi	176	17
12	Tina	159	15
13	Agus	171	17
14	Maya	163	16
15	Doni	174	17

4. POWER(m,n)

Source Code :

```
SELECT
nama,
tinggi_badan,
POWER(tinggi_badan,2) AS tinggi_pangkat
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.008 seconds

	NAMA	TINGGI_BADAN	TINGGI_PANGKAT
1	Yensen	170	28900
2	Keysia	165	27225
3	Budi	172	29584
4	Siti	160	25600
5	Andi	175	30625
6	Rina	162	26244
7	Dika	168	28224
8	Lina	158	24964
9	Fajar	173	29929
10	Nina	164	26896
11	Rudi	176	30976
12	Tina	159	25281
13	Agus	171	29241
14	Maya	163	26569
15	Doni	174	30276

5. ROUND(n,m)

Source Code :

```
SELECT
nama,
berat_badan,
ROUND(berat_badan/3,2) AS hasil_pembulatan
FROM mahasiswa;
```

Script Output | Query Result

SQL | All Rows Fetched: 15 in 0.01 seconds

	NAMA	BERAT_BADAN	HASIL_PEMBULATAN
1	Yensen	65	21,67
2	Keysia	55	18,33
3	Budi	70	23,33
4	Siti	50	16,67
5	Andi	68	22,67
6	Rina	52	17,33
7	Dika	60	20
8	Lina	48	16
9	Fajar	66	22
10	Nina	54	18
11	Rudi	72	24
12	Tina	49	16,33
13	Agus	67	22,33
14	Maya	53	17,67
15	Doni	69	23