

RITM2195089-DPS-Unified Customer Master NA

Document Signatures (User Requirements)

Role	Name	Signature	Date
Business Data Product Owner	Nikhil Mugve	DocuSigned by:   Signer Name: Nikhil Mugve Signing Reason: I approve this document Signing Time: 24-Aug-2023 6:34:37 AM PDT F576759EEDC84AD082DE67E0867CD320	24-Aug-2023

Document Signatures (Functional Design)

Role	Name	Signature	Date
Architecture Committee	Don Peacock	DocuSigned by:   Signer Name: Don Peacock Signing Reason: I approve this document Signing Time: 24-Aug-2023 7:09:26 AM PDT	24-Aug-2023
TGS Functional Lead	Kartik Ravi	DocuSigned by:   Signer Name: Kartik Ravi Signing Reason: I approve this document Signing Time: 24-Aug-2023 7:22:00 AM PDT	24-Aug-2023
TGS Development Lead	Anindya Bose	DocuSigned by:   Signer Name: anindya bose Signing Reason: I approve this document Signing Time: 24-Aug-2023 7:59:54 AM PDT	24-Aug-2023
TGS AMO Lead	Bobby Velagapudi	DocuSigned by:   Signer Name: Bobby Velagapudi Signing Reason: I approve this document Signing Time: 24-Aug-2023 6:27:38 AM PDT 1FCEF5AA473546459084D80D324E9C35	24-Aug-2023

Document Revision History

Revision	Author	Reason for Revision
01	Kartik Ravi	

Table of Contents

1.0 Purpose

The purpose of this DPS document is to describe the information that is necessary to visualize company's growth and profitability from our Sales Teams perspective that sell BD products to our true end customers.

This document will provide business analytics group and development team a complete understanding of the requirements for the Commercial Operations Unified Customer Master Data Model, how it works, and what will be available to consume for downstream reporting applications.

2.0 Scope

2.1 In scope for this document is:

- The Scope represents the Unified Customer Master Model requirements for the NA Region Commercial Operations full implementation using Azure Databricks platform.
- Scope includes business criteria and expectations as an outcome of the full implementation.

2.2 Out of scope for this document is:

- System Design and Build Requirements
- Detailed technical mapping, design specifications, and approach.

3.0 Definitions / Acronyms

The table below describes acronyms used in this document.

Term / Abbreviation	Definition
Azure Databricks	Azure Databricks(ADB) is a unified, open analytics platform for building, deploying, sharing, and maintaining enterprise-grade data, analytics, and AI solutions at scale
HANA / BW4HANA	SAP version - High Performance Analytical Appliance An in-memory, column-oriented, relational database management system
Calculation View(s)	A calculation view is a flexible information view that one can use to define more advanced slices on the data available in the SAP HANA database
KPI	Key Performance Indicators
SLT	SLT is the ETL (Extract, Transform, Load) tool which allows us to load and replicate data in real-time or schedule data from SAP source system or Non-SAP System into SAP HANA Database
SDI	Smart Data Integration
ADF	Azure Data factory
SLA	Service Level Agreement
Dashboard	A data dashboard is a tool business use to help track, analyze, and display data, usually to gain deeper insight into the organization

ERP	Enterprise resource planning (ERP) manages and integrates business processes through a single system
Upstream Applications	Source systems, SAP, JDE, etc.
Downstream Applications	Visualization tools, Power BI, etc.
PBI	Power BI
PBI App	A Power BI app typically contains multiple reports, with each report containing multiple pages or dashboards. Apps are published for consumption in Power BI Service.
PBI Report	A Power BI report represents a logical grouping of pages or dashboards containing multiple visualizations in tabular or chart form
QS	Qlik Sense
BI	Business Intelligence
CCO	Commercial & Customer Operations

4.0 References

SIAM Project Managed docs.

- APP00011880 Azure DataBricks PRD Global
- APP00008364 - MS PowerBI PRD Global (General)
- DOC0019340 SAP_BW4Hana_RAA_001 (Revision 3)
- DOC0023304 APPLICATION_MIGRATION_TO_HANA_RIA001_GBL (Revision 4)
- DMND0119894, PRJ0256660: 1008218 Migration of Reporting and Data Tools to HANA

Plan view ID: 1008218

File	Modified
 Drag and drop to upload or browse for files 	

5.0 Roles and Responsibilities

Refer to Section 5.0 in [System Development Life Cycle - TGS Led Analytics](#)

- 5.1 Author - Compiles input from core team and authors the URS document in accordance BD IT policies and procedures.
- 5.2 Business Owner - Approves the URS Document to ensure the end users' needs have been captured.
- 5.3 Business Partner - Approves the URS to ensure the URS is in alignment with IT guiding principles and provides input to the URS to incorporate the end user needs into the document.

- 5.4 Techno Functional Lead – Provides expertise on functional area as well as oversees technical solution to meet application standards
- 5.5 BD Solution Delivery Architect – Owns the overall technical solution from BD and responsible for approving the design as well as ensuring the application meets BD standards
- 5.6 Solution Build Team – Development team responsible for the execution of the data model
- 5.7 QA / Validation Approver – Needs to ensure URS was created in accordance with BD GIT specific policies and procedures.

6.0 Assumptions, Dependencies and Constraints

6.1 Assumptions

- Canonical model will be for North America Region (US & Canada)
- System connection/configuration and supporting environments are available as per project timeline for development to start
- Development resources will be onboarded on time to meet project timelines
- Ability to view and validate data agnostic of end state applications/tools.
- Solution needs to integrate and cooperate with the new Fixed Capacity Enhancement team (Bit by Bit team)
- New Fixed Capacity Enhancement team is responsible to build the visuals/dashboard
- Governance for AMO and SLA for bug-fix/production implementation following current architecture until data mesh process is standardized.

6.2 Dependencies

- Data ingestion from source systems is completed and source system tables/supporting data is replicated into the Azure data bricks landscape.
- Various Azure data bricks tools like clusters, notebooks, logical system connections with other BD systems like SAP, BW4HANA and external systems like Salesforce will need to be made available to choose from, at different stages of build.

6.3 Constraints

6.3.1 Timelines and Milestones

Timeline will be defined as a part of Jira Product backlog prioritization by Data product owner.

6.3.2 Compatibility

Azure Databricks and upstream applications will need to be compatible.

6.3.3 Availability

User Acceptance Testing – Users will need to be identified and committed according to Data Product timeline.

Business SLA for dashboard refresh is (Need time) to support this requirement data needs to be available earlier as captured in requirements.

6.3.4 Maintenance

Maintenance will follow the production support model.

6.3.5 Scope lock

Once Scope locked/ Design defined, the enhancements completed in parallel with project can NOT change Design/Solution

7.0 User Requirements

7.1 Data Product Requirements

Req. ID#	Requirement Description
7.1.1	Unified Customer Master fields available for consumption will include: · Keys - o ERP Customer Key - o JDE Survivor Key - o Logical Survivor Key - o Survivor Customer Key · Columns - o Account Group - o Account Group ID - o Account Group with ID - o Alternate Site Division - o Alternate Site IDN - o BioScience Group - o Central Billing Block - o Central Delivery Block - o Central Order Block - o Created On Date - o CRO Group - o Customer Classification - o Customer Classification ID - o Customer Classification with ID - o Date Added - o DH Hospital ID - o Distributor Division - o Distributor Group - o Distributor Parent - o Distributor Type - o Division ID - o EAN Address - o EAN Address2 - o EAN Backfill Flag

- o EAN City
- o EAN Class of Trade
- o EAN Country
- o EAN Hierarchy Level
- o EAN Latitude
- o EAN Longitude
- o EAN Network
- o EAN Network Parent
- o EAN Network Parent Backfill Flag
- o EAN Network Parent with #
- o EAN Network Parent#
- o EAN Network with #
- o EAN Network#
- o EAN Postal Code
- o EAN Source ID
- o EAN Source System
- o EAN State
- o Enterprise Account Name
- o Enterprise Account Name with #
- o Enterprise Account Number
- o ERP 5 Digit Zip
- o ERP Active Flag
- o ERP Address
- o ERP Address2
- o ERP Address3
- o ERP Address4
- o ERP City
- o ERP Class of Trade Level1
- o ERP Class of Trade Level1 with ID
- o ERP Class of Trade Level2
- o ERP Class of Trade Level2 with ID
- o ERP COT Acute Rollup Level1
- o ERP COT Acute Rollup Level2
- o ERP Country
- o ERP Customer
- o ERP Customer Function

- o ERP Customer Name2
- o ERP Customer Name3
- o ERP Customer Name4
- o ERP Customer#
- o ERP Fax Number
- o ERP In Reltio
- o ERP Merged Category
- o ERP Merged Category ID
- o ERP Phone Number
- o ERP PO Box
- o ERP PO Box City
- o ERP PO Box Postal Code
- o ERP Postal Code
- o ERP Search Term
- o ERP Source Class of Trade ID
- o ERP Source System
- o ERP Source System ID
- o ERP State
- o ERP Transportation Zone
- o ERP URL
- o Everest Customer Group1
- o Everest Customer Group1 ID
- o Everest Customer Group1 with ID
- o Everest Customer Group2
- o Everest Customer Group2 ID
- o Everest Customer Group2 with ID
- o Everest Customer Group3
- o Everest Customer Group3 ID
- o Everest Customer Group3 with ID
- o Everest Customer Group5
- o Everest Customer Group5 ID
- o Everest Customer Group5 with ID
- o Everest Nielsen ID
- o Government Division ID
- o Government Flag
- o Government IDN

- o Government IDN Co
- o Government IDN Division
- o Government IDN Parent
- o Government Parent
- o Government Strategic ID
- o JDE Customer Type
- o JDE Customer Type ID
- o JDE Customer Type with ID
- o JDE Survivor Source ID
- o JDE Survivor#
- o Lab Group
- o Logical Survivor Source ID
- o Logical Survivor#
- o Membership Added Date
- o Membership Deleted Date
- o Membership Priority
- o Membership SubGroup
- o Membership Type
- o Reltio ERP#
- o Strategic Division
- o Strategic Grouping
- o Strategic ID
- o Strategic IDN
- o Strategic IDN Parent
- o Strategic Parent
- o Survivor Address
- o Survivor Address2
- o Survivor Backfill Flag
- o Survivor City
- o Survivor Class of Trade Level1
- o Survivor Class of Trade Level1 with ID
- o Survivor Class of Trade Level2
- o Survivor Class of Trade Level2 with ID
- o Survivor COT Acute Rollup Level1
- o Survivor COT Acute Rollup Level2
- o Survivor Country

7.2 Source System

- o Survivor Customer
- o Survivor Customer#
- o Survivor Function
- o Survivor Latitude
- o Survivor Longitude
- o Survivor Merged Category
- o Survivor Merged Category ID
- o Survivor Merged Category Type
- o Survivor Postal Code
- o Survivor Source System
- o Survivor State
- o Tahiti Account Type
- o Tahiti Account Type ID
- o Tahiti Account Type with ID
- o Tahiti DUNS#
- o Tahiti GPO Hospital ID
- o Tahiti GPO IDN
- o Tahiti Industry
- o Tahiti Industry Code
- o Tahiti Industry with ID
- o Tahiti Sales Orgs

Req. ID#	Requirement Description
7.2.1	EVEREST ECC
7.2.2	TAHITI
7.2.3	BARD

7.3 Security Groups (Access)

Req. ID#	Requirement Description

7.4 Visualization Layer

Req. ID#	Requirement Description

8.0 Functional Design

A summarized list of all functional requirements is given in the table below. This list is followed by each requirement in detail.

Req. ID#	Functional Requirement/Description
8.1.1	1. Develop a SQL solution to build customer master from various source systems mentioned above 2. Develop a SQL solution to build unified customer master from above silos of customer master 3. The specs for the unified customer master is in this link bdx_unified_customer_master_na (2).xlsx 4. The HQL files for unified customer master is in the link HQL - Unified Customer Master

8.1 Data Product Requirements

8.1.1 Transformation & Business Logic:

8.2 Data Latency

The data latency requirements are given in the table below.

Source System	Data Posted into Source System By	Data Should be available in PBI Dashboards by*

8.3 Data Ingestion

Req. ID#	Requirement Description
8.3.1	All data ingested via Attunity should be CDC.
8.3.2	All data where CDC is not an option should be scheduled as per daily frequency.

8.4 Security (Definition)

Req. ID#	Requirement Description

8.5 Regulatory

Req. ID#	Requirement Description

9.0 Architecture Committee

9.1 Infrastructure

Req. ID#	Requirement Description
9.1.1	Data Product Build follows Theia Datamesh architecture and

principles.

10.0 AMO Support

Req. ID#	Requirement Description	AMO Support
10.1	Jobs need to be monitored daily.	☒ Standard ☐ Additional
10.2	Reported issues need to resolve in timely basis.	☒ Standard ☐ Additional

11.0 Mapping Specs

File	Modified
No files shared here yet.  Drag and drop to upload or browse for files 	

12.0 Appendix

END OF DOCUMENT