Nanotechnology

Physics

Earth

Astronomy & Space

Technology

Chemistry

Riology

Other Sciences

All Nanotechnology

Bio & Medicine

Nanomaterials

Nanophysics



Super-light graphene and ceramic metamaterial possesses high ...



Harnessingthe properties of a remarkable 2-D material



Scientists show growing atom-thin sheets on cones allows control ...




Scientists creating an atomic 'Lego set' of 2-D wonder materials




Assembling nanomachines in bacteria



New solid lubricant shown to reduce friction and wear on steel ...





Muscle cells from a patient with myotonic dystrophy type I, untreated (left) and treated with the RNA-targeting Cas9 system (right). The MBNL1 protein is in green, repetitive RNA in red and the cell's nucleus in blue. MBNL1 is an important ... more

Until recently, the CRISPR-Cas9 gene editing technique could only be used to manipulate DNA. In a **2016 study**, University of California San Diego School of Medicine researchers repurposed the technique to track RNA in live cells in a method called RNA-targeting Cas9 (RCas9). In a new study, published August 10 in *Cell*, the team takes RCas9 a step further: they use the technique to correct molecular mistakes that lead to microsatellite repeat expansion diseases, which include myotonic dystrophy types 1 and 2, the most common form of hereditary ALS, and Huntington's disease.

"This is exciting because we're not only targeting the root cause of diseases for which there are no current therapies to delay progression, but we've reengineered the CRISPR-Cas9 system in a way that's feasible to deliver it to specific tissues via a viral vector," said senior author Gene Yeo, PhD, professor of cellular and molecular medicine at UC San Diego School of Medicine.

While DNA is like the architect's blueprint for a cell, RNA is the engineer's interpretation of the blueprint. In the central dogma of life, genes encoded in DNA in the nucleus are transcribed into RNA and RNAs carry the message out into the cytoplasm, where they are translated to make proteins.

Microsatellite repeat expansion diseases arise because there are errant repeats in RNA sequences that are toxic to the cell, in part because they prevent production of crucial proteins. These repetitive RNAs accumulate in the nucleus or cytoplasm of cells, forming dense knots, called foci.

In this proof-of-concept study, Yeo's team used RCas9 to eliminate the problem-causing RNAs associated with microsatellite repeat expansion diseases in patient-derived cells and cellular models of the diseases in the



Patagotitan mayorum: New study describes the biggest dinosaur ever Aug 09, 2017 1



Four Earth-sized planets detected orbiting the nearest sun-like star Aug 09, 2017 14



First data transmission through terahertz multiplexer reported 21 hours ago 1



Researchers discover first winged mammals from the Jurassic period Aug 09, 2017 1



Asteroid to shave past Earth on Oct 12: ESA (Update) 15 hours ago 8

more »





Relevant PhysicsForums posts

How do O2 molecules from solution get into ATP? 5 hours ago

What causes a person to develop emotional maturity? 5 hours ago

laboratory.

Normally, CRISPR-Cas9 works like this: researchers design a "guide" RNA to match the sequence of a specific target gene. The RNA directs the Cas9 enzyme to the desired spot in the genome, where it cuts DNA. The cell repairs the DNA break imprecisely, thus inactivating the gene, or researchers replace the section adjacent to the cut with a corrected version of the gene. RCas9 works similarly but the guide RNA directs Cas9 to an RNA molecule instead of DNA.

The researchers tested the new RCas9 system on microsatellite repeat expansion disease RNAs in the laboratory. RCas9 eliminated 95 percent or more of the RNA foci linked to myotonic dystrophy type 1 and type 2, one type of ALS and Huntington's disease. The approach also eliminated 95 percent of the aberrant repeat RNAs in myotonic dystrophy patient cells cultured in the laboratory.

Another measure of success centered on MBNL1, a protein that normally binds RNA, but is sequestered away from hundreds of its natural RNA targets by the RNA foci in myotonic dystrophy type 1. When the researchers applied RCas9, they reversed 93 percent of these dysfunctional RNA targets in patient muscle cells, and the cells ultimately resembled healthy control cells.

While this study provides the initial evidence that the approach works in the laboratory, there is a long way to go before RCas9 could be tested in patients, Yeo explained.

One bottleneck is efficient delivery of RCas9 to patient cells. Non-infectious adeno-associated viruses are commonly used in gene therapy, but they are too small to hold Cas9 to target DNA. Yeo's team made a smaller version of Cas9 by deleting regions of the protein that were necessary for DNA cleavage, but dispensable for binding RNA.

"The main thing we don't know yet is whether or not the viral vectors that deliver RCas9 to <u>cells</u> would illicit an immune response," he said. "Before this could be tested in humans, we would need to test it in animal models, determine potential toxicities and evaluate long-term exposure."

To do this, Yeo and colleagues launched a spin-out company called Locana to handle the preclinical steps required for moving RCas9 from the lab to the clinic for RNA-based diseases, such as those that arise from microsatellite repeat expansions.

"We are really excited about this work because we not only defined a new potential therapeutic mechanism for CRISPR-Cas9, we demonstrated how it could be used to treat an entire class of conditions for which there are no successful treatment options," said David Nelles, PhD, co-first author of the study with Ranjan Batra, PhD, both postdoctoral researchers in Yeo's lab.

"There are more than 20 genetic diseases caused by microsatellite expansions in different places in the genome," Batra said. "Our ability to program the RCas9 system to target different repeats, combined with low risk of off-target effects, is its major strength."

Explore further: For first time, scientists use CRISPR-Cas9 to target RNA in live cells

More information: Cell (2017). DOI: 10.1016/j.cell.2017.07.010

What does statistically significant mean?

First Human Embryos Edited in U.S. Aug 09 2017

Genetics double recombination counted twice in terms of RF
 Aug 08, 2017

Ohio State Cellular Regeneration Research Aug 07, 2017

More from Biology and Medical


Journal reference: Cell

240 shares

Provided by: University of California - San Diego

feedback to editors





Related Stories





For first time, scientists use CRISPR-Cas9 to target RNA in live cells

The genetic code stored in DNA determines everything from the color of our eyes to our susceptibility to disease. This has motivated scientists to sequence the human genome

and develop ways to alter the genetic code, but ...



Researchers use CRISPR to manipulate social behavior in ants August 10, 2017

The gene-editing technology called CRISPR has revolutionized the way that the function of genes is studied. So far, CRISPR has been widely used to precisely modify

single-celled organisms and, more importantly, specific types

PDF

Print



Anti-CRISPR proteins decrease offtarget side effects of CRISPR-Cas9

CRISPR-Cas9 gene editing is based on a tactic bacteria developed to protect themselves from viruses.



Origins of DNA folding suggested in archaea August 10, 2017

In the cells of palm trees, humans, and some single-celled microorganisms, DNA gets bent the same way. Now, by studying the 3-D structure of proteins bound to DNA in microbes called Archaea, University of Colorado Boulder ...

RCas9: A programmable RNA editing

User comments

Please sign in to add a comment. Registration is free, and takes less than a minute. Read more

email	
password	
Sign in	

Click here to reset your password.

Sign in to get notified via email when new comments are made.

Top Help Phys.org Account Feature Stories iPhone iPad Apps FAQ Sponsored Account Home Latest news Android App Medical Xpress About Newsletter Week's top Amazon Kindle RSS feeds Search Contact Archive Mobile version

inacian DNA linkad to busin function

© Phys.org 2003 - 2017, Science X network

Connect