






pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
Statistics
Dependencies
Dependents
Processes
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
airline_id,
UPPER(airline_name) AS airline_name_upper
FROM airline;
Data Output
Messages
Notifications
Showing rows: 1 to 50
Page No: 1 of 1
airline_id [PK] integer
airline_name_upper text
1 1 IPC
2 2 PDN
3 3 KLE
4 4 KHS
5 5 YLQ
Total rows: 50
Query complete 00:00:00.113
CRLF
Ln 4, Col 14



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
airline_id,
airline_name,
airline_country,
created_at
FROM airline
WHERE airline_country IN ('France', 'Portugal', 'Poland')
AND created_at BETWEEN '2023-11-01' AND '2024-03-31';
Data Output
Messages
Notifications
Showing rows: 1 to 7
Page No: 1 of 1
airline_id [PK] integer
airline_name character varying (50)
airline_country character varying (50)
created_at date
1 4 KHS France 2023-11-18
2 13 IFH Portugal 2024-01-09
3 15 KKO Poland 2023-12-24
4 24 RIG Portugal 2024-03-11
5 28 JOG Poland 2023-11-03
Successfully run. Total query runtime: 115 msec. 7 rows affected.
Total rows: 7
Query complete 00:00:00.115
CRLF
Ln 8, Col 56



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
SELECT
baggage_id,
booking_id,
weight_in_kg
FROM baggage
WHERE weight_in_kg > 25
ORDER BY weight_in_kg DESC
LIMIT 3;
Scratch Pad
Data Output
Messages
Notifications
Showing rows: 1 to 3
Page No: 1 of 1
baggage_id [PK] integer
booking_id integer
weight_in_kg numeric (4,2)
1 121 349 49.80
2 61 464 49.57
3 102 33 49.44
Total rows: 3
Query complete 00:00:00.077
CRLF
Ln 8, Col 9



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
Statistics
Dependencies
Dependents
Processes
Untitled*
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
first_name,
last_name,
date_of_birth
FROM passengers
WHERE date_of_birth = (SELECT MAX(date_of_birth) FROM passengers);
Data Output
Messages
Notifications
Showing rows: 1 to 1
Page No: 1 of 1
first_name character varying (50)
last_name character varying (50)
date_of_birth date
1 Remie Michal 2009-11-03
Total rows: 1
Query complete 00:00:00.083
CRLF
Ln 6, Col 67



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
Statistics
Dependencies
Dependents
Processes
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
booking_platform,
MIN(price) AS cheapest_price
FROM booking
GROUP BY booking_platform;
Data Output
Messages
Notifications
Showing rows: 1 to 494
Page No: 1 of 1
booking_platform character varying (50)
cheapest_price numeric
1 Schmitt-Quigley 4966.58
2 Rohan, Hamill and Bosco 7118.84
3 Kutch-Russel 2113.46
4 Veum-Corwin 2183.14
5 Wolff, Wuckert and Satterfield 4911.89
Total rows: 494
Query complete 00:00:00.116
CRLF
Ln 5, Col 27



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
SELECT *
FROM baggage_check
WHERE DATE_TRUNC('month', baggage_check.update_at) = DATE_TRUNC('month', created_at)
AND baggage_check.update_at < created_at;
Scratch Pad
Data Output
Messages
Notifications
Showing rows: 1 to 18
Page No: 1 of 1
baggage_check_id [PK] integer
check_result character varying (50)
created_at date
update_at date
booking_id integer
passenger_id integer
1 34 Checked 2023-04-25 2023-04-08 28 57
2 86 Checked 2023-12-25 2023-12-07 312 22
3 104 Checked 2024-03-17 2024-03-14 41 83
4 109 Not checked 2023-08-30 2023-08-09 469 91
5 119 Not checked 2023-12-02 2023-12-01 135 55
Successfully run. Total query runtime: 102 msec. 18 rows affected.
Total rows: 18
Query complete 00:00:00.102
CRLF
Ln 4, Col 30



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
Statistics
Dependencies
Dependents
Processes
Untitled*
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
1 SELECT
2 flight_id,
3 scheduled_arrival
4 actual_arrival
5 FROM flights
6 WHERE actual_arrival > scheduled_arrival;
Scratch Pad
Data Output
Messages
Notifications
Showing rows: 1 to 509
Page No: 1 of 1
flight_id [PK] integer
actual_arrival date
1 1 2023-09-08
2 2 2023-09-17
3 4 2023-09-16
4 8 2023-04-08
5 9 2023-09-19
Total rows: 509
Query complete 00:00:00.122
CRLF
Ln 6, Col 42



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
airline_id,
airline_name,
created_at
FROM airline
ORDER BY created_at DESC
LIMIT 5;
Data Output
Messages
Notifications
Showing rows: 1 to 5
Page No: 1 of 1
airline_id [PK] integer
airline_name character varying (50)
created_at date
1 9 NQX 2024-03-15
2 40 CII 2024-03-15
3 22 HOZ 2024-03-13
4 24 RIG 2024-03-11
5 45 BUO 2024-02-18
Successfully run. Total query runtime: 105 msec. 5 rows affected.
Total rows: 5
Query complete 00:00:00.105
CRLF
Ln 7, Col 9



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
first_name,
last_name,
TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS birth_date_formatted
FROM passengers;
Data Output
Messages
Notifications
Showing rows: 1 to 200
Page No: 1 of 1
first_name character varying (50)
last_name character varying (50)
birth_date_formatted text
1 Hilde Innis January 03, 2000
2 Arvy Sparshott June 09, 1974
3 Reinald Pococke June 07, 1982
4 Con Borrel October 17, 1986
5 Wayne Bangs April 22, 1996
Total rows: 200
Query complete 00:00:00.084
CRLF
Ln 5, Col 17



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
baggage_check
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
1 SELECT *
2 FROM baggage_check
3 WHERE booking_id BETWEEN 200 AND 300
4 AND check_result <> 'Checked';
Scratch Pad
Data Output
Messages
Notifications
Showing rows: 1 to 56
Page No: 1 of 1
baggage_check_id [PK] integer
check_result character varying (50)
created_at date
update_at date
booking_id integer
passenger_id integer
1 7 Not checked 2023-05-04 2023-04-29 226 44
2 12 Not checked 2023-10-02 2023-06-22 288 133
3 22 Not checked 2023-06-14 2023-11-10 246 101
4 23 Not checked 2023-05-29 2023-06-02 284 22
5 24 Not checked 2024-02-17 2023-10-03 267 68
Total rows: 56
Query complete 00:00:00.080
CRLF
Ln 4, Col 33


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
1 SELECT
2 flight_id,
3 airline_id
4 FROM flights
5 WHERE airline_id IN (1, 2)
6 ORDER BY airline_id;
Scratch Pad
Data Output
Messages
Notifications
Showing rows: 1 to 46
Page No: 1 of 1
flight_id [PK] integer
airline_id integer
1 497 1
2 33 1
3 36 1
4 73 1
5 78 1
Total rows: 46
Query complete 00:00:00.095
CRLF
Ln 3, Col 15


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
SQL
Statistics
Dependencies
Dependents
Processes
Untitled*
postgres/postgres...
postgres/postgres@PostgreSQL 17*
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
airport_id,
airport_name,
city,
country
FROM airport
WHERE airport_name ILIKE '%Regional%'
AND airport_name ILIKE '%Air%';
Data Output
Messages
Notifications
airport_id
[PK] integer
airport_name
character varying (50)
city
character varying (50)
country
character varying (50)
Successfully run. Total query runtime: 96 msec. 0 rows affected.
Total rows: 0
Query complete 00:00:00.096
CRLF
Ln 8, Col 34


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
flight_id,
scheduled_arrival,
actual_arrival,
actual_arrival - scheduled_arrival AS delay_duration
FROM flights
WHERE actual_arrival > scheduled_arrival
ORDER BY delay_duration DESC;
Data Output
Messages
Notifications
Showing rows: 1 to 509
Page No: 1
of 1
flight_id [PK] integer
scheduled_arrival date
actual_arrival date
delay_duration interval
1 50 2023-04-07 2024-03-17 345
2 324 2023-04-01 2024-03-07 341
3 282 2023-04-04 2024-03-02 333
4 730 2023-04-08 2024-03-05 332
5 491 2023-04-19 2024-03-14 330
Successfully run. Total query runtime: 130 msec. 509 rows affected.
Total rows: 509
Query complete 00:00:00.130
CRLF
Ln 7, Col 41


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
Scratch Pad
SELECT
airline_id,
airline_name,
REPLACE(airline_name, 'Air', 'Aero') AS airline_name_replaced
FROM airline;
Data Output
Messages
Notifications
Showing rows: 1 to 50
Page No: 1 of 1
airline_id [PK] integer
airline_name character varying (50)
airline_name_replaced text
1 1 IPC IPC
2 2 PDN PDN
3 3 KLE KLE
4 4 KHS KHS
5 5 YLQ YLQ
Total rows: 50
Query complete 00:00:00.128
Successfully run. Total
CRLF
Ln 5, Col 14


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
airline_info
Columns (7)
airline_id integer
airline_code character varying(
airline_name character varying(
airline_country character varyin
created_at timestamp without t
updated_at timestamp without
info character varying(50)
Constraints
Indexes
RLS Policies
Rules
Triggers
airport
baggage
postgres/postgres@PostgreSQL 17
No limit
Query
Query History
SELECT
airline_id,
airline_code,
airline_name
FROM airline
WHERE airline_code ~ '[0-9]';
Scratch Pad
Data Output
Messages
Notifications
Showing rows: 1 to 1
Page No: 1 of 1
airline_id [PK] integer
airline_code character varying (50)
airline_name character varying (50)
1 22 2AK6 HGZ
Successfully run. Total query runtime: 129 msec. 1 rows affected.
Total rows: 1
Query complete 00:00:00.129
CRLF
Ln 6, Col 30