

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas (2)
 - lab2_nf
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x Untitled* x postgres/postgres@PostgreSQL 17* x Untitled* x Untitled* x

postgres/postgres@PostgreSQL 17


No limit

Query Query History

```
1 CREATE TABLE airline_info (  
2     airline_id INT NOT NULL PRIMARY KEY,  
3     airline_code VARCHAR(30) NOT NULL,  
4     airline_name VARCHAR(50) NOT NULL,  
5     airline_country VARCHAR(50) NOT NULL,  
6     created_at TIMESTAMP NOT NULL,  
7     updated_at TIMESTAMP NOT NULL,  
8     info VARCHAR(50) NOT NULL  
9 );  
10  
11 CREATE TABLE airport (  
12     airport_id INT NOT NULL PRIMARY KEY,  
13     airport_name VARCHAR(50) NOT NULL,  
14     country VARCHAR(50) NOT NULL,  
15     state VARCHAR(50) NOT NULL,  
16     city VARCHAR(50) NOT NULL,  
17     created_at TIMESTAMP NOT NULL,  
18     updated_at TIMESTAMP NOT NULL  
19 );  
20  
21 CREATE TABLE baggage_check (  
22     baggage_check_id INT NOT NULL PRIMARY KEY,  
23     check_result VARCHAR(50) NOT NULL,  
24     created_at TIMESTAMP NOT NULL,  
25     updated_at TIMESTAMP NOT NULL,  
26     booking_id INT NOT NULL,  
27     passenger_id INT NOT NULL  
28 );  
29  
30 CREATE TABLE baggage (  
31     baggage_id INT NOT NULL PRIMARY KEY,  
32     weight_in_kg DECIMAL(4,2) NOT NULL,  
33     created_at TIMESTAMP NOT NULL,  
34     updated_at TIMESTAMP NOT NULL,  
35     booking_id INT NOT NULL  
36 );  
37  
38 CREATE TABLE boarding_pass (  
39     boarding_pass_id INT NOT NULL PRIMARY KEY,  
40     booking_id INT NOT NULL,  
41     seat VARCHAR(50) NOT NULL,  
42     boarding_time TIMESTAMP NOT NULL,  
43 );
```

Total rows: Query complete 00:00:00.057

CRLF Ln 90, Col 47



postgres/postgres@PostgreSQL 17

No limit

Query Query History

```
38 CREATE TABLE boarding_pass (  
39     boarding_pass_id INT NOT NULL PRIMARY KEY,  
40     booking_id       INT NOT NULL,  
41     seat             VARCHAR(50) NOT NULL,  
42     boarding_time    TIMESTAMP NOT NULL,  
43     created_at       TIMESTAMP NOT NULL,  
44     updated_at       TIMESTAMP NOT NULL  
45 );  
46  
47 CREATE TABLE booking_flight (  
48     booking_flight_id INT NOT NULL PRIMARY KEY,  
49     booking_id        INT NOT NULL,  
50     flight_id         INT NOT NULL,  
51     created_at       TIMESTAMP NOT NULL,  
52     updated_at       TIMESTAMP NOT NULL  
53 );  
54  
55 CREATE TABLE booking (  
56     booking_id      INT NOT NULL PRIMARY KEY,  
57     flight_id       INT NOT NULL,  
58     passenger_id    INT NOT NULL,  
59     booking_platform VARCHAR(50) NOT NULL,  
60     created_at      TIMESTAMP NOT NULL,  
61     updated_at      TIMESTAMP NOT NULL,  
62     status          VARCHAR(50) NOT NULL,  
63     price           DECIMAL(7,2) NOT NULL  
64 );  
65  
66 CREATE TABLE flights (  
67     flight_id      INT NOT NULL PRIMARY KEY,  
68     sch_departure_time TIMESTAMP NOT NULL,  
69     sch_arrival_time  TIMESTAMP NOT NULL,  
70     departing_airport_id INT NOT NULL,  
71     arriving_airport_id INT NOT NULL,  
72     departing_gate    VARCHAR(50) NOT NULL,  
73     arriving_gate     VARCHAR(50) NOT NULL,  
74     airline_id       INT NOT NULL,  
75     act_departure_time TIMESTAMP NOT NULL,  
76     act_arrival_time  TIMESTAMP NOT NULL,  
77     created_at       TIMESTAMP NOT NULL,  
78     updated_at       TIMESTAMP NOT NULL  
79 );
```

Total rows: Query complete 00:00:00.057

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas (2)
 - lab2_nf
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - Trigger Functions
 - Types
 - Views
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline_info
 - Columns
 - Constraints (1)

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x Untitled* x postgres/postgres@PostgreSQL 17* x Untitled* x Untitled* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History

```
63 price DECIMAL(7,2) NOT NULL
64 );
65
66 CREATE TABLE flights (
67     flight_id INT NOT NULL PRIMARY KEY,
68     sch_departure_time TIMESTAMP NOT NULL,
69     sch_arrival_time TIMESTAMP NOT NULL,
70     departing_airport_id INT NOT NULL,
71     arriving_airport_id INT NOT NULL,
72     departing_gate VARCHAR(50) NOT NULL,
73     arriving_gate VARCHAR(50) NOT NULL,
74     airline_id INT NOT NULL,
75     act_departure_time TIMESTAMP NOT NULL,
76     act_arrival_time TIMESTAMP NOT NULL,
77     created_at TIMESTAMP NOT NULL,
78     updated_at TIMESTAMP NOT NULL
79 );
80
81 CREATE TABLE passengers (
82     passenger_id INT NOT NULL PRIMARY KEY,
83     first_name VARCHAR(50) NOT NULL,
84     last_name VARCHAR(50) NOT NULL,
85     date_of_birth DATE NOT NULL,
86     gender VARCHAR(50) NOT NULL,
87     country_of_citizenship VARCHAR(50) NOT NULL,
88     country_of_residence VARCHAR(50) NOT NULL,
89     passport_number VARCHAR(20) NOT NULL,
90     created_at TIMESTAMP NOT NULL,
91     updated_at TIMESTAMP NOT NULL
92 );
93
94 CREATE TABLE security_check (
95     security_check_id INT NOT NULL PRIMARY KEY,
96     check_result VARCHAR(20) NOT NULL,
97     created_at TIMESTAMP NOT NULL,
98     updated_at TIMESTAMP NOT NULL,
99     passenger_id INT NOT NULL
100 );
101
102
103
104
```

Total rows: Query complete 00:00:00.057

CRLF Ln 21, Col 29

Object Explorer

- lab2_ni
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables
 - Trigger Functions

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x Untitled* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History

Scratch Pad x

1 SELECT * FROM booking_passenger;

Data Output Messages Notifications

Showing rows: 1 to 6

Page No: 1 of 1

	booking_id [PK] integer	passport_number [FK] character varying (20)	seat_number character varying (5)
1	1001	N1234567	12A
2	1001	N7654321	12B
3	1002	P2345678	14C
4	1003	X9876543	8F
5	1004	E5566778	21A
6	1005	N1234567	3A

Total rows: 6 Query complete 00:00:00.149

CRLF Ln 1, Col 34

Object Explorer

- labZ_ni
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)**
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables
 - Trigger Functions

Dashboard × Properties × SQL × Statistics × Dependencies × Dependents × Processes × postgres/postgres@PostgreSQL 17* × Untitled* ×

postgres/postgres@PostgreSQL 17

No limit

Query Query History

1 SELECT * FROM airline;

Scratch Pad ×

Data Output Messages Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	airline_id [PK] integer	airline_name character varying (50)
1	1	Air Astana
2	2	Turkish Airlines
3	3	Lufthansa

Total rows: 3 Query complete 00:00:00.101

✓ Successfully run. Total query runtime: 101 msec. 3 rows affected

CRLF Ln 1, Col 22

Object Explorer

- labZ_nrl
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables
 - Trigger Functions

Dashboard × Properties × SQL × Statistics × Dependencies × Dependents × Processes × postgres/postgres@PostgreSQL 17* × Untitled* ×

postgres/postgres@PostgreSQL 17

No limit

Query Query History

1 SELECT * FROM airport;

Scratch Pad ×

Data Output Messages Notifications

Showing rows: 1 to 4

Page No:

1

of 1

	airport_id [PK] integer	airport_name character varying (80)	city character varying (50)
1	1	Almaty International Airport	Almaty
2	2	Nursultan Nazarbayev International Airp...	Astana
3	3	Istanbul Airport	Istanbul
4	4	Frankfurt Airport	Frankfurt

Total rows: 4 Query complete 00:00:00.112

✓ Successfully run. Total query runtime: 112 msec. 4 rows affected. ✕

CRLF Ln 1, Col 22

Object Explorer

- lab2_nr
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables
 - Trigger Functions

Dashboard × Properties × SQL × Statistics × Dependencies × Dependents × Processes × postgres/postgres@PostgreSQL 17* × Untitled* ×

postgres/postgres@PostgreSQL 17

No limit

Query Query History

Scratch Pad ×

1 SELECT * FROM booking;

Data Output Messages Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	booking_id [PK] integer	flight_number character varying (10)	ticket_price numeric (9,2)
1	1001	KC101	90000.00
2	1002	KC101	45000.00
3	1003	TK351	210000.00
4	1004	LH632	320000.00
5	1005	KC102	38000.00

Total rows: 5 Query complete 00:00:00.092

CRLF Ln 1, Col 22

Object Explorer

- lab2_nrl
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables
 - Trigger Functions

Dashboard × Properties × SQL × Statistics × Dependencies × Dependents × Processes × postgres/postgres@PostgreSQL 17* × Untitled* ×

postgres/postgres@PostgreSQL 17

No limit

Query Query History

Scratch Pad ×

1 SELECT * FROM flight;

Data Output Messages Notifications

Showing rows: 1 to 5

Page No:

1

of 1

	booking_id [PK] integer	flight_number character varying (10)	ticket_price numeric (9,2)
1	1001	KC101	90000.00
2	1002	KC101	45000.00
3	1003	TK351	210000.00
4	1004	LH632	320000.00
5	1005	KC102	38000.00

Total rows: 5 Query complete 00:00:00.092

CRLF

Ln 1, Col 21

Object Explorer

- labZ_nrl
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)**
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables**
 - Trigger Functions

Dashboard × Properties × SQL × Statistics × Dependencies × Dependents × Processes × postgres/postgres@PostgreSQL 17* × Untitled* ×

postgres/postgres@PostgreSQL 17

No limit

Query Query History

Scratch Pad ×

1 SELECT * FROM passenger;

Data Output Messages Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	passport_number [PK] character varying (20)	first_name character varying (50)	last_name character varying (50)
1	N1234567	Aida	Nurlan
2	N7654321	Timur	Nurlan
3	P2345678	Sara	Kim
4	X9876543	John	Smith
5	E5566778	Maria	Lopez

Total rows: 5 Query complete 00:00:00.081

CRLF Ln 1, Col 26

Object Explorer

- Servers (1)
 - PostgreSQL 17
 - Databases (1)
 - postgres
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (2)
 - lab2_nf
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
 - public
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x Untitled* x

postgres/postgres@PostgreSQL 17

No limit

Query

Query History

Scratch Pad x

```
1 CREATE SCHEMA lab2_nf;
2 SET search_path TO lab2_nf;
3
4 CREATE TABLE airline (
5     airline_id INT PRIMARY KEY,
6     airline_name VARCHAR(50) NOT NULL
7 );
8
9 CREATE TABLE airport (
10    airport_id INT PRIMARY KEY,
11    airport_name VARCHAR(80) NOT NULL,
12    city VARCHAR(50) NOT NULL
13 );
14
15 CREATE TABLE flight (
16    flight_number VARCHAR(10) PRIMARY KEY,
17    departing_airport_id INT NOT NULL REFERENCES airport(airport_id),
18    arriving_airport_id INT NOT NULL REFERENCES airport(airport_id),
19    airline_id INT NOT NULL REFERENCES airline(airline_id)
20 );
```

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 46 msec.

Total rows: Query complete 00:00:00.046

CRLF Ln 41, Col 1

Object Explorer

- Servers (1)
 - PostgreSQL 17
 - Databases (1)
 - postgres
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (2)
 - lab2_nf
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - airline
 - airport
 - booking
 - booking_passenger
 - flight
 - passenger
 - Trigger Functions
 - Types
 - Views
 - public
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

Dashboard × Properties × SQL × Statistics × Dependencies × Dependents × Processes × postgres/postgres@PostgreSQL 17* × Untitled* ×

postgres/postgres@PostgreSQL 17

No limit

Query Query History

Scratch Pad ×

```
1
2
3  INSERT INTO airline VALUES
4    (1,'Air Astana'), (2,'Turkish Airlines'), (3,'Lufthansa');
5
6  INSERT INTO airport VALUES
7    (1,'Almaty International Airport','Almaty'),
8    (2,'Nursultan Nazarbayev International Airport','Astana'),
9    (3,'Istanbul Airport','Istanbul'),
10   (4,'Frankfurt Airport','Frankfurt');
11
12  INSERT INTO flight VALUES
13    ('KC101',1,2,1), ('KC102',2,1,1), ('TK351',3,1,2), ('LH632',4,1,3);
14
15  INSERT INTO passenger VALUES
16    ('N1234567','Aida','Nurlan'),
17    ('N7654321','Timur','Nurlan'),
18    ('P2345678','Sara','Kim'),
19    ('X9876543','John','Smith'),
20    ('E5566778','Maria','Lopez');
```

Data Output Messages Notifications

INSERT 0 6

Query returned successfully in 53 msec.

Total rows: Query complete 00:00:00.053

CRLF Ln 37, Col 1

public
airline_info
airline_id integer
airline_code character varying(30)
airline_name character varying(50)
airline_country character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
info character varying(50)

public
airport
airport_id integer
airport_name character varying(50)
country character varying(50)
state character varying(50)
city character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone

public
baggage
baggage_id integer
weight_in_kg numeric(4,2)
created_at timestamp without time zone
updated_at timestamp without time zone
booking_id integer

public
baggage_check
baggage_check_id integer
check_result character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
booking_id integer
passenger_id integer

public
boarding_pass
boarding_pass_id integer
booking_id integer
seat character varying(50)
boarding_time timestamp without time zone
created_at timestamp without time zone
updated_at timestamp without time zone

public
booking
booking_id integer
flight_id integer
passenger_id integer
booking_platform character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
status character varying(50)
price numeric(7,2)

public
booking_flight
booking_flight_id integer
booking_id integer
flight_id integer
created_at timestamp without time zone
updated_at timestamp without time zone

public
flights
flight_id integer
sch_departure_time timestamp without time zone
sch_arrival_time timestamp without time zone
departing_airport_id integer
arriving_airport_id integer
departing_gate character varying(50)
arriving_gate character varying(50)
airline_id integer
act_departure_time timestamp without time zone
act_arrival_time timestamp without time zone
created_at timestamp without time zone
updated_at timestamp without time zone

public
passengers
passenger_id integer
first_name character varying(50)
last_name character varying(50)
date_of_birth date
gender character varying(50)
country_of_citizenship character varying(50)
country_of_residence character varying(50)
passport_number character varying(20)
created_at timestamp without time zone
updated_at timestamp without time zone

public
security_check
security_check_id integer
check_result character varying(20)
created_at timestamp without time zone
updated_at timestamp without time zone
passenger_id integer