

C01 | How much recovery improves over the stored pool




CASF core · 94 ligands · recovery cutoff 0.75 Å

C02 | Additional recoveries and lost recoveries




CASF core · 94 ligands · recovery cutoff 0.75 Å

C03 | Which ligands are recovered by which methods?




CASF core · 94 ligands · recovery cutoff 0.75 Å

C04 | Pairwise complementarity between generators




CASF core · 94 ligands · recovery cutoff 0.75 Å


C05 | Best available conformers versus typical conformers





CASF core · 94 ligands · recovery cutoff 0.75 Å

C06 | Per-ligand geometric agreement in selected comparisons











CASF core · 94 ligands · recovery cutoff 0.75 Å

C07 | Where the core cohort has statistical support




CASF core · 94 ligands · recovery cutoff 0.75 Å

C08 | Different summaries of geometric diversity




CASF core · 94 ligands · recovery cutoff 0.75 Å


C09 | Physical validity and bound-conformer recovery



CASF core · 94 ligands · recovery cutoff 0.75 Å


C10 | Classical raw and minimized pool comparisons






CASF core · 94 ligands · recovery cutoff 0.75 Å


C11 | Coverage and precision for every drug molecule






Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C12 | Coverage and concentration define different preferences




Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C13 | Similar mean recall can hide opposing molecule-level outcomes




Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C14 | Chemical validity varies strongly across molecules and methods




Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C15 | Continuous matching distances complement coverage




Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C16 | The experimental reference collection is unevenly sampled




Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C17 | How uncertain are differences from LoQI?



Exploratory drug set · 22 molecules · supplied pools without common PB filtering

C18 | Illustrative failures differ across constraints



Exploratory drug set · 22 molecules · supplied pools without common PB filtering