



Started on Wednesday, 16 October 2024, 6:44 AM

State Finished

Completed on Wednesday, 16 October 2024, 6:46 AM

Time taken 2 mins 52 secs

Marks 7.00/8.00

Grade 8.75 out of 10.00 (87.5%)

Question 1

Correct

Mark 1.00 out of 1.00

Which SQL JOIN type returns all rows from both tables and fills in NULL values for unmatched rows?

- ☐ a. INNER JOIN
- ☐ b. LEFT JOIN
- ☐ c. RIGHT JOIN
- ☒ d. FULL JOIN ✓

Question 2

Correct

Mark 1.00 out of 1.00

Which SQL clause is used to filter rows returned by a SELECT query?

- ☒ a. WHERE ✓
- ☐ b. HAVING
- ☐ c. RESTRICT
- ☐ d. LIMIT

Question 3

Correct

Mark 1.00 out of 1.00

ROWS() is used to retrieve the number of rows returned by a _____ query.

- ☐ a. JOIN
- ☐ b. GET
- ☒ c. SELECT ✓
- ☐ d. EXTRACT

Your answer is correct.

Question 4

Correct

Mark 1.00 out of 1.00

What keyword is used in SQL to retrieve data from a database table?

- ☐ a. GET
- ☐ b. RETRIEVE
- ☒ c. SELECT ✓
- ☐ d. EXTRACT

Question 5

Correct

Mark 1.00 out of 1.00

Which SQL operator is used to combine the results of two or more SELECT statements into a single result set?

- ☐ a. AND
- ☐ b. OR
- ☒ c. UNION ✓
- ☐ d. JOIN

Question 6

Correct

Mark 1.00 out of 1.00

What is the primary purpose of SQL joins in a database query?

- ☐ a. To filter data
- ☐ b. To sort the results
- ☒ c. To combine rows from two or more tables based on related columns ✓
- ☐ d. To update records

Question 7

Incorrect

Mark 0.00 out of 1.00

What is a sub-query in SQL?

- ☐ a. A query that retrieves all rows from a table
- ☐ b. A query that is embedded within another query
- ☐ c. A query that joins multiple tables
- ☒ d. A query that performs aggregation functions ✗

Question 8

Correct

Mark 1.00 out of 1.00



In a LEFT JOIN, which table has all its rows included in the result set?

- ☒ a. The first table specified in the query ✓
- ☐ b. The second table specified in the query
- ☐ c. Both tables' rows are included
- ☐ d. Neither table's rows are included