

# COVID19 One-Time Assessments: Round 1

In an effort to be able to use the daily survey data to more effectively understand the impact of COVID19 on factors related to mental health and well-being, we will be releasing a short series of additional assessments. This will provide us with further information to better understand risk and protective factors, which will help us manage future waves of this pandemic, as well as future pandemics.

In Round 1 of these one-time assessments, we will be asking questions that will help us understand your typical sleep behavior both now and before the pandemic, your typical emotion regulation strategies, your personality traits, and your recent experience with stress and anxiety.

In addition to this first battery of assessments, we plan to release two more assessments in the next month (a total of 3), as well as a follow up survey at a later time in the future, such as this fall or winter. All of the assessments are optional and you can opt out of receiving notification or reminders about them at any time by emailing [cunninaj@bc.edu](mailto:cunninaj@bc.edu).

As compensation, for each of the 3 assessments that you complete this month, you will receive raffle entries into a NEW raffle for one of 30 \$50 Amazon Gift cards. This raffle will be separate from the one we will be doing for the daily survey, so 40 Amazon Gift cards will be raffled off total.

As always, your health and safety are our number one priority. If diagnosed with COVID-19, we hope and encourage you to seek the treatment and care that you need and recover quickly. Any information that you provide us moving forward will be useful in understanding the effects of COVID-19 and the culture of living through a pandemic, but please do not let keeping up with these surveys interfere with your care in any way.

---

Subject ID:

---

---

Click 'Now'

---

---

Please read the instructions at the top of each page carefully, as they may be asking you to reflect on different periods of time (e.g. the last month, the last two weeks, etc.)

**The following questions relate to your usual sleep habits during the PAST MONTH only. Your answers should indicate the most accurate reply for the majority of days and nights in the PAST MONTH.**

**For questions asking about time, please use military time. For assistance, you may open the attachment or copy and paste this link into a new tab: <https://bit.ly/2HG8yuk>**

During the past month, what time have you usually gone to bed at night?

\_\_\_\_\_  
(Bed time)

During the past month, how long (in minutes) has it usually taken you to fall asleep each night?

\_\_\_\_\_  
(Number of minutes)

During the past month, what time have you usually gotten up in the morning?

\_\_\_\_\_  
(Getting up time)

During the past month, how many hours of ACTUAL SLEEP did you get at night? (This may be different than the number of hours you spent in bed.)

\_\_\_\_\_  
(Hours of sleep per night)

For each of the remaining questions, check the one best response. During the past month, how often have you had trouble sleeping because you . . .

Cannot get to sleep within 30 minutes

- ☐ Not during the past month  
☐ Less than once a week  
☐ Once or twice a week  
☐ Three or more times a week

Wake up in the middle of the night or early morning

- ☐ Not during the past month  
☐ Less than once a week  
☐ Once or twice a week  
☐ Three or more times a week

Have to get up to use the bathroom

- ☐ Not during the past month  
☐ Less than once a week  
☐ Once or twice a week  
☐ Three or more times a week

Cannot breathe comfortably

- ☐ Not during the past month  
☐ Less than once a week  
☐ Once or twice a week  
☐ Three or more times a week

Cough or snore loudly

- ☐ Not during the past month  
☐ Less than once a week  
☐ Once or twice a week  
☐ Three or more times a week

Feel too cold

- ☐ Not during the past month  
☐ Less than once a week  
☐ Once or twice a week  
☐ Three or more times a week

---

Feel too hot	<input type="radio"/> Not during the past month <input type="radio"/> Less than once a week <input type="radio"/> Once or twice a week <input type="radio"/> Three or more times a week
--------------	--

---

Had bad dreams	<input type="radio"/> Not during the past month <input type="radio"/> Less than once a week <input type="radio"/> Once or twice a week <input type="radio"/> Three or more times a week
----------------	--

---

Had pain	<input type="radio"/> Not during the past month <input type="radio"/> Less than once a week <input type="radio"/> Once or twice a week <input type="radio"/> Three or more times a week
----------	--

---

Other reason(s), please describe below	<input type="radio"/> Not during the past month <input type="radio"/> Less than once a week <input type="radio"/> Once or twice a week <input type="radio"/> Three or more times a week
--	--

---

If other, please describe:

---

---

During the past month, how would you rate your sleep quality overall?	<input type="radio"/> Very good <input type="radio"/> Fairly good <input type="radio"/> Fairly bad <input type="radio"/> Very bad
---	--

---

During the past month, how often have you taken medicine to help you sleep (prescribed or "over the counter")?	<input type="radio"/> Not during the past month <input type="radio"/> Less than once a week <input type="radio"/> Once or twice a week <input type="radio"/> Three or more times a week
--	--

---

During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?	<input type="radio"/> Not during the past month <input type="radio"/> Less than once a week <input type="radio"/> Once or twice a week <input type="radio"/> Three or more times a week
--	--

---

During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?	<input type="radio"/> No problem at all <input type="radio"/> Only a very slight problem <input type="radio"/> Somewhat of a problem <input type="radio"/> A very big problem
---	--

---

**MTQ 1: The following section will ask you questions in regards to your sleep and wake behavior on work- and work-free days both prior to the COVID19 outbreak and more recently.**

Please estimate an average of your 'normal' sleep behavior for the 6 week period prior to February 1st, 2020.

I was a shift- or night-worker at some time in the three month period PRIOR to February 1, 2020.

☐ Yes  
☐ No

Prior to February 1, 2020, I normally worked \_\_\_\_ days per week.

\_\_\_\_\_  
(Enter a number)

Please answer all of the following questions even if you did not work or worked 7 days/week prior to February 1, 2020. Please continue to enter MILITARY TIME as in the daily surveys

For assistance, you may open the attachment or copy and paste this link into a new tab: <https://bit.ly/2HG8yuk>

Prior to Feb. 1, on WORKDAYS I normally fell asleep at:

\_\_\_\_\_  
(this is NOT when you got into bed, but rather when you fell asleep)

Prior to Feb. 1, on WORKDAYS I normally woke up at:

\_\_\_\_\_  
(this is NOT when you got out of bed, but rather when you woke up)

Prior to Feb. 1, on WORK-FREE DAYS when I DID NOT use an alarm clock, I normally fell asleep at:

\_\_\_\_\_  
(this is NOT when you got into bed, but rather when you fell asleep)

Prior to Feb. 1, on WORK-FREE DAYS when I DID NOT use an alarm clock, I normally woke up at:

\_\_\_\_\_  
(this is NOT when you got out of bed, but rather when you woke up)

**MTQ 2: Now, please estimate an average of your 'normal' sleep behavior over the past 6 weeks.**

I have been a shift- or night-worker in the past three months

☐ Yes  
☐ No

Normally, I work \_\_\_\_ days per week.

\_\_\_\_\_  
(Enter a number)

Please answer all of the following questions even if you do not work or work 7 days/week. Please continue to enter MILITARY TIME as in the daily surveys

For assistance, you may open the attachment or copy and paste this link into a new tab: <https://bit.ly/2HG8yuk>

On WORKDAYS I normally fall asleep at:

\_\_\_\_\_  
(this is NOT when you get into bed, but rather when you fall asleep)

On WORKDAYS I normally wake up at:

\_\_\_\_\_  
(this is NOT when you get out of bed, but rather when you wake up)

On WORK-FREE DAYS when I DO NOT use an alarm clock, I normally fall asleep at:

\_\_\_\_\_  
(this is NOT when you get into bed, but rather when you fall asleep)

On WORK-FREE DAYS when I DO NOT use an alarm clock, I normally wake up at:

\_\_\_\_\_  
(this is NOT when you get out of bed, but rather when you wake up)

**GAD-7: Over the last 2 weeks, how often have you been bothered by the following problems?**

	Not at all	Several days	More than half the days	Nearly every day
Feeling nervous, anxious or on edge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Not being able to stop or control worrying	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Worrying too much about different things	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Trouble relaxing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Being so restless that it is hard to sit still	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Becoming easily annoyed or irritable	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feeling afraid as if something awful might happen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**CERQ: How do you cope with events?**

**Everyone gets confronted with negative or unpleasant events now and then and everyone responds to them in their own way. By the following questions you are asked to indicate what you generally think, when you experience negative or unpleasant events.**

	(almost) never	sometimes	regularly	often	(almost) always
I think that I have to accept that this has happened	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I often think about how I feel about what I have experienced	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think I can learn something from the situation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I feel that I am the one who is responsible for what has happened	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think that I have to accept the situation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I am preoccupied with what I think and feel about what I have experienced	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think of pleasant things that have nothing to do with it	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think that I can become a stronger person as a result of what has happened	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I keep thinking about how terrible it is what I have experienced	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I feel that others are responsible for what has happened	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think of something nice instead of what has happened	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think about how to change the situation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think that it hasn't been too bad compared to other things	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think that basically the cause must lie within myself	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I think about a plan of what I can do best	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I tell myself that there are worse things in life	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

I continually think how horrible the situation has been	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I feel that basically the cause lies with others	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



**LSAS**

Read each situation carefully and answer the two following questions about that situation. The first question asks how anxious or fearful you feel in the situation. The second question asks how often you avoid the situation. If you come across a situation that you ordinarily do not experience, imagine "what if you were faced with that situation," and then, rate the degree to which you would fear this hypothetical situation and how often you would tend to avoid it. We will ask you about each scenario twice. First, about how you think you'd react in that situation generally, before the COVID19 outbreak. Second, about how you think you'd react in that situation now, in the last several weeks. Fill out the following scales with the most suitable answer.

## Telephoning in Public Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Telephoning in Public Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Participating in small groups Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Participating in small groups Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Eating in public places Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Eating in public places Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Drinking with others in public places Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Drinking with others in public places Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Talking to people in authority Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Talking to people in authority Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Acting, performing, or giving a talk in front of an audience Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Acting, performing, or giving a talk in front of an audience Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Going to a party Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Going to a party Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Working while being observed Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Working while being observed Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Writing while being observed Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Writing while being observed Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Calling someone you don't know very well Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Calling someone you don't know very well Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Talking with people you don't know very well Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Talking with people you don't know very well Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Meeting strangers Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Meeting strangers Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Urinating in a public bathroom Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Urinating in a public bathroom Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Entering a room when others are already seated Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Entering a room when others are already seated Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Being the center of attention Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Being the center of attention Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Speaking up at a meeting Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Speaking up at a meeting Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Taking a test Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Taking a test Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Expressing a disagreement or disapproval to people you don't know very well Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Expressing a disagreement or disapproval to people you don't know very well Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Looking at people you don't know very well in the eyes Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Looking at people you don't know very well in the eyes Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Giving a report to a group Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Giving a report to a group Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Trying to pick up someone Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Trying to pick up someone Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Returning goods to a store Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Returning goods to a store Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Giving a party Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Giving a party Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Resisting a high pressure salesperson Generally (Pre-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Resisting a high pressure salesperson Now (Post-COVID)

	None	Mild	Moderate	Severe
Fear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Never (0%)	Occasionally (1-33%)	Often (34-66%)	Usually (67-100%)
Avoidance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



**BIG 5: Here are a number of characteristics that may or may not apply to you. For example, do you agree that you are someone who likes to spend time with others? Please select the bubble under each statement to indicate the extent to which you agree or disagree with that statement.**

**I AM SOMEONE WHO....**

	Disagree strongly	Disagree a little	Neutral; No Opinion	Agree a little	Agree strongly
Tends to be quiet	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is compassionate, has a soft heart.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tends to be disorganized.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Worries a lot.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is fascinated by art, music, or literature.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is dominant, acts as a leader.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is sometimes rude to others.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Has difficulty getting started on tasks.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tends to feel depressed, blue.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Has little interest in abstract ideas.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is full of energy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assumes the best about people.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is reliable, can always be counted on.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is emotionally stable, not easily upset.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is original, comes up with new ideas.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is outgoing, sociable.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Can be cold and uncaring.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Keeps things neat and tidy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is relaxed, handles stress well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Has few artistic interests	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Prefers to have others take charge.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is respectful, treats others with respect.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Is persistent, works until the task is finished.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feels secure, comfortable with self.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is complex, a deep thinker.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is less active than other people.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tends to find fault with others	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Can be somewhat careless	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Is temperamental, gets emotional easily.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Has little creativity.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>