






Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
1 //task 1
2 SELECT passenger_id, first_name, last_name, date_of_birth
3 FROM passengers;
Data Output
Messages
Notifications
Showing rows: 1 to 5
Page No: 1
of 1
passenger_id [PK] integer
first_name character varying (50)
last_name character varying (50)
date_of_birth date
1 1 Ali Amanov 2001-04-10
2 2 Aruzhan Samatova 2004-08-15
3 3 Dias Bekov 1999-11-20
4 4 Dana Aliyeva 2006-05-12
5 5 Arman Serikov 2002-02-01



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
1 --task 2
2 SELECT booking_id, ticket_price
3 FROM booking;
Data Output
Messages
Notifications
Showing rows: 1 to 6
Page No: 1
of 1
booking_id [PK] integer
ticket_price numeric (7,2)
1 205 25000.00
2 220 18000.00
3 250 30000.00
4 280 15000.00
5 301 22000.00
6 320 17000.00



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
--task 3
SELECT baggage_id, weight_in_kg
FROM baggage;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 6
Page No: 1
of 1
baggage_id [PK] integer
weight_in_kg numeric (4,2)
1 4 20.00
2 6 15.50
3 1 23.00
4 2 23.00
5 3 23.00
6 5 23.00



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
--task 4
SELECT airport_id, airport_name
FROM airport;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 4
Page No: 1
of 1
airport_id [PK] integer
airport_name character varying (50)
1 1 Astana Reginal Air
2 2 Almaty International Airp...
3 3 London Reginal Air
4 4 Paris Airport



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
--task 3
SELECT baggage_id, weight_in_kg
FROM baggage;
Data Output
Messages
Notifications
Showing rows: 1 to 6
Page No: 1
of 1
baggage_id [PK] integer
weight_in_kg numeric (4,2)
1 4 20.00
2 6 15.50
3 1 23.00
4 2 23.00
5 3 23.00
6 5 23.00



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
-- task 5
SELECT conrelid::regclass AS table_name, conname
FROM pg_constraint
WHERE contype = 'u'
ORDER BY table_name;
Data Output
Messages
Notifications
Showing rows: 1 to 58
Page No: 1
of 1
table_name regclass
conname name
1 pg_default_acl pg_default_acl_role_nsp_obj_index
2 pg_tablespace pg_tablespace_spcname_index
3 pg_type pg_type_typname_nsp_index
4 pg_attribute pg_attribute_relid_attnam_index
5 pg_proc pg_proc_proname_args_nsp_index
6 pg_class pg_class_relname_nsp_index
7 pg_authid pg_authid_rolname_index
8 pg_auth_members pg_auth_members_role_member_index
9 pg_auth_members pg_auth_members_member_role_index
10 pg_database pg_database_datname_index
11 pg_foreign_server pg_foreign_server_name_index
12 pg_user_mapping pg_user_mapping_user_server_index
13 pg_foreign_data_wrapper pg_foreign_data_wrapper_name_index
14 pg_am pg_am_name_index
15 pg_amop pg_amop_opr_fam_index
16 pg_amop pg_amop_fam_strat_index
17 pg_amproc pg_amproc_fam_proc_index
18 pg_attrdef pg_attrdef_adrelid_adnum_index
19 pg_cast pg_cast_source_target_index
20 pg_constraint pg_constraint_conrelid_contypid_conname_index
21 pg_conversion pg_conversion_default_index
Total rows: 58
Query complete 00:00:00.063
LF
Ln 5, Col 21



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
-- task 5
SELECT conrelid::regclass AS table_name, conname
FROM pg_constraint
WHERE contype = 'u'
ORDER BY table_name;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 58
Page No: 1
of 1
table_name regclass
conname name
21 pg_conversion pg_conversion_default_index
22 pg_conversion pg_conversion_name_nsp_index
23 pg_language pg_language_name_index
24 pg_namespace pg_namespace_nspname_index
25 pg_opclass pg_opclass_am_name_nsp_index
26 pg_operator pg_operator_oprname_l_r_n_index
27 pg_rewrite pg_rewrite_rel_rulename_index
28 pg_trigger pg_trigger_tgrelid_tgname_index
29 pg_opfamily pg_opfamily_am_name_nsp_index
30 pg_extension pg_extension_name_index
31 pg_policy pg_policy_polrelid_polname_index
32 pg_statistic_ext pg_statistic_ext_name_index
33 pg_collation pg_collation_name_enc_nsp_index
34 pg_event_trigger pg_event_trigger_evtname_index
35 pg_enum pg_enum_typid_sortorder_index
36 pg_enum pg_enum_typid_label_index
37 pg_range pg_range_rngmultitypid_index
38 pg_transform pg_transform_type_lang_index
39 pg_ts_dict pg_ts_dict_dictname_index
40 pg_ts_parser pg_ts_parser_prsname_index
41 pg_ts_config pg_ts_config_cfgname_index
Total rows: 58
Query complete 00:00:00.063
LF
Ln 5, Col 21



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
-- task 6
SELECT first_name, last_name, gender, date_of_birth
FROM passengers;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 5
Page No: 1
of 1
first_name character varying (50)
last_name character varying (50)
gender character varying (50)
date_of_birth date
1 Ali Amanov Male 2001-04-10
2 Aruzhan Samatova Female 2004-08-15
3 Dias Bekov Male 1999-11-20
4 Dana Aliyeva Female 2006-05-12
5 Arman Serikov Male 2002-02-01



Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
1 -- task 7
2 SELECT first_name, last_name, country_of_citizenship, date_of_birth
3 FROM passengers;
4
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 5
Page No: 1
of 1
first_name character varying (50)
last_name character varying (50)
country_of_citizenship character varying (50)
date_of_birth date
1 Ali Amanov Kazakhstan 2001-04-10
2 Aruzhan Samatova Kazakhstan 2004-08-15
3 Dias Bekov Kazakhstan 1999-11-20
4 Dana Aliyeva Kazakhstan 2006-05-12
5 Arman Serikov Kazakhstan 2002-02-01


Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
1 --task 8
2 SELECT booking_id, ticket_price, created_at, ticket_discount
3 FROM booking;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 6
Page No: 1
of 1
booking_id [PK] integer
ticket_price numeric (7,2)
created_at timestamp without time zone
ticket_discount numeric (7,2)
1 205 25000.00 2024-04-01 00:00:00 1250.00
2 220 18000.00 2024-04-02 00:00:00 900.00
3 250 30000.00 2024-04-03 00:00:00 1500.00
4 280 15000.00 2024-04-04 00:00:00 750.00
5 301 22000.00 2024-04-05 00:00:00 1100.00
6 320 17000.00 2024-04-06 00:00:00 850.00


Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
1 -- task 9
2 SELECT booking_id, status
3 FROM booking
4 WHERE booking_id = 400;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 1
Page No: 1
of 1
booking_id
[PK] integer
status
character varying (50)
1 400 Confirmed


Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
1 -- task 10
2 SELECT booking_id, created_at
3 FROM booking
4 WHERE booking_id = 401;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 1
Page No: 1
of 1
booking_id
[PK] integer
created_at
timestamp without time zone
1 401 2026-10-09 11:22:31.547674


Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
--1
ALTER TABLE passengers
ADD CONSTRAINT check_passenger_age
CHECK (date_of_birth<=CURRENT_DATE-INTERVAL '10 years');
--2
ALTER TABLE booking
ADD CONSTRAINT check_booking_price
CHECK (ticket_price BETWEEN 0 AND 50000);
--3
ALTER TABLE baggage
ADD CONSTRAINT check_weight_in_kg
CHECK(weight_in_kg BETWEEN 1 AND 23);
--4
ALTER TABLE airport
ADD CONSTRAINT check_airport_name
CHECK (LENGTH(airport_name)>10);
--5
ALTER TABLE airline
ADD CONSTRAINT unique_airline_code
UNIQUE (airline_code);
--6
ALTER TABLE passengers
ADD CONSTRAINT check_gender_age
CHECK (
(gender='male' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 years')
OR
(gender='Female' AND date_of_birth<=CURRENT_DATE-INTERVAL '19 years')
);
--7
ALTER TABLE passengers
Total rows:
Query complete 00:00:00.048
LF
Ln 56, Col 1


Object Explorer
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab3/macbookair@lab3 server*
lab3/macbookair@lab3 server
No limit
Query
Query History
Scratch Pad
(gender='male' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 years')
OR
(gender='Female' AND date_of_birth<=CURRENT_DATE-INTERVAL '19 years')
);
--7
ALTER TABLE passengers
ADD CONSTRAINT check_country
CHECK (
(country_of_citizenship='Kazakhstan' AND date_of_birth<=CURRENT_DATE-INTERVAL '18 y
OR
(country_of_citizenship='France' AND date_of_birth<=CURRENT_DATE-INTERVAL '17 years
OR
(country_of_citizenship NOT IN('Kazakhstan', 'France')AND date_of_birth<=CURRENT_D
);
--8
ALTER TABLE booking
ADD CONSTRAINT check_discount
CHECK(
(created_at>'2024-01-01'
AND ticket_discount=ticket_price*0.05)
OR
(created_at<'2024-01-01'
AND ticket_price*0.10)
);
--9
ALTER TABLE booking
ALTER COLUMN status
SET DEFAULT 'Confirmed';
--10
ALTER TABLE booking
ALTER COLUMN created_at
SET DEFAULT CURRENT_TIMESTAMP;
Total rows:
Query complete 00:00:00.048
LF
Ln 56, Col 1