Cucumber Report

90

Start: sept 15, 11:31:47.366 p. **Duration: 41.535 s** End: sept 15, 11:32:28.901 p.m. m. Scenarios Steps **Features** PASSED - 0 PASSED - 13 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 24 40 50 60 30 Pass % 70 40 50 60 40 50 60 30 Pass % 70 20 80 20 80 20 80

42 %

15 sept de 2025, 11:32:29 p. m.

10

54 %

100


| Feature | | Scer | nario | | Step | | | | |
|--------------------|----------|------|-------|---|------|----|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Employees endpoint | 41.535 s | 7 | 3 | 4 | 0 | 24 | 13 | 4 | 7 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|--------------------|---|
| 1 | Employees endpoint | /create should create a new booking |
| 2 | | /create should not create a new booking |
| 3 | | /create should not create a new booking |
| 4 | | /create should not create a new booking |


FEATURES SUMMARY

-- 4 --



| # | Feature Name | T | P | F | S | Duration | |
|---|--------------------|---|---|---|---|----------|--|
| 1 | Employees endpoint | 7 | 3 | 4 | 0 | 41.535 s | |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|---|----------|
| 1 | Employees endpoint | /bookingid should return all the bookingid | 2 | 2 | 0 | 0 | 6.934 s |
| 2 | | /booking/{id} should return an specific booking | 4 | 4 | 0 | 0 | 6.070 s |
| 3 | | /booking/{id} should no return an specific booking with an id that does not exist | 3 | 3 | 0 | 0 | 5.657 s |
| 4 | | /create should create a new booking | 9 | 1 | 1 | 7 | 5.829 s |
| 5 | | /create should not create a new booking | 2 | 1 | 1 | 0 | 5.670 s |
| 6 | | /create should not create a new booking | 2 | 1 | 1 | 0 | 5.666 s |
| 7 | | /create should not create a new booking | 2 | 1 | 1 | 0 | 5.679 s |

DETAILED SECTION -- 6 --

Employees endpoint


| FAILED | DURATION - 41.535 s | Scenarios | | Steps | |
|----------------------|-------------------------|-----------|---|------------|----|
| | | Total - 7 | | Total - 24 | |
| / 11:31:47.366 p. m. | // 11:32:28.901 p. m. / | Pass - 3 | 7 | Pass - 13 | 24 |
| | | Fail - 4 | | Fail - 4 | |
| | | Skip - 0 | | Skip - 7 | |
| | | | | | |

/bookingid should return all the bookingid



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a GET call to the employees endpoint | PASSED | 6.904 s |
| 2 | Then I verify that the status code is 200 | PASSED | 0.021 s |


/booking/{id} should return an specific booking



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a GET call to the employees endpoint with id "3" | PASSED | 5.694 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | Then I verify that the status code is 200 | PASSED | 0.002 s |
| 3 | And I verify that the following fields are present in the root | PASSED | 0.076 s |
| | firstname lastname totalprice depositpaid bookingdates additionalneeds | | |
| 4 | And I verify that the following fields are present inside "bookingdates" | PASSED | 0.298 s |
| | checkin checkout | | |

/booking/{id} should no return an specific booking with an id that does not exist



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a GET call to the employees endpoint with id "99999" | PASSED | 5.653 s |
| 2 | Then I verify that the status code is 404 | PASSED | 0.000 s |
| 3 | And verify that it displays the message "Not Found" | PASSED | 0.003 s |

/create should create a new booking



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a POST call to the create endpoint with the following data | PASSED | 5.811 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | diana gandarillas 346 true 2018-01-01 2018-01-01 breakfast | | |
| 2 | Then I verify that the status code is 200 | FAILED | 0.015 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <418>. | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.calisite.Colistructorsite4colistructorsiteNooriwraphiocoerce.calicolistructor(colistructorsite.java.100) at org.codehaus.groovy.runtime.calisite.CalisiteArray.defaultCaliConstructor(CalisiteArray.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:565) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:28) at ?.I verify that the status code is 200(file:///C:/Users/Diana/Documents/certificacion2/RepoFinal/RestFinal/src/test/resources/Booking. | | |
| | feature:31) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify that the field "booking.firstname" contains "diana" | SKIPPED | 0.000 s |
| 4 | And I verify that the field "booking.lastname" contains "gandarillas" | SKIPPED | 0.001 s |
| 5 | And I verify that the field "booking.totalprice" contains "346" | SKIPPED | 0.000 s |
| 6 | And I verify that the field "booking.depositpaid" contains "true" | SKIPPED | 0.000 s |
| 7 | And I verify that the field "booking.bookingdates.checkin" contains "2018-01-01" | SKIPPED | 0.000 s |
| 8 | And I verify that the field "booking.bookingdates.checkout" contains "2018-01-01" | SKIPPED | 0.000 s |
| 9 | And I verify that the field "additionalneeds" contains "breakfast" | SKIPPED | 0.000 s |

DETAILED SECTION -- 9 --

/create should not create a new booking


| FAILED | DURATION - 5.670 s | 6 | 7 | | | _ | | | | | Steps | | | |
|------------------|-------------------------------|-----|--------------|------|------|---|------|------|---|------|-----------|---|---|--|
| /11:22:11 001 | n // 11:22:17 FF1 n m / | | | | | | | | | | Total - 2 | | | |
| / 11.32.11.881 p | o. m. // 11:32:17.551 p. m. / | 7 | \mathbb{I} | | | | | | | | Pass - 1 | | | |
| Employees end | point | 2 | ╬ | | | | | | ! | | Fail - 1 | | 2 | |
| | | | | | | | | | | | Skip - 0 | | | |
| | | 0 - | -1 E | | | 7 | | | | | | ` | | |
| | | | | | | 1 | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| L | Given I perform a POST call to the create endpoint with the following data | PASSED | 5.669 s |
| | 123 gandarillas 346 true 2018-01-01 2018-01-01 breakfast | | |
| 2 | Then I verify that the status code is 400 | FAILED | 0.001 s |
| 2 | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <418>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.\$validate(ResponseSpecificationImpl.groovy:596) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | FAILED | 0.001 s |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | * Not displayable characters are replaced by '?'. | | |


/create should not create a new booking



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a POST call to the create endpoint with the following data | PASSED | 5.664 s |
| | juan gandarillas 346 23 2018-01-01 2018-01-01 breakfast | | |
| 2 | Then I verify that the status code is 400 | FAILED | 0.002 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <418>. | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:565) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |

| L | # | Step / Hook Details | Status | Duration |
|---|---|---|--------|----------|
| | | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | | at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:28) | | |
| | | at ?.I verify that the status code is 400(file:///C:/Users/Diana/Documents/certificacion2/RepoFinal/RestFinal/src/test/resources/Booking. | | |
| | | feature:48) | | |
| | | * Not displayable characters are replaced by '?'. | | |

Icreate should not create a new booking



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a POST call to the create endpoint with the following data | PASSED | 5.677 s |
| | cami gandarillas prueba true 2018-01-01 2018-01-01 breakfast | | |
| 2 | Then I verify that the status code is 400 | FAILED | 0.001 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <418>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl*HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |

DETAILED SECTION -- 12 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:28) | | |
| | at ?.I verify that the status code is 400(file:///C:/Users/Diana/Documents/certificacion2/RepoFinal/RestFinal/src/test/resources/Booking. | | |
| | feature:48) | | |
| | * Not displayable characters are replaced by '?'. | | |