Cucumber Report

| Start : sept 16, 5:00:13.206 p. m.	End : sept 16, 5:00:52.292 p. m.	Duration : 39.086 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 4 SKIPPED - 0	PASSED - 11 FAILED - 4 SKIPPED - 7

Features donut: 1

Scenarios donut: 6

Steps donut: 22

Pass % gauge: 0 %

Pass % gauge: 33 %

Pass % gauge: 50 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Employees endpoint	39.086 s	6	2	4	0	22	11	4	7

#	Feature Name	Scenario Name
1	Employees endpoint	/create should create a new booking
2		/create must not create a new Booking
3		/create must not create a new Booking
4		/create must not create a new Booking

#	Feature Name	T	P	F	S	Duration
1	Employees endpoint	6	2	4	0	39.086 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Employees endpoint	/booking/{id} should return a booking with the id given	4	4	0	0	7.876 s
2		/booking/{id} must not return an specific booking with an id that does not exist	3	3	0	0	5.701 s
3		/create should create a new booking	9	1	1	7	8.019 s
4		/create must not create a new Booking	2	1	1	0	5.802 s
5		/create must not create a new Booking	2	1	1	0	5.727 s
6		/create must not create a new Booking	2	1	1	0	5.935 s

Employees endpoint

FAILED	**DURATION - 39.086 s**	
/ 5:00:13.206 p. m. // 5:00:52.292 p. m. /		

Scenarios
Total - 6
Pass - 2
Fail - 4
Skip - 0

Steps
Total - 22
Pass - 11
Fail - 4
Skip - 7

/booking/{id} should return a booking with the id given

PASSED	**DURATION - 7.876 s**
/ 5:00:13.210 p. m. // 5:00:21.086 p. m. /	
Employees endpoint	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the employees endpoint with id "100"	PASSED	7.322 s
2	Then I verify that the status code is 200	PASSED	0.019 s
3	And I verify that the following fields are present in the root	PASSED	0.130 s
	firstname lastname totalprice depositpaid bookingdates additionalneeds		
4	And I verify that the following fields are present inside "bookingdates"	PASSED	0.394 s
	checkin checkout		

/booking/{id} must not return an specific booking with an id that does not exist

PASSED	DURATION - 5.701 s
/ 5:00:21.091 p. m. // 5:00:26.792 p. m. /	
Employees endpoint	

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the employees endpoint with id "99999"	PASSED	5.697 s
2	Then I verify that the status code is 404	PASSED	0.001 s
3	And verify that it displays the message "Not Found"	PASSED	0.003 s

/create should create a new booking

FAILED	DURATION - 8.019 s
/ 5:00:26.795 p. m. // 5:00:34.814 p. m. /	
Employees endpoint	

Steps

Total - 9

Pass - 1

Fail - 1

Skip - 7

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	7.997 s
	Yery | Gallardo | 500 | true | 2004-12-14 | 2004-12-16 | breakfast		
2	Then I verify that the status code is 200	FAILED	0.018 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <418>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:23) at ?.I verify that the status code is 200(file:///C:/Users/yeryg/Desktop/FinalDeCertiII/RestFulbooker/RestFinal/src/test/resources/Booking.feature:25) * Not displayable characters are replaced by '?'.		
3	And I verify that the field "booking.firstname" contains "Yery"	SKIPPED	0.001 s
4	And I verify that the field "booking.lastname" contains "Gallardo"	SKIPPED	0.000 s
5	And I verify that the field "booking.totalprice" contains "500"	SKIPPED	0.000 s
6	And I verify that the field "booking.depositpaid" contains "true"	SKIPPED	0.000 s
7	And I verify that the field "booking.bookingdates.checkin" contains "2004-12-14"	SKIPPED	0.000 s
8	And I verify that the field "booking.bookingdates.checkout" contains "2004-12-16"	SKIPPED	0.000 s
9	And I verify that the field "additionalneeds" contains "breakfast"	SKIPPED	0.000 s

/create must not create a new Booking

FAILED	DURATION - 5.802 s		Steps
/ 5:00:34.821 p. m. // 5:00:40.623 p. m. /			Total - 2
Employees endpoint			Pass - 1 Fail - 1 Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	5.800 s
	123 Gallardo 500 true 2004-12-14 2004-12-16 breakfast		
2	Then I verify that the status code is 400	FAILED	0.001 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <418>.
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:565)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	  at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:23)
	  at ?.I verify that the status code is 400(file:///C:/Users/yeryg/Desktop/FinalDeCertiII/RestFulbooker/RestFinal/src/test/resources/Booking.feature:42)
	* Not displayable characters are replaced by '?'.		

/create must not create a new Booking

FAILED	DURATION - 5.727 s
/ 5:00:40.627 p. m. // 5:00:46.354 p. m. /	
Employees endpoint	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	5.725 s
	Nao Arcienega 346 23 2018-01-01 2018-01-01 breakfast		
2	Then I verify that the status code is 400	FAILED	0.002 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <418>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:565)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:23)
	    at ?.I verify that the status code is 400(file:///C:/Users/yeryg/Desktop/FinalDeCertiII/RestFulbooker/RestFinal/src/test/resources/Booking.feature:42)
	* Not displayable characters are replaced by '?'.		

/create must not create a new Booking

FAILED	DURATION - 5.935 s	
/ 5:00:46.357 p. m. // 5:00:52.292 p. m. /		
Employees endpoint		

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	5.934 s
	Naty Gallardo Hola true 2004-12-14 2004-12-16 breakfast		
2	Then I verify that the status code is 400	FAILED	0.001 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <418>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:565)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:23)
	    at ?.I verify that the status code is 400(file:///C:/Users/yeryg/Desktop/FinalDeCertiII/RestFulbooker/RestFinal/src/test/resources/Booking.feature:42)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		