Unit 1 – Using Objects and Methods Name: **KEY**
HW 7

1) Given the following code:

```
String mail = "Let's try some code!";
```

What will be the values of the following code segments?

`mail.length()` 20	`mail.substring(0, 5)` Let's	`mail.substring(15)` code!
`mail.indexOf(" ")` 5	`mail.indexOf("X")` -1	`mail.compareTo("Example")` positive negative zero
`mail.compareTo("Zebra")` positive negative zero	`mail.substring(4, 5)` s	`mail.substring(mail.length() - 1)` !

2) Given the following code:

```
String letters = "ABCDEFG";
```

Write a code segment on the line that uses a string method and will evaluate to the value given.

`letters.length()` will evaluate to 7

`letters.length() - 1` will evaluate to 6

`letters.substring(0, 3)` will evaluate to "ABC"

`letters.substring(2, 6)` will evaluate to "CDEF"

`letters.indexOf("D")` will evaluate to 3

`letters.indexOf("Z")` will evaluate to -1

_____ 3) Consider the following code:

```
String first = "Ronald";
String second = first;
first = "Weasley";
System.out.println(first + " " + second);
```

first	second
~~Ronald~~	Ronald
Weasley	

What is printed when the code is run?

(A) Ronald Weasley
(B) Ronald Ronald
(C) Weasley Ronald
(D) Weasley Weasley

_____ 4) Consider the following code:

```
String word = "butternut";
String otherWord = "squash";
System.out.println(word.substring(1,3) + otherWord.substring(3,4));
```

What is printed when the code is run?

```
word.substring(1, 3) = ut

otherWord.substring(3, 4) = a
```

(A) utas
(B) uttua
(C) butas
(D) uta

_____ 5) Consider the following code:

```
String word = "giant";
String otherWord = "pumpkin";
System.out.println(word.substring(4) + otherWord.substring(5));
```

What is printed when the code is run?

```
word.substring(4) = t

otherWord.substring(5) = in
```

(A) tin
(B) ntkin
(C) n
(D) tkin

_____ 6) Given the following code segment, what is in the string referenced by `str` after the code executes?

```
String str = "xy";
String s = str;
str = str + s + "z";
```

str	s
~~xy~~	xy
xyxyz	

(A) xyz (B) xyxyz (C) xy xy z (D) xy z

_____ 7) What is the value of `pos` after the following code executes?

```
String s1 = "ac ded ca";
int pos = s1.indexOf("d");
```

(A) 3
(B) 4
(C) 5
(D) 6

8) Complete the `printWord` method below. This method accepts a String parameter called str and prints the length of the first word in the sentence. Some example method calls and outputs are given in the table below.

Method Call	Output
`printWord("Here is an example")`	4
`printWord("Another one for funsies")`	7

```
public void printWord(String str)
{

    String firstWord = str.substring(0, indexOf(" "));
    System.out.println(firstWord.length());









}
```