Code Coverage Report

Project	Online Exam Portal (Software Engineering mini project)
Team	Rehan S Bawakhan (CS820), Yeshaswinie D (CS619), Yashwantha R (CS614), Yashaswini Singh (CS612)
Build	`main` at commit `2f93f79`
Test run	11-11-2026 21:00 IST
Generated by	`docs/reports/generate_reports.py` (do not edit by hand; run the script again)
References	SRS v1.0, SAD v1.0, Software Test Plan v1.0, Test Case Document

1. Summary

Metric	**Value**
Statements	2151
Covered	2077
Missed	74
Line (statement) coverage	**96.6%**
Combined line + branch coverage (coverage.py total)	95.3%
Target (team)	≥ 80% per module
Result	**Met**

2. What is measured

Application code in every Django app (`accounts`, `courses`, `question_bank`, `exam_management`, `exam_delivery`, `evaluation`, `reports`, `web`, `config`). Test files, test helpers (`testing.py`), migrations and the WSGI/ASGI entry points are excluded so they do not inflate the figure. Settings are in `.coveragerc`. Coverage is collected by coverage.py while the full test suite runs (see the Unit Test Report).

3. Coverage by module

App	SAD module	Files	Statements	Missed	Line coverage	≥ 80%?
`accounts`	Auth Service, Admin Service, Audit & Logging	18	546	9	98.4%	Met
`config`	Platform (settings, TLS, health check)	4	77	1	98.7%	Met
`courses`	Admin Service (courses)	7	111	3	97.3%	Met
`evaluation`	Evaluation Service	10	179	4	97.8%	Met
`exam_delivery`	Exam Delivery Service, diagnostics	9	426	23	94.6%	Met
`exam_management`	Exam Scheduling Service	8	228	7	96.9%	Met
`question_bank`	Question Bank Service	9	275	25	90.9%	Met
`reports`	Reporting Service	6	199	2	99.0%	Met
`web`	Web UI	6	110	0	100.0%	Met

4. Coverage by file

File	Statements	Missed	Coverage	Missed lines
`accounts/__init__.py`	0	0	100.0%	—
`accounts/admin.py`	10	0	100.0%	—
`accounts/apps.py`	4	0	100.0%	—
`accounts/audit.py`	19	0	100.0%	—
`accounts/audit_models.py`	46	1	97.8%	93
`accounts/audit_views.py`	64	1	98.4%	55
`accounts/authentication.py`	35	0	100.0%	—
`accounts/backends.py`	26	2	92.3%	35, 37
`accounts/lockout.py`	24	1	95.8%	22
`accounts/management/__init__.py`	0	0	100.0%	—
`accounts/management/commands/__init__.py`	0	0	100.0%	—

File	Statements	Missed	Coverage	Missed lines
`accounts/management/commands/archive_audit_logs.py`	38	1	97.4%	81
`accounts/management_urls.py`	5	0	100.0%	—
`accounts/models.py`	34	1	97.1%	51
`accounts/permissions.py`	16	0	100.0%	—
`accounts/serializers.py`	110	0	100.0%	—
`accounts/urls.py`	3	0	100.0%	—
`accounts/views.py`	112	2	98.2%	51, 53
`config/__init__.py`	0	0	100.0%	—
`config/health.py`	19	1	94.7%	26
`config/settings.py`	53	0	100.0%	—
`config/urls.py`	5	0	100.0%	—
`courses/__init__.py`	0	0	100.0%	—
`courses/admin.py`	7	0	100.0%	—
`courses/apps.py`	4	0	100.0%	—
`courses/models.py`	17	1	94.1%	35
`courses/serializers.py`	46	2	95.7%	35, 49
`courses/urls.py`	3	0	100.0%	—
`courses/views.py`	34	0	100.0%	—
`evaluation/__init__.py`	0	0	100.0%	—
`evaluation/admin.py`	1	0	100.0%	—
`evaluation/apps.py`	4	0	100.0%	—
`evaluation/models.py`	1	0	100.0%	—
`evaluation/scorecard.py`	23	0	100.0%	—
`evaluation/serializers.py`	5	0	100.0%	—

File	Statements	Missed	Coverage	Missed lines
`evaluation/services.py`	32	0	100.0%	—
`evaluation/subjective.py`	74	4	94.6%	83, 145-146, 153
`evaluation/urls.py`	3	0	100.0%	—
`evaluation/views.py`	36	0	100.0%	—
`exam_delivery/__init__.py`	0	0	100.0%	—
`exam_delivery/admin.py`	12	0	100.0%	—
`exam_delivery/apps.py`	4	0	100.0%	—
`exam_delivery/diagnostics.py`	41	1	97.6%	45
`exam_delivery/models.py`	57	3	94.7%	84, 88, 132
`exam_delivery/serializers.py`	12	0	100.0%	—
`exam_delivery/services.py`	218	17	92.2%	44, 64, 262, 268, 288, 300, 311, 322-324, 401, 410, 429, 488, 492, 495, 556
`exam_delivery/urls.py`	3	0	100.0%	—
`exam_delivery/views.py`	79	2	97.5%	84, 126
`exam_management/__init__.py`	0	0	100.0%	—
`exam_management/admin.py`	1	0	100.0%	—
`exam_management/apps.py`	4	0	100.0%	—
`exam_management/models.py`	29	2	93.1%	46, 77
`exam_management/serializers.py`	52	1	98.1%	44
`exam_management/services.py`	84	4	95.2%	152, 155, 158, 191
`exam_management/urls.py`	3	0	100.0%	—
`exam_management/views.py`	55	0	100.0%	—
`question_bank/__init__.py`	0	0	100.0%	—
`question_bank/admin.py`	8	0	100.0%	—
`question_bank/apps.py`	4	0	100.0%	—

File	Statements	Missed	Coverage	Missed lines
`question_bank/grading.py`	27	4	85.2%	23-24, 36, 39
`question_bank/import_utils.py`	97	15	84.5%	26-27, 32, 61-62, 72-73, 101, 177, 182, 185, 203, 209, 231, 244
`question_bank/models.py`	21	0	100.0%	—
`question_bank/serializers.py`	37	4	89.2%	25, 54, 86, 96
`question_bank/urls.py`	3	0	100.0%	—
`question_bank/views.py`	78	2	97.4%	185, 188
`reports/__init__.py`	0	0	100.0%	—
`reports/apps.py`	4	0	100.0%	—
`reports/exports.py`	95	0	100.0%	—
`reports/services.py`	59	1	98.3%	82
`reports/urls.py`	3	0	100.0%	—
`reports/views.py`	38	1	97.4%	19
`web/__init__.py`	0	0	100.0%	—
`web/apps.py`	4	0	100.0%	—
`web/forms.py`	4	0	100.0%	—
`web/services.py`	30	0	100.0%	—
`web/urls.py`	4	0	100.0%	—
`web/views.py`	68	0	100.0%	—

5. Analysis of uncovered code

Most missed lines are defensive paths that are hard to reach from a test: database-failure handlers in the diagnostics and health checks, error branches for malformed import files, and production-only settings that only run with `DJANGO_TLS_ENABLED=1`. None of them are on the main path of a use case. Files below 90% are listed below so they can be targeted first if more tests are added.

File	Coverage	Missed lines
`question_bank/grading.py`	85.2%	23-24, 36, 39

File	Coverage	Missed lines
`question_bank/import_utils.py`	84.5%	26-27, 32, 61-62, 72-73, 101, 177, 182, 185, 203, 209, 231, 244
`question_bank/serializers.py`	89.2%	25, 54, 86, 96

6. Raw data

- Cobertura XML: `raw/coverage.xml`
- JSON: `raw/coverage.json`
- To see it line by line: `python -m pytest --cov --cov-report=html` and open `htmlcov/index.html`.