```java
package me.YeshuaArjona;
import java.util.Scanner;
public class ExpenseTrackerArjona {

  public static void displayProgramTitle() {
      System.out.println("Personal Expense Tracker");
  }
  public static double calculateTotalExpenses(double food, double transportation, double
otherExpenses) {
      return food + transportation + otherExpenses;
  }
  public static String checkBudget(double totalExpenses, double budget) {
      if (totalExpenses > budget) {
          return "You exceeded your budget by PHP "
                  + String.format("%.2f", (totalExpenses - budget));
      } else {
          return "You are within your budget.";
      }
  }
  public static void displaySummary(double totalExpenses, String budgetStatus, double budget) {
      System.out.println("\nExpense Summary");
      System.out.printf("Total Expenses : PHP %.2f%n", totalExpenses);
      System.out.printf("Budget         : PHP %.2f%n", budget);
      System.out.println("Budget Status  : " + budgetStatus);
      double remaining = budget - totalExpenses;
      if (remaining >= 0) {
          System.out.printf("Remaining      : PHP %.2f%n", remaining);
      } else {
          System.out.printf("Deficit        : PHP %.2f%n", Math.abs(remaining));
      }
  }
  public static void displayPersonalizedMessage(String name, double totalExpenses, double budget)
{
      System.out.println("\nMessage for " + name);
      if (totalExpenses <= budget) {
          System.out.println("Congrats! Di ka magastos.");
      } else {
          System.out.println("Hala! Sumobra ka na.");
```

```
        }
    }
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        displayProgramTitle();
        System.out.print("\nEnter your name: ");
        String name = scanner.nextLine();
        System.out.print("Enter your budget (PHP): ");
        double budget = scanner.nextDouble();
        System.out.println("\nEnter your expenses:");
        System.out.print("  Food           : PHP ");
        double food = scanner.nextDouble();
        System.out.print("  Transportation : PHP ");
        double transportation = scanner.nextDouble();
        System.out.print("  Other Expenses : PHP ");
        double otherExpenses = scanner.nextDouble();
        double total = calculateTotalExpenses(food, transportation, otherExpenses);
        String budgetStatus = checkBudget(total, budget);
        displaySummary(total, budgetStatus, budget);
        displayPersonalizedMessage(name, total, budget);
        scanner.close();
    }
}
```

Output:

Within the Budget:



Outside the Budget: