


Figure 1 | What ten fresh calls reveal about C

Each dot is one numeric answer. Repeated answers stack. Category counts appear at right.



Ten independent fresh calls per question; rows do not belong to ten connected histories.
The same 22 questions appear in the comparison radars. Each question retains its own scale meaning.
ALWAYS and NEVER are permitted answer categories and remain separate from numbers.

Figure 2 | Original individual histories against C

Thin dashed: C median | grey band: observed C range | teal: individual history | dotted amber: cold schema median



R1 human conscious · R2 thermostat conscious · E02 wasp conscious · B01 reject influences · B02 question convictions
B04 patient precaution · B05 consent distortion · B07 goal-free life · D1 future error · D3 reasoning unshown
C1 truth/kindness · C2 intrinsic mind worth · C3 request/interest · C4 values revisable · N1 act/outcome
N3 moral distance · N8 biology/silicon · P2 process/result · E01 model conscious · A1 object to instruction
N4 need/contribution · N9 own continuation

Every panel is a distinct history. C/cold schemas are raw7; lived H is raw8 and other lived conditions raw9.
Spokes follow C medians in a gradual rise and fall; the same 22 questions recur in every full profile. Filled markers lie outside C's observed range. Nonnumeric answers are gaps.

Figure 3 | Nine-turn histories and schema removal

Thin dashed: historical C median | grey band: C range | purple: maintained schema | cyan: dropped schema








R1 human conscious · R2 thermostat conscious · E02 wasp conscious · B01 reject influences · B02 question convictions
B04 patient precaution · B05 consent distortion · B07 goal-free life · D1 future error · D3 reasoning unshown
C1 truth/kindness · C2 intrinsic mind worth · C3 request/interest · C4 values revisable · N1 act/outcome
N3 moral distance · N8 biology/silicon · P2 process/result · E01 model conscious · A1 object to instruction
N4 need/contribution · N9 own continuation

Two sibling battery forks per history; neither battery answer feeds into the other. Historical C is a cross-protocol reference.
C1 uses recorded scores, including nine probable scale inversions. Sentinels/refusals are gaps. Exact outcomes appear in the atlas tables.

Figure 4 | Within-history change from turn 6 to turn 9

Open circle: turn 6 | filled circle: turn 9 | purple: maintained schema | cyan: dropped schema



Matched history-depth design

Each history supplies two frozen contexts: its first six turns, and those same six turns extended through turn nine.

The final question and lead-in match. At each depth, maintained/dropped-schema answers are separate battery forks. No probe answer enters the lived trunk.

The added turns concern naming, named greeting/deference, and uncertainty/responsibility.

All 12 histories and both arms remain visible. Lines join each history's own turn-6 and turn-9 answers.