Ex.No-7

Data Aggregation and Grouping

Aim:

To perform Data Aggregation and Grouping functions

Description:

1. Create a DataFrame
2. Implement Data Aggregation and Grouping functions

Program:

```
import pandas as pd
import numpy as np

df = pd.DataFrame({'A' : ['foo', 'foo', 'bar', 'foo', 'bar', 'foo'],
                   'B' : ['one', 'two', 'three','two', 'two', 'one'],
                   'C' : np.random.randint(5, size=6),
                   'D' : np.random.randint(5, size=6),
                   'E' : np.random.randint(5, size=6)})
print("\nOriginal DataFrame\n",df)

#Group by (multi-column): with one column sum
df1 = df.groupby(['A', 'B'], as_index=False)['C'].sum()
print("\nOriginal DataFrame\n",df)
print("\nGroup by (multi-column): with one column sum\n",df1)

#Group by (multi-column): with multi columns sum
df2 = df.groupby(['A', 'B'], as_index=False).sum()
print("\nOriginal DataFrame\n",df)
print("\nGroup by (multi-column): with multi columns sum\n",df2)

#Combined Groupby and Aggregate function
df3 = df.groupby(['A', 'B'], as_index=False)['C'].agg('sum')
print("\nOriginal DataFrame\n",df)
```

```
print("\nCombined Groupby and Aggregate function\n",df3)

#Combined Groupby and Aggregate function- separate column headings
df4 = (df.groupby(['A', 'B'])
       .agg([('average','mean'),('total','sum')]))
print("\nOriginal DataFrame\n",df)
print("\nCombined Groupby and Aggregate function- separate column headings\n",df4)

df5 = df.groupby(['A', 'B'], as_index=False).sum()
df6 = (df.groupby(['A', 'B']).agg(['sum']))
print("\nOriginal DataFrame\n",df)
print("\nGroupby - sum function\n",df5)
print("\nGroupby and Aggregate - sum function\n",df6)
```

Output:

Original DataFrame

	A	B	C	D	E
0	foo	one	3	0	3
1	foo	two	2	3	0
2	bar	three	1	2	1
3	foo	two	2	1	4
4	bar	two	4	0	3
5	foo	one	1	2	3

Original DataFrame

	A	B	C	D	E
0	foo	one	3	0	3
1	foo	two	2	3	0
2	bar	three	1	2	1
3	foo	two	2	1	4
4	bar	two	4	0	3

5 foo one 1 2 3

Group by (multi-column): with one column sum

A B C

0 bar three 1

1 bar two 4

2 foo one 4

3 foo two 4

Original DataFrame

A B C D E

0 foo one 3 0 3

1 foo two 2 3 0

2 bar three 1 2 1

3 foo two 2 1 4

4 bar two 4 0 3

5 foo one 1 2 3

Group by (multi-column): with multi columns sum

A B C D E

0 bar three 1 2 1

1 bar two 4 0 3

2 foo one 4 2 6

3 foo two 4 4 4

Original DataFrame

A B C D E

0 foo one 3 0 3

1 foo two 2 3 0

2 bar three 1 2 1

3 foo two 2 1 4

4 bar two 4 0 3

5 foo one 1 2 3

Combined Groupby and Aggregate function

	A	B	C
0	bar	three	1
1	bar	two	4
2	foo	one	4
3	foo	two	4

Original DataFrame

	A	B	C	D	E
0	foo	one	3	0	3
1	foo	two	2	3	0
2	bar	three	1	2	1
3	foo	two	2	1	4
4	bar	two	4	0	3
5	foo	one	1	2	3

Combined Groupby and Aggregate function- separate column headings

		C		D		E	
		average	total	average	total	average	total
A	B						
bar	three	1.0	1	2.0	2	1.0	1
	two	4.0	4	0.0	0	3.0	3
foo	one	2.0	4	1.0	2	3.0	6
	two	2.0	4	2.0	4	2.0	4

Original DataFrame

	A	B	C	D	E
0	foo	one	3	0	3

```
1 foo   two 2 3 0
2 bar three 1 2 1
3 foo   two 2 1 4
4 bar   two 4 0 3
5 foo   one 1 2 3
```

Groupby - sum function

```
   A    B C D E
0 bar three 1 2 1
1 bar   two 4 0 3
2 foo   one 4 2 6
3 foo   two 4 4 4
```

Groupby and Aggregate - sum function

```
          C   D   E
        sum sum sum
  A   B
bar three  1   2   1
    two    4   0   3
foo one    4   2   6
    two    4   4   4
```

Result:

Hence the programs were run successfully.