

Ejercicios en clase

```
SELECT course_no,description,prerequisite, cost
FROM course;

SELECT description, cost, prerequisite
FROM course
WHERE cost = 1195;
```

```
SELECT description, cost, prerequisite
FROM course
WHERE cost = 1195
AND ( prerequisite = 20
OR prerequisite = 25);
```

```
SELECT description, cost, prerequisite
FROM course
WHERE cost = 1195;
```

```
SELECT description, prerequisite, cost
FROM course
order by 2;
```

```
SELECT description, prerequisite, cost
FROM course
WHERE prerequisite IS NOT NULL;

SELECT zip,last_name
FROM student
```

```
WHERE zip IN ('10048', '11102', '11209');
```

```
SELECT zip,last_name  
FROM student  
WHERE zip IN ('10048', '11102', '11209')  
order by 2;
```

```
SELECT zip,last_name  
FROM student  
WHERE zip IN ('10048', '11102', '11209')  
order by 2 desc;
```

```
SELECT count (*) from student;
```

```
SeLeCt count (*) from student;
```

```
SELECT student_id, last_name  
FROM student  
WHERE last_name BETWEEN 'W' AND 'Z'  
order by 2;
```

```
SELECT count (*) from grade_type;  
//se refiere a los tipos de calificaciones
```

```
select count (*) from zipcode;  
//distintos  
select DISTINCT state from zipcode;
```

Chapter 3

```
SELECT UPPER(city), state, INITCAP(state)
FROM zipcode
WHERE zip = '10035';
```

//tabla dual una sola fila y una sola columna, interna


```
SELECT (
LENGTH('Fred fed Ted bread, and Ted fed Fred bread.') -
LENGTH(REPLACE(
'Fred fed Ted bread, and Ted fed Fred bread.',
'ed', NULL))
) AS occurr
FROM dual;
```

```
SELECT (
LENGTH('Fred fed Ted bread, and Ted fed Fred bread.)) from dual;
```

```
SELECT (
LENGTH('Fred fed Ted bread')) from dual;
```

```
SELECT (
LENGTH('Fred fed Ted bread')) texto from dual;
```

```
SELECT (
```



```
LENGTH(REPLACE(
'Fred fed Ted bread, and Ted fed Fred bread.',
'ed', NULL))) from dual;
```

```
SELECT (
    LENGTH(REPLACE(
'Fred fed Ted bread, and Ted fed Fred bread.',
'ed', NULL))) texto2 from dual;
```

```
SELECT (
    LENGTH(REPLACE(
'Fred fed Ted bread',
'ed', NULL))) texto2 from dual;
```

```
SELECT (
    REPLACE(
'Fred fed Ted bread',
'ed', NULL)) texto2 from dual;
```